

JANGAON, ESTELLA

DOB: 04/09/1963
Sex: F
Phone: (713) 294-2551
Patient ID: 85233759

Age: 61
Fasting: Y

Specimen: HZ731334L
Requisition: 0025038
Lab Reference ID: 186605135Q
Report Status: FINAL / SEE REPORT

Collected: 12/04/2024 09:16
Received: 12/04/2024 09:16
Reported: 12/05/2024 15:28

Client #: 4463400
HOANG, RACHEL
KUMAR, ARUN MD
10726 HUFFMEISTER RD STE 100
HOUSTON, TX 77065-3181
Phone: (281) 477-0666
Fax: (281) 477-0577

FASTING: YES

▲ **LIPID PANEL, STANDARD**

Analyte	Value	
CHOLESTEROL, TOTAL	131	Reference Range: <200 mg/dL
▲ HDL CHOLESTEROL	48 L	Reference Range: > OR = 50 mg/dL
TRIGLYCERIDES	70	Reference Range: <150 mg/dL
LDL-CHOLESTEROL	68	mg/dL (calc)
Reference range: <100		
Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with > or = 2 CHD risk factors.		
LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)		
CHOL/HDL-C RATIO	2.7	Reference Range: <5.0 (calc)
NON HDL CHOLESTEROL	83	Reference Range: <130 mg/dL (calc)
For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.		

▲ **COMPREHENSIVE METABOLIC PANEL**

Analyte	Value	
▲ GLUCOSE	120 H	Reference Range: 65-99 mg/dL
Fasting reference interval		
For someone without known diabetes, a glucose value between 100 and 125 mg/dL is consistent with prediabetes and should be confirmed with a follow-up test.		
UREA NITROGEN (BUN)	20	Reference Range: 7-25 mg/dL
CREATININE	0.66	Reference Range: 0.50-1.05 mg/dL
EGFR	100	Reference Range: > OR = 60 mL/min/1.73m2
BUN/CREATININE RATIO	SEE NOTE:	Reference Range: 6-22 (calc)
Not Reported: BUN and Creatinine are within reference range.		
SODIUM	144	Reference Range: 135-146 mmol/L
POTASSIUM	4.6	Reference Range: 3.5-5.3 mmol/L
CHLORIDE	107	Reference Range: 98-110 mmol/L

CARBON DIOXIDE	30	Reference Range: 20-32 mmol/L
CALCIUM	9.5	Reference Range: 8.6-10.4 mg/dL
PROTEIN, TOTAL	7.0	Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.2	Reference Range: 3.6-5.1 g/dL
GLOBULIN	2.8	Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.5	Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.5	Reference Range: 0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	56	Reference Range: 37-153 U/L
AST	13	Reference Range: 10-35 U/L
ALT	11	Reference Range: 6-29 U/L

▲ CBC (INCLUDES DIFF/PLT)

Analyte	Value	
WHITE BLOOD CELL COUNT	5.7	Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	4.04	Reference Range: 3.80-5.10 Million/uL
HEMOGLOBIN	12.0	Reference Range: 11.7-15.5 g/dL
HEMATOCRIT	37.8	Reference Range: 35.0-45.0 %
MCV	93.6	Reference Range: 80.0-100.0 fL
MCH	29.7	Reference Range: 27.0-33.0 pg
▲ MCHC	31.7 L	Reference Range: 32.0-36.0 g/dL
For adults, a slight decrease in the calculated MCHC value (in the range of 30 to 32 g/dL) is most likely not clinically significant; however, it should be interpreted with caution in correlation with other red cell parameters and the patient's clinical condition.		
RDW	13.2	Reference Range: 11.0-15.0 %
PLATELET COUNT	247	Reference Range: 140-400 Thousand/uL
MPV	11.2	Reference Range: 7.5-12.5 fL
ABSOLUTE NEUTROPHILS	3374	Reference Range: 1500-7800 cells/uL
ABSOLUTE LYMPHOCYTES	1778	Reference Range: 850-3900 cells/uL
ABSOLUTE MONOCYTES	428	Reference Range: 200-950 cells/uL
ABSOLUTE EOSINOPHILS	91	Reference Range: 15-500 cells/uL
ABSOLUTE BASOPHILS	29	Reference Range: 0-200 cells/uL
NEUTROPHILS	59.2	%
LYMPHOCYTES	31.2	%
MONOCYTES	7.5	%
EOSINOPHILS	1.6	%
BASOPHILS	0.5	%

▲ VITAMIN D,25-OH,TOTAL,IA

Analyte	Value	
JANGAON,ESTELLA (HZ731334L)		

▲ VITAMIN D,25-OH,TOTAL,IA**28 L** Reference Range: 30-100 ng/mL

Vitamin D Status 25-OH Vitamin D:

Deficiency: <20 ng/mL
Insufficiency: 20 - 29 ng/mL
Optimal: > or = 30 ng/mL

For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).

COMMENT

See Note 1

Note 1

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ199> (This link is being provided for informational/ educational purposes only.)

▲ HEMOGLOBIN A1c

Analyte	Value
---------	-------

▲ HEMOGLOBIN A1c**6.2 H** Reference Range: <5.7 % of total Hgb

For someone without known diabetes, a hemoglobin A1c value between 5.7% and 6.4% is consistent with prediabetes and should be confirmed with a follow-up test.

For someone with known diabetes, a value <7% indicates that their diabetes is well controlled. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations.

This assay result is consistent with an increased risk of diabetes.

Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes for children.

▲ URINALYSIS REFLEX

Analyte	Value
---------	-------

COLOR	YELLOW	Reference Range: YELLOW
-------	---------------	-------------------------

▲ APPEARANCE	CLOUDY	Reference Range: CLEAR
---------------------	---------------	------------------------

SPECIFIC GRAVITY	1.026	Reference Range: 1.001-1.035
------------------	--------------	------------------------------

PH	5.5	Reference Range: 5.0-8.0
----	------------	--------------------------

GLUCOSE	NEGATIVE	Reference Range: NEGATIVE
---------	-----------------	---------------------------

BILIRUBIN	NEGATIVE	Reference Range: NEGATIVE
-----------	-----------------	---------------------------

▲ KETONES	TRACE	Reference Range: NEGATIVE
------------------	--------------	---------------------------

▲ OCCULT BLOOD	2+	Reference Range: NEGATIVE
-----------------------	-----------	---------------------------

▲ PROTEIN	1+	Reference Range: NEGATIVE
------------------	-----------	---------------------------

NITRITE	NEGATIVE	Reference Range: NEGATIVE
---------	-----------------	---------------------------

▲ LEUKOCYTE ESTERASE	2+	Reference Range: NEGATIVE
-----------------------------	-----------	---------------------------

▲ WBC	20-40	Reference Range: < OR = 5 /HPF
--------------	--------------	--------------------------------

▲ RBC	3-10	Reference Range: < OR = 2 /HPF
--------------	-------------	--------------------------------

▲ SQUAMOUS EPITHELIAL CELLS	10-20	Reference Range: < OR = 5 /HPF
▲ BACTERIA	MODERATE	Reference Range: NONE SEEN /HPF
▲ CALCIUM OXALATE CRYSTALS	MODERATE	Reference Range: NONE OR FEW /HPF
HYALINE CAST	NONE SEEN	Reference Range: NONE SEEN /LPF

%SRGAUAMSG

Analyte	Value
NOTE This urine was analyzed for the presence of WBC, RBC, bacteria, casts, and other formed elements. Only those elements seen were reported.	

URIC ACID

Analyte	Value
URIC ACID	3.9 Reference Range: 2.5-7.0 mg/dL
Therapeutic target for gout patients: <6.0 mg/dL	

IRON AND TOTAL IRON BINDING CAPACITY

Analyte	Value
IRON, TOTAL	63 Reference Range: 45-160 mcg/dL
IRON BINDING CAPACITY	288 Reference Range: 250-450 mcg/dL (calc)
% SATURATION	22 Reference Range: 16-45 % (calc)

ALBUMIN, RANDOM URINE W/CREATININE

Analyte	Value
CREATININE, RANDOM URINE	244 Reference Range: 20-275 mg/dL
ALBUMIN, URINE	4.7 Reference Range: Reference Range mg/dL Not established mg/dL

ALBUMIN/CREATININE RATIO, RANDOM URINE

The ADA defines abnormalities in albumin excretion as follows:

Albuminuria Category	Result (mg/g creatinine)
Normal to Mildly increased	<30
Moderately increased	30-299
Severely increased	> OR = 300

The ADA recommends that at least two of three specimens collected within a 3-6 month period be abnormal before considering a patient to be within a diagnostic category.

FERRITIN

Analyte	Value
FERRITIN	111 Reference Range: 16-288 ng/mL

VITAMIN B12/FOLATE, SERUM PANEL

Analyte	Value
VITAMIN B12 Please Note: Although the reference range for vitamin B12 is 200-1100 pg/mL, it has been reported that between 5 and 10% of patients with values between 200 and 400 pg/mL may experience neuropsychiatric and hematologic abnormalities due to occult B12 deficiency; less than 1% of patients with values above 400 pg/mL will have symptoms.	284 Reference Range: 200-1100 pg/mL
FOLATE, SERUM Reference Range Low: <3.4 Borderline: 3.4-5.4 Normal: >5.4	12.3 ng/mL

TSH+FREE T4

Analyte	Value
TSH	1.27 Reference Range: 0.40-4.50 mIU/L
T4, FREE	1.3 Reference Range: 0.8-1.8 ng/dL

Performing Sites

RGA Quest Diagnostics-Houston Lab, 5850 Rogerdale Road, Houston, TX 77072-1602 Laboratory Director: Meredith A Reyes

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

