



Date of Service: 10/16/2014
Specimen: DL793507L

Patient Name: JANGAON, ESTELLA

DOB: 04/09/1963 AGE: 51Y Gender: F

Health ID: 8573002356852745

BRINKLEY, MICHELE G
LAKEWOOD FAMILY PHYS
18220 STATE HIGHWAY 249
HOUSTON, TX 77070-4347
Phone: 2814696667

Test Name	Results	Reference Range	Lab
LIPID PANEL			
CHOLESTEROL, TOTAL	159	125-200 mg/dL	RGA
HDL CHOLESTEROL	41 L	> OR = 46 mg/dL	RGA
TRIGLYCERIDES	82	<150 mg/dL	RGA
LDL-CHOLESTEROL	102	<130 mg/dL (calc)	RGA
Desirable range <100 mg/dL for patients with CHD or diabetes and <70 mg/dL for diabetic patients with known heart disease.			
CHOL/HDL C RATIO	3.9	< OR = 5.0 (calc)	RGA
NON HDL CHOLESTEROL	118	159 mg/dL (calc)	RGA
Target for non-HDL cholesterol is 30 mg/dL higher than LDL cholesterol target.			
COMPREHENSIVE METABOLIC PANEL			RGA
GLUCOSE	112 H	65-99 mg/dL	
Fasting reference interval			
UREA NITROGEN (BUN)	17	7-25 mg/dL	
CREATININE	0.64	0.50-1.05 mg/dL	
For patients >49 years of age, the reference limit for Creatinine is approximately 13% higher for people identified as African-American.			
eGFR NON-AFR. AMERICAN	103	> OR = 60 mL/min/1.73m ²	
eGFR AFRICAN AMERICAN	120	> OR = 60 mL/min/1.73m ²	
BUN/CREATININE RATIO	NOT APPLICABLE	6-22 (calc)	
SODIUM	139	135-146 mmol/L	
POTASSIUM	4.8	3.5-5.3 mmol/L	
CHLORIDE	106	98-110 mmol/L	
CARBON DIOXIDE	25	19-30 mmol/L	
CALCIUM	9.2	8.6-10.4 mg/dL	
PROTEIN, TOTAL	7.4	6.1-8.1 g/dL	
ALBUMIN	4.1	3.6-5.1 g/dL	
GLOBULIN	3.3	1.9-3.7 g/dL (calc)	
ALBUMIN/GLOBULIN RATIO	1.2	1.0-2.5 (calc)	
BILIRUBIN, TOTAL	0.6	0.2-1.2 mg/dL	
ALKALINE PHOSPHATASE	59	33-130 U/L	
AST	16	10-35 U/L	



Specimen: DL793507L

Patient Name: JANGAON, ESTELLA

DOB: 04/09/1963 AGE: 51Y Gender: F

Health ID: 8573002356852745

LAKEWOOD FAMILY PHYS

Test Name	Results	Reference Range	Lab
ALT	8	6-29 U/L	
HEMOGLOBIN A1c	6.3 H	<5.7 % of total Hgb	RGA
According to ADA guidelines, hemoglobin A1c <7.0% represents optimal control in non-pregnant diabetic patients. Different metrics may apply to specific patient populations. Standards of Medical Care in Diabetes-2013. Diabetes Care. 2013;36:s11-s66 For the purpose of screening for the presence of diabetes <5.7% Consistent with the absence of diabetes 5.7-6.4% Consistent with increased risk for diabetes (prediabetes) >or=6.5% Consistent with diabetes This assay result is consistent with a higher risk of diabetes. Currently, no consensus exists for use of hemoglobin A1c for diagnosis of diabetes for children.			
HOMOCYSTEINE, CARDIOVASCULAR	7.8	<10.4 umol/L	IG
QUESTASSURED 25-OH VIT D, (D2,D3), LC/MS/MS			IG
VITAMIN D, 25-OH, TOTAL	16 L	30-100 ng/mL	
25-OHD3 indicates both endogenous production and supplementation. 25-OHD2 is an indicator of exogenous sources, such as diet or supplementation. Therapy is based on measurement of Total 25-OHD, with levels <20 ng/mL indicative of Vitamin D deficiency, while levels between 20 ng/mL and 30 ng/mL suggest insufficiency. Optimal levels are > or = 30 ng/mL.			
VITAMIN D, 25-OH, D3	16	ng/mL	
Reference Range Not established			
VITAMIN D, 25-OH, D2	<4	ng/mL	
Reference Range Not established			

PERFORMING SITE:

IG Quest Diagnostics, 4770 Regent Blvd, Irving, TX 75063-2445 Laboratory Director: Elisabeth S Brockie, DO, MD, CLIA: 45D0697943
RGA Quest Diagnostics, 5850 Rogerdale Road, Houston, TX 77072-1602 Laboratory Director: Julia Kenny, MD, CLIA: 45D0660150

The contents of this laboratory test report are based on tests performed by Quest Diagnostics. The report is NOT an official laboratory report. If you require your official laboratory report, please contact your physician.