

JANGAON, ESTELLA

DOB: 04/09/1963 Age: 54 Specimen: HL153423A Collected: 07/24/2017 08:01 Client #: 54860600 10490 HUFFMEISTER RD STE B
Sex: F Fasting: Y Requisition: 7383859 Received: 07/25/2017 15:52 HIGHTOWER, ERICA E HOUSTON, TX 77065-5654
Phone: (281) 373-5940 Report Status: FINAL / SEE REPORT Reported: 07/26/2017 09:06 DIABETES TEXAS
Patient ID: 110196 Phone: (346) 206-4333 Fax: (346) 206-4333

▲ COMPREHENSIVE METABOLIC PANEL

▲ GLUCOSE	126 H	Reference Range: 65-99 (mg/dL)
Fasting reference interval		
For someone without known diabetes, a glucose value >125 mg/dL indicates that they may have diabetes and this should be confirmed with a follow-up test.		
UREA NITROGEN (BUN)	21	Reference Range: 7-25 (mg/dL)
CREATININE	0.76	Reference Range: 0.50-1.05 (mg/dL)
For patients >49 years of age, the reference limit for Creatinine is approximately 13% higher for people identified as African-American.		
eGFR NON-AFR. AMERICAN	89	Reference Range: > OR = 60 (mL/min/1.73m2)
eGFR AFRICAN AMERICAN	103	Reference Range: > OR = 60 (mL/min/1.73m2)
BUN/CREATININE RATIO	NOT APPLICABLE	Reference Range: 6-22 ((calc))
SODIUM	140	Reference Range: 135-146 (mmol/L)
POTASSIUM	4.4	Reference Range: 3.5-5.3 (mmol/L)
CHLORIDE	105	Reference Range: 98-110 (mmol/L)
CARBON DIOXIDE	26	Reference Range: 20-31 (mmol/L)
CALCIUM	9.2	Reference Range: 8.6-10.4 (mg/dL)
PROTEIN, TOTAL	7.1	Reference Range: 6.1-8.1 (g/dL)
ALBUMIN	4.0	Reference Range: 3.6-5.1 (g/dL)
GLOBULIN	3.1	Reference Range: 1.9-3.7 (g/dL (calc))
ALBUMIN/GLOBULIN RATIO	1.3	Reference Range: 1.0-2.5 ((calc))
BILIRUBIN, TOTAL	0.5	Reference Range: 0.2-1.2 (mg/dL)
ALKALINE PHOSPHATASE	66	Reference Range: 33-130 (U/L)
AST	15	Reference Range: 10-35 (U/L)
ALT	13	Reference Range: 6-29 (U/L)

▲ HEMOGLOBIN A1c

▲ HEMOGLOBIN A1c	6.5 H	Reference Range: <5.7 (% of total Hgb)
For someone without known diabetes, a hemoglobin A1c value of 6.5% or greater indicates that they may have diabetes and this should be confirmed with a follow-up test.		
For someone with known diabetes, a value <7% indicates that their diabetes is well controlled and a value greater than or equal to 7% indicates suboptimal control. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations.		
Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes for children.		

▲ VITAMIN D,25-OH,TOTAL,IA

VITAMIN D,25-OH,TOTAL,IA

27 L

Reference Range: 30-100 (ng/mL)

Vitamin D Status

25-OH Vitamin D:

Deficiency:

<20 ng/mL

Insufficiency:

20 - 29 ng/mL

Optimal:

> or = 30 ng/mL

For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssured(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).

For more information on this test, go to:
<http://education.questdiagnostics.com/faq/FAQ163>
(This link is being provided for informational/educational purposes only.)

⚠️ CBC (H/H, RBC, INDICES, WBC, PLT)

WHITE BLOOD CELL COUNT	6.1	Reference Range: 3.8-10.8 (Thousand/uL)
RED BLOOD CELL COUNT	4.19	Reference Range: 3.80-5.10 (Million/uL)
HEMOGLOBIN	12.3	Reference Range: 11.7-15.5 (g/dL)
HEMATOCRIT	38.8	Reference Range: 35.0-45.0 (%)
MCV	92.6	Reference Range: 80.0-100.0 (fL)
MCH	29.4	Reference Range: 27.0-33.0 (pg)
⚠️ MCHC	31.7 L	Reference Range: 32.0-36.0 (g/dL)
RDW	13.1	Reference Range: 11.0-15.0 (%)
PLATELET COUNT	249	Reference Range: 140-400 (Thousand/uL)
MPV	10.7	Reference Range: 7.5-12.5 (fL)

URINALYSIS, COMPLETE W/REFLEX TO CULTURE

COLOR	Test Not Performed
***** * Test Not Performed. * * Improper specimen submitted. * * Please re-submit in a Stockwell * * yellow-top urinalysis transport * * tube. * *****	

MICROALBUMIN, RANDOM URINE (W/CREATININE)

CREATININE, RANDOM URINE	157	Reference Range: 20-320 (mg/dL)
--------------------------	-----	---------------------------------

MICROALBUMIN, RANDOM URINE (W/CREATININE)

MICROALBUMIN	1.0	Reference Range: Reference Range (mg/dL) Not established (mg/dL)
MICROALBUMIN/CREATININE RATIO, RANDOM URINE	6	Reference Range: <30 (mcg/mg creat)
The ADA defines abnormalities in albumin excretion as follows:		
Category	Result (mcg/mg creatinine)	
Normal	<30	
Microalbuminuria	30-299	
Clinical albuminuria	> OR = 300	
The ADA recommends that at least two of three specimens collected within a 3-6 month period be abnormal before considering a patient to be within a diagnostic category.		

LIPID PANEL

CHOLESTEROL, TOTAL	162	Reference Range: 125-200 (mg/dL)
--------------------	-----	----------------------------------

HDL CHOLESTEROL	55	Reference Range: > OR = 46 (mg/dL)
TRIGLYCERIDES	88	Reference Range: <150 (mg/dL)
LDL-CHOLESTEROL	89	Reference Range: <130 (mg/dL (calc))
Desirable range <100 mg/dL for patients with CHD or diabetes and <70 mg/dL for diabetic patients with known heart disease.		
CHOL/HDLC RATIO	2.9	Reference Range: < OR = 5.0 ((calc))
NON HDL CHOLESTEROL	107	mg/dL (calc)
Target for non-HDL cholesterol is 30 mg/dL higher than LDL cholesterol target.		

TSH W/REFLEX TO FT4

TSH W/REFLEX TO FT4	1.39	mIU/L
Reference Range		
> or = 20 Years 0.40-4.50		
Pregnancy Ranges		
First trimester 0.26-2.66		
Second trimester 0.55-2.73		
Third trimester 0.43-2.91		

VITAMIN B12

VITAMIN B12	343	Reference Range: 200-1100 (pg/mL)
Please Note: Although the reference range for vitamin B12 is 200-1100 pg/mL, it has been reported that between 5 and 10% of patients with values between 200 and 400 pg/mL may experience neuropsychiatric and hematologic abnormalities due to occult B12 deficiency; less than 1% of patients with values above 400 pg/mL will have symptoms.		

Performing Sites

RGA Quest Diagnostics-Houston Lab, 5850 Rogerdale Road, Houston, TX 77072-1602 Laboratory Director: Julia Kenny, MD

These results have been sent to the person that ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '@' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2017 Quest Diagnostics Incorporated. All rights reserved.