

JANGAON, ESTELLA

DOB: 04/09/1963
Sex: F
Phone: (281) 373-5940
Patient ID: 84550

Age: 58
Fasting: Y

Specimen: HL720809Q
Requisition: 0007709
Lab Reference ID: 1A1F653055
Report Status: FINAL / SEE REPORT

Collected: 02/23/2022 10:28
Received: 02/23/2022 10:28
Reported: 02/28/2022 19:18

Client #: 4100900
JAY, KIMBERLY
POTHURI, BHARAT MD
10425 HUFFMEISTER RD STE 280
HOUSTON, TX 77065-3430
Phone: (888) 858-6260
Fax: (832) 688-9496

0; 0; 0; 0; 0 ; FASTING: YES

▲ HEPATITIS BE ANTIBODY

Analyte	Value
▲ HEPATITIS BE ANTIBODY	REACTIVE Reference Range: NON-REACTIVE
COMMENT	See Note 1

▲ HEPATITIS B SURFACE ANTIBODY QL

Analyte	Value
▲ HEPATITIS B SURFACE ANTIBODY QL	REACTIVE Reference Range: NON-REACTIVE

HEPATITIS BE ANTIGEN

Analyte	Value
HEPATITIS BE ANTIGEN	NON-REACTIVE Reference Range: NON-REACTIVE
COMMENT	See Note 1

HEPATIC FUNCTION PANEL

Analyte	Value
PROTEIN, TOTAL	7.4 Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.2 Reference Range: 3.6-5.1 g/dL
GLOBULIN	3.2 Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.3 Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.6 Reference Range: 0.2-1.2 mg/dL
BILIRUBIN, DIRECT	0.1 Reference Range: < OR = 0.2 mg/dL
BILIRUBIN, INDIRECT	0.5 Reference Range: 0.2-1.2 mg/dL (calc)
ALKALINE PHOSPHATASE	64 Reference Range: 37-153 U/L
AST	14 Reference Range: 10-35 U/L
ALT	12 Reference Range: 6-29 U/L

HEPATITIS B SURFACE ANTIGEN W/REFL CONFIRM

Analyte	Value
HEPATITIS B SURFACE ANTIGEN	NON-REACTIVE Reference Range: NON-REACTIVE

HEPATITIS B VIRUS DNA, QN, REAL TIME PCR

Analyte	Value
HEPATITIS B VIRUS DNA	<10 NOT DETECTED Reference Range: NOT DETECTED IU/mL

HEPATITIS B VIRUS DNA <1.00 NOT DETECTED Reference Range: NOT DETECTED Log IU/mL

This test was performed using Real-Time Polymerase Chain Reaction.

Reportable Range: 10 IU/mL to 1,000,000,000 IU/mL.
(1.00 Log IU/mL to 9.00 Log IU/mL).

The analytical performance characteristics of this assay have been determined by Quest Diagnostics. The modifications have not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Note 1 For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ202>
(This link is being provided for informational/educational purposes only.)

Performing Sites

IG Quest Diagnostics-Dallas Lab, 4770 Regent Blvd, Irving, TX 75063-2445 Laboratory Director: Clare McCormick-Baw MD, PhD
RGA Quest Diagnostics-Houston Lab, 5850 Rogerdale Road, Houston, TX 77072-1602 Laboratory Director: Romeo I Solano, PhD., F-ABFT

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

