

JANGAON, ESTELLA

DOB: 04/09/1963
Sex: F
Phone: (713) 294-2551
Patient ID: 84550

Age: 59
Fasting: Y

Specimen: HZ852433D
Requisition: 0012049
Lab Reference ID: 5Q1A1F675980
Report Status: FINAL / SEE REPORT

Collected: 03/24/2023 09:14
Received: 03/24/2023 09:14
Reported: 03/27/2023 21:22

Client #: 4100900
CASTILLO, LAURA
POTHURI, BHARAT MD
10425 HUFFMEISTER RD STE 280
HOUSTON, TX 77065-3430
Phone: (888) 858-6260
Fax: (832) 688-9496

0; 0; 0; 0; 0; 0; 0; FASTING: YES

▲ HEPATITIS BE ANTIBODY**▲ HEPATITIS BE ANTIBODY****REACTIVE**

Reference Range: NON-REACTIVE

**COMMENT**


See Note 1

▲ HEPATITIS B CORE AB TOTAL W/REFL IGM**▲ HEPATITIS B CORE AB TOTAL****REACTIVE**

Reference Range: NON-REACTIVE

*No Historical Data***▲ HEPATITIS B CORE ANTIBODY (IGM)****▲ HEPATITIS B CORE ANTIBODY (IGM)****REACTIVE**


Reference Range: NON-REACTIVE



IgM antibodies to hepatitis B core antigen detected, consistent with acute infection.

HEPATITIS BE ANTIGEN**HEPATITIS BE ANTIGEN****NON-REACTIVE**

Reference Range: NON-REACTIVE

**COMMENT**


See Note 1

HEPATIC FUNCTION PANEL

JANGAON, ESTELLA (HZ852433D)


PROTEIN, TOTAL

Reference Range: 6.1-8.1 g/dL




ALBUMIN

Reference Range: 3.6-5.1 g/dL




GLOBULIN

Reference Range: 1.9-3.7 g/dL (calc)




ALBUMIN/GLOBULIN RATIO

Reference Range: 1.0-2.5 (calc)




BILIRUBIN, TOTAL

Reference Range: 0.2-1.2 mg/dL




BILIRUBIN, DIRECT

Reference Range: < OR = 0.2 mg/dL




BILIRUBIN, INDIRECT

Reference Range: 0.2-1.2 mg/dL (calc)



ALKALINE PHOSPHATASE


Reference Range: 37-153 U/L



Reference range varies across results


AST

Reference Range: 10-35 U/L



ALT

Reference Range: 6-29 U/L



HEPATITIS B SURFACE ANTIGEN W/REFL CONFIRM

HEPATITIS B SURFACE ANTIGEN

NON-REACTIVE

Reference Range: NON-REACTIVE



HEPATITIS B SURFACE AB IMMUNITY, QN

HEPATITIS B SURFACE AB IMMUNITY, QN

>1000

Reference Range: > OR = 10 mIU/mL

No Historical Data

Patient has immunity to hepatitis B virus.

For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ105> (This link is being provided for informational/educational purposes only).


ALPHA FETOPROTEIN, TUMOR MARKER

ALPHA FETOPROTEIN, TUMOR MARKER

2.3

ng/mL

From 08/30/2022 To 03/25/2023



Reference range varies across results

Reference Range: <6.1

The use of AFP as a tumor marker in pregnant females is not recommended.


This test was performed using the Beckman Coulter chemiluminescent method. Values obtained from different assay methods cannot be used interchangeably. AFP levels, regardless of value, should not be interpreted as absolute evidence of the presence or absence of disease.

HEPATITIS B VIRUS DNA, QN, REAL TIME PCR

HEPATITIS B VIRUS DNA

<10 NOT DETECTED


Reference Range: NOT DETECTED IU/mL



HEPATITIS B VIRUS DNA

<1.00 NOT DETECTED

Reference Range: NOT DETECTED Log IU/mL



This test was performed using Real-Time Polymerase Chain Reaction.

Reportable Range: 10 IU/mL to 1,000,000,000 IU/mL.
(1.00 Log IU/mL to 9.00 Log IU/mL).

The analytical performance characteristics of this assay have been determined by Quest Diagnostics. The modifications have not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Note 1 For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ202>
(This link is being provided for informational/educational purposes only.)

Performing Sites

IG Quest Diagnostics-Dallas Lab, 4770 Regent Blvd, Irving, TX 75063-2445 Laboratory Director: Dr. Robert L Breckenridge
RGA Quest Diagnostics-Houston Lab, 5850 Rogerdale Road, Houston, TX 77072-1602 Laboratory Director: Robert L Breckenridge

Key

 Priority Out of Range  Out of Range

Note: Data displayed only for results that meet strict identification matching. Historical result view may vary based on corrected or updated patient demographics. The reference range displayed may vary due to potential changes in laboratory testing methods. Please refer to the published reference range on each lab report.

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

