

JANGAON, ESTELLA

DOB: 04/09/1963
Sex: F
Phone: (713) 294-2551
Patient ID: 85233759

Age: 61
Fasting: Y

Specimen: HZ624737K
Requisition: 0023318
Lab Reference ID: 152369892Q
Report Status: FINAL / SEE REPORT

Collected: 08/30/2024 10:45
Received: 08/30/2024 10:46
Reported: 08/31/2024 07:55

Client #: 4463400
HOANG, RACHEL
KUMAR, ARUN MD
10726 HUFFMEISTER RD STE 100
HOUSTON, TX 77065-3181
Phone: (281) 477-0666
Fax: (281) 477-0577

FASTING: YES

▲ **LIPID PANEL, STANDARD**

Analyte	Value	
CHOLESTEROL, TOTAL	131	Reference Range: <200 mg/dL
▲ HDL CHOLESTEROL	43 L	Reference Range: > OR = 50 mg/dL
TRIGLYCERIDES	85	Reference Range: <150 mg/dL
LDL-CHOLESTEROL	71	mg/dL (calc)
Reference range: <100		
Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with > or = 2 CHD risk factors.		
LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)		
CHOL/HDL-C RATIO	3.0	Reference Range: <5.0 (calc)
NON HDL CHOLESTEROL	88	Reference Range: <130 mg/dL (calc)
For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.		

▲ **COMPREHENSIVE METABOLIC PANEL**

Analyte	Value	
▲ GLUCOSE	105 H	Reference Range: 65-99 mg/dL
Fasting reference interval		
For someone without known diabetes, a glucose value between 100 and 125 mg/dL is consistent with prediabetes and should be confirmed with a follow-up test.		
UREA NITROGEN (BUN)	19	Reference Range: 7-25 mg/dL
CREATININE	0.57	Reference Range: 0.50-1.05 mg/dL
EGFR	103	Reference Range: > OR = 60 mL/min/1.73m2
BUN/CREATININE RATIO	SEE NOTE:	Reference Range: 6-22 (calc)
Not Reported: BUN and Creatinine are within reference range.		
SODIUM	140	Reference Range: 135-146 mmol/L
POTASSIUM	4.4	Reference Range: 3.5-5.3 mmol/L
CHLORIDE	105	Reference Range: 98-110 mmol/L

CARBON DIOXIDE	30	Reference Range: 20-32 mmol/L
CALCIUM	9.3	Reference Range: 8.6-10.4 mg/dL
PROTEIN, TOTAL	7.0	Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.0	Reference Range: 3.6-5.1 g/dL
GLOBULIN	3.0	Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.3	Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.6	Reference Range: 0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	65	Reference Range: 37-153 U/L
AST	16	Reference Range: 10-35 U/L
ALT	12	Reference Range: 6-29 U/L

▲ HEMOGLOBIN A1c

Analyte	Value
▲ HEMOGLOBIN A1c For someone without known diabetes, a hemoglobin A1c value between 5.7% and 6.4% is consistent with prediabetes and should be confirmed with a follow-up test. For someone with known diabetes, a value <7% indicates that their diabetes is well controlled. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations. This assay result is consistent with an increased risk of diabetes. Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes for children.	6.2 H Reference Range: <5.7 % of total Hgb

COMMENT

This test was performed on the Roche cobas c503 platform. Effective 11/13/23, a change in test platforms from the Abbott Architect to the Roche cobas c503 may have shifted HbA1c results compared to historical results. Based on laboratory validation testing conducted at Quest, the Roche platform relative to the Abbott platform had an average increase in HbA1c value of < or = 0.3%. This difference is within accepted variability established by the National Glycohemoglobin Standardization Program. Note that not all individuals will have had a shift in their results and direct comparisons between historical and current results for testing conducted on different platforms is not recommended.

Performing Sites

RGA Quest Diagnostics-Houston Lab, 5850 Rogerdale Road, Houston, TX 77072-1602 Laboratory Director: Meredith A Reyes

Key

🚨 Priority Out of Range ▲ Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022

