

An ISO 9001:2008 Certified Co.





What is jQuery?

- jQuery is a JavaScript Library.
- · jQuery is small, fast, and feature-rich JavaScript library.
- · jQuery greatly simplifies JavaScript programming.



Difference between javascript and jquery?

- If you use JavaScript, you need to write you own scripting which may take time.
- If you use Jquery, you need not to write much scripting which already exists in JQuery.



JQuery syntax

```
<head>
 <script src="jq/jquery-1.10.2.js"> </script>
   <script>
    // Your code goes here.
   </script>
</head>
<body>
</body>
```





Effects in jQuery

Created in Piford Technologies by Yash



```
☐ Hide jquery1.html ×

← → C ① file:///C:/Users/Piford/Desktop/Clas ☆ :

Click to Hide
```

\$(this).hide();

3)

3)

```
</ri>

Click to Hide </div>
```



```
PIFORD TECHNOLOGIES 2nd FLOOR IT C-7, KMG Towers, IT Park, Sector 67, Mohali
    Hide jquery1.html
         C ① file:///C:/Users/Piford/Desktop/Clas ☆
    Submit
```

```
Hide jquery1.html
       C ① file:///C:/Users/Piford/Desktop/Clas ☆
Click to Hide
Submit
```

<script> \$(document).ready(function(){

\$("#s").click(function(){

\$("#b").show();

3)

3)

</script> </head> <body> <div style="border:solid; height:50px; width:300px; display:none" id="b">
 Click to Hide </div> <input type="submit" id="s">

Toggle

```
<script>
$(document).ready(function(){
```

Click

```
</script>
</head>
<body>
<div style="border:solid; height:50px; width:300px" id="b"> Click button to hide/view div </div>
<input type="button" id="c" value="Click">
```

PIFORD TECHNOLOGIES 2nd FLOOR IT C-7, KMG Towers, IT Park, Sector 67, Mohali

C ① file:///C:/Users/Piford/Desktop/Clas ☆ :



<script> \$(document).ready(function(){

\$("#b").click(function(){

\$("#a").slideDown();

3)

</script>

</head>

<body>

<div style="border:solid; height:50px; width:300px; display:none" id="a">
 Click to Slide </div>

<div style="border:solid; height:100px; width:300px;" id="b"> </div>

8 0 0 X slidetoggle_iquery.html X C ① file:///C:/Users/Piford/Desktop/Clas ☆ : Click to Slide

slidetoggle_jquery.html X

C ① file:///C:/Users/Piford/Desktop/Clas ☆

Click to Slide

\$(document).ready(function(){ \$("#a").click(function(){

\$("#b").slideUp();

3)

```
8 - 0 X
 slidetoggle_jquery.html X
       C ① file:///C:/Users/Piford/Desktop/Clas ☆
Click to Slide
```

3)

</script> </head>

<script>

<body>

<div style="border:solid; height:50px; width:300px;;" id="a"> Click to Slide </div>

<div style="border:solid; height:100px; width:300px;" id="b"> </div>

slideToggle

```
<script>
$(document).ready(function(){
```

\$("#a").click(function(){

\$("#b").slideToggle();

3)

3)


</script>

</head>

<body>

<div style="border:solid; height:50px; width:300px" id="a"> Click to Slide <div style="border:solid; height:100px; width:300px; display:none" id="b"> </div>

Created in Piford Technologies by Yash





fadeOut

</script>

</head>

<body>


<script> \$(document).ready(function(){

\$("#a").click(function(){

\$("#b").fadeOut();

3)

```
3)
```



<input type="submit" id="a">

<div style="border:solid; height:100px; width:300px; background-color:#F00;" id="b"> </div>



Events in JQuery

- Click
- · Doubleclick
- Mouseenter
- Mouseleave
- Focus
- · Blur



<body>

Mouseenter and mouseleave Event

\$(this).css("background-color","grey");

mouseenter_jquery.htm X

C ① file:///C:/Users/Piford/Des ☆

3);

\$("#e").mouseleave(function(){

\$(this).css("background-color","red");

});
</script>
</head>

mouseenter_jquery.htm ×

← → C (i) file:///C:/Users/Piford/Des ☆ :

A - 0 X



Focus and blur Event

```
$(document).ready(function(){
                                  $("input").focus(function(){
                                         $(this).css("background-color", "#cccccc");
                                  $("input").blur(function(){
                                         $(this).css("background-color", "#ffffff");
                                 });
</script>
                                                 focusblur.html
</head>
                                                     C in file:///C:/Users/Piford/Des ☆
<body>
                                               Name:
 Name: <input type="text"><br>
                                               Email: yash@piford.com
Email: <input tupe="text">
Created in Piford Technologies by Yash
```