NIT ACTUAL 2008

MATHEMATICS

1. If f(x) is a polynomial satisfying

$$f(x)f\left(\frac{1}{x}\right) = f(x) + f\left(\frac{1}{x}\right)$$
 and $f(3) = 28$, then $f(4)$ is given by:

- (a) 63
- (b) 65
- (c) 67
- (d) 68
- 2. Suppose P_1, P_2, \dots, P_{30} are thirty sets each having 5 elements and Q_1, Q_2, \dots, Q_n are n sets with 3 elements each. Let $\bigcup_{i=1}^{30} P_i = \bigcup_{i=1}^{17} Q_i = S$ and each element of S belongs to exactly 10 of the Pis and exactly 9 of the $Q_i s$. Then, n is equal to :
 - (a) 15
- (b) 3
- (c) 45
- (d) None
- The number of functions f from the set $A = \{0, 1, 2\}$ into 3. the set $B = \{0, 1, 2, 3, 4, 5, 6, 7\}$ such that $f(i) \le f(j)$ for i < j and $i, j \in A$ is:
 - (a) ${}^{8}C_{3}$
- (b) ${}^{8}C_{3} + 2({}^{8}C_{2})$
- (c) ${}^{10}C_3$
- (d) None of these
- The value of $\int_0^{\pi/2} \frac{dx}{1+\tan^3 x}$ is:
 - (a) 0
- (b) 1
- (c) $\frac{\pi}{4}$ (d) $\frac{\pi}{2}$
- The integer *n* for which $\lim_{x\to 0} \frac{(\cos x 1)(\cos x e^x)}{\sqrt{n}}$ is a 5. finite non-zero number is
 - (a) 1
- (b) 2
- (c) 3
- (d) 4
- The area of the plane bounded by the curves $v = \sqrt{x}$, $x \in [0, 1]$, $y = x^2$, $x \in [1, 2]$ and
 - $y = -x^2 + 2x + 4$, $x \in [0, 2]$ is
 - (a) $\frac{10}{7}$ (b) $\frac{19}{3}$ (c) $\frac{3}{5}$ (d) $\frac{4}{3}$

- 7. The function $f(x) = 2 \sin x + \sin 2x$, $x \in [0, 2\pi]$ has absolute maximum and minimum at
 - (a) $\frac{\pi}{3}$, $\frac{5\pi}{3}$ (b) $\frac{\pi}{3}$, π (c) $\frac{5\pi}{3}$, π (d) None

- If $y = \sec^{-1}\left(\frac{x+1}{x-1}\right) + \sin^{-1}\left(\frac{x-1}{x+1}\right)$, $x \in [0, \infty]$ and $x \neq 1$,
 - then $\frac{dy}{dx}$ is equal to
 - (a) 1
- (b) $\frac{x-1}{x+1}$ (c) 0 (d) $\frac{x+1}{x-1}$

- 9. If two events A and B such that P(A') = 0.3, P(B) = 0.5and $P(A \cap B) = 0.3$, then $P(B/A \cap B')$
 - (a) 1/4
- (b) 3/8
- (c) 1/8
- (d) None
- **10.** If y = mx bisects the angle between the lines $x^2 (\tan^2 \theta + \cos^2 \theta) + 2xy \tan \theta - y^2 \sin^2 \theta = 0$
 - when $\theta = \frac{\pi}{3}$, then the value of $\sqrt{3} m^2 + 4m$ is
 - (a) 1
- (b) $1/\sqrt{3}$ (c) $\sqrt{3}$ (d) $7\sqrt{3}$
- If $f: R \to R$ and $g: R \to R$ are continuous functions, then the value of the integral

$$\int_{-\pi/2}^{\pi/2} [f(x) + f(-x)][g(x) - y(-x)] dx \text{ is :}$$

- (b) 1
 - (c) 1
- **12.** The maximum values of $(\cos \alpha_1).(\cos \alpha_2).....(\cos \alpha_n)$ where $0 \le \alpha_1, \alpha_2, \ldots, \alpha_n \le \pi/2$ and
 - $(\cot \alpha_1)(\cot \alpha_2)....(\cot \alpha_n) = 1$ is:
 - (a) $\frac{1}{2^{n/2}}$ (b) $\frac{1}{2^n}$ (c) $\frac{1}{2^n}$

- Let M be a point inside the triangle ABC. Then which one of the following is true?
 - (a) AB + AC < MB + MC
- (b) AB + AC > MB + MC
- (c) AB + AC = MB + MC
- (d) None of these
- A line L has intercepts 'a' and 'b' on the coordinate axes. When the axes are rotated through a given angle, keeping the origin fixed, the same line has intercepts 'p' and 'g'. Which of the following statements is true?

(a)
$$a^2 + b^2 = p^2 + q^2$$

(a)
$$a^2 + b^2 = p^2 + q^2$$
 (b) $\frac{1}{a^2} + \frac{1}{b^2} = \frac{1}{p^2} + \frac{1}{q^2}$

(c)
$$a^2 + p^2 = b^2 + q^2$$

(c)
$$a^2 + p^2 = b^2 + q^2$$
 (d) $\frac{1}{a^2} + \frac{1}{p^2} = \frac{1}{b^2} + \frac{1}{q^2}$

15. If a, b are the roots of $x^2 + px + 1 = 0$ and c, d are the

roots of
$$x^2 + qx + 1 = 0$$
, the value of $E = (a-c)(b-c)(a+d)(b+d)$ is:

(a)
$$p^2 - q^2$$
 (b) $q^2 - p^2$ (c) $q^2 + p^2$

- (d) none
- **16.** If f(x)+f(1-x)=2, then the of
 - $f\left(\frac{1}{2001}\right) + f\left(\frac{2}{2001}\right) + \dots + f\left(\frac{2000}{2001}\right)$ is:
 - (a) 2000 (b) 2001
- (c) 1999
- (d) 1998

The Catalyst of Your Ambition

- 17. Suppose a, b, c are in A.P. with common difference d. Then $e^{1/2}$, $e^{1/2}$ are
 - (a) A. P
- (b) G.P.
- (c) H.P.
- (d) None
- **18.** Let α and β be the roots of equation $x^2 + x + 1 = 0$. The equation whose roots are $\,\alpha^{19}\,$ and $\,\beta^7\,$ is
 - (a) $x^2 x 1 = 0$
- (b) $x^2 + x 1 = 0$
- (c) $x^2 x + 1 = 0$
- (d) $x^2 + x + 1 = 0$
- **19.** In the expression (x+1)(x+4)(x+16)....(x+400) the coefficient of x^{19} is :
 - (a) 2870 (b) 210
- (c) 4001
- **20.** The value of $y = 0.36 \log_{0.25} \left(\frac{1}{3} + \frac{1}{3^2} + \dots \right)$ is:

- **21.** If H_1, H_2, \dots, H_n are *n* harmonic means between a and b, $a \neq b$, then the value of $\frac{H_1 + a}{H_1 - a} + \frac{H_n + b}{H_n - b}$ is equal
 - (a) n + 1 (b) n 1
- (c) 2n
- (d) 2n + 3
- 22. For a > 0, $a \ne 1$, the number of values of x satisfying the equation $2\log_x(a) + \log_{ax}(a) + 3\log_{a^2x}(a) = 0$ is :
 - (a) 2
- (b) 3
- (c) 4
- (d)5
- 23. An eight digit number divisible by 9 is to be formed by using 8 digits out of the digits 0, 1,, 9 without replacement. The number of ways in which this can be done is:
 - (a) 9!
- (b) 2(7!)
- (c) 4(7!)
- (d) 36 (6!)
- **24.** The number of ordered pairs $(m, n), m, n \in \{1, 2, 100\}$ such that $7^m + 7^n$ is divisible by is :

 - (a) 1250 (b) 2000
- (d) 5000
- **25.** If *a,b,c* are the roots of the equation

$$x^3 - 3px^2 + 3qx - 1 = 0$$
, then the centroid of the

triangle with vertices $\left(a, \frac{1}{a}\right), \left(b, \frac{1}{b}\right)$ and $\left(c, \frac{1}{c}\right)$ is at the point:

- (a) (p, q)
- (b) (p/3, q/3)
- (c) (p + q, p q)
- (d)(3p, 3q)
- 26. Equation of the common tangent touching the circle $(x-3)^2 + v^2 = 9$ and the parabola $v^2 = 4x$ above the x-axis is:
 - (a) $\sqrt{3}y = 3x + 1$
- (b) $\sqrt{3}y = -(x+3)$
- (c) $\sqrt{3}y = x + 3$
- (d) $\sqrt{3}y = -(3x+1)$
- 27. The number of roots of the equation $|x^2 x 6| = x + 2$ is:
 - (a) 2
- (b) 3
- (c) 4
- (d) None

- A pair of unbiased dice is rolled together till a sum of either 5 or 7 is obtained. The probability that 5 comes before 7 is
 - (a) 3/5
- (b) 2/5
- (c) 4/5
- (d) None
- A letter is taken at random from the letters of the 'STA-TISTICS' and another letter is taken at random from the letters of the word 'ASSISTANT'. The probability that they are the same letter is:

- A bag contains 6 red and 4 green balls. A fair dice is rolled and a number of balls equal to that appearing on the dice is chosen from the urn at random. The probability that all the balls selected are red is:
 - (a) 1/3
- (b) 3/10
- (c) 1/8
- (d) None
- 31. The value of λ for which the volume of parallelopiped formed by the vectors $\hat{i} + \lambda \hat{j} + \hat{k}$, $\hat{j} + \lambda \hat{k}$ and $\lambda \hat{i} + \lambda \hat{k}$ is minimum is given by:
 - (a) -3
- (b) 3
- (c) $1/\sqrt{3}$ (d) $-\sqrt{3}$
- A six faced die is a biased one. It is thrice more likely to 32. show an odd number than to show an even number. It is thrown twice. The probability that the sum of the numbers in the two throws is even, is:
 - (a) 4/8
- (b) 5/8
- (d) 7/8
- A letter is known to have come from either TATANAGAR 33. or CALCUTTA, On the envelope, just two consecutive letters, TA, are visible. The probability that the letter has come from CALCUTTA is:
 - (a) 4/11
- (b) 1/3
- (c) 5/12
- (d) None
- If $\cos \alpha + \cos \beta = a$, $\sin \alpha + \sin \beta = b$ and θ is the arithmetic mean between α and β , then $\sin 2\theta + \cos 2\theta$ is equal to:
 - (a) $(a+b)^2/(a^2+b^2)$
- (b) $(a-b)^2/(a^2+b^2)$
- (c) $\frac{a^2-b^2}{a^2+b^2}$
- (d) None of these
- **35.** If $(1+\tan 1^\circ)(1+\tan 2^\circ)\dots(1+\tan 45^\circ)=2^n$, then the value of n is:
 - (a) 21
- (b) 22
- (c) 23
- (d) 24
- **36.** The value of $\sin 12^{\circ} \sin 48^{\circ}$ is :
 - (a) sin 30°
- (b) sin² 30°
- (c) sin³ 30° (d) $\cos^3 30^{\circ}$ **37.** The value of λ such that the four points whose position
 - vectors are $3\hat{i} 2\hat{j} + \lambda \hat{k}$, $6\hat{i} + 3\hat{j} + \hat{k}$, $5\hat{i} + 7\hat{j} + 3\hat{k}$ and $2\hat{i} + 2\hat{j} + 6\hat{k}$ are coplanar is :
 - (a) -6
 - (b) 4
- (c)5
- **38.** Let $\overrightarrow{A} = 2\hat{i} + \hat{i} 2\hat{k}$ and $\overrightarrow{B} = \hat{i} + \hat{j}$. If \overrightarrow{C} is a vector such that $\overrightarrow{A} \cdot \overrightarrow{C} = |\overrightarrow{C}|, |\overrightarrow{C} - \overrightarrow{A}| = 2\sqrt{2}$ and the angle



between $\overrightarrow{A} \times \overrightarrow{B}$ and \overrightarrow{C} is 30°, then $|(\overrightarrow{A} \times \overrightarrow{B}) \times \overrightarrow{C}|$ is equal to:

- (a) 2/3
- (b) 3/2
- (c) 2
- (d) 3
- 39. A rigid body is rotating at the rate of 3 radians per second about an axis AB, where A and B are the points (1, -2, 1) and (3, -4, 2). The velocity of the point P at (5, -1, -1) of the body is:

 - (a) $3\hat{i} + 8\hat{j} + 10\hat{k}$ (b) $\frac{3\hat{i} + 8\hat{j} + 10\hat{k}}{3}$
 - (c) $\frac{2\hat{i}-2\hat{j}+\hat{k}}{3}$ (d) $4\hat{i}+\hat{j}-2\hat{k}$
- **40.** If $\overrightarrow{A} + \overrightarrow{B} + \overrightarrow{C} = \overrightarrow{0}$, $|\overrightarrow{A}| = 3$, $|\overrightarrow{B}| = 5$, $|\overrightarrow{C}| = 7$, then
 - the angle between \overrightarrow{A} and \overrightarrow{B} is:
- (a) $\pi/6$ (b) $2\pi/3$ (c) $\frac{5\pi}{3}$ (d) $\pi/4$
- **41.** Suppose $f(n) = \left(1 + \frac{1}{n}\right)^n$, $n \in \mathbb{N}$, $n \ge 2$. Then
 - (a) 1 < f(n) < 2
- (b) 2 < f(n) < 3
- (c) 3 < f(n) < 4
- (d) 0 < f(n) < 1
- The value of the integral $\int_0^{\pi/9} \frac{\sec 3x \tan 3x}{(2+\sec 3x)^{1/3}} dx$ is equal

 - (a) $\frac{1}{2}(4^{2/3}-(2+\sqrt{2})^{2/3})$ (b) $\frac{1}{2}(4^{2/3}-3^{2/3})$

 - (c) $\frac{1}{2}(4^{2/3}-(2^{2/3}))$ (d) $\frac{1}{2}(4^{2/3}-(\sqrt{3})^{2/3})$
- How many words can be made with letters of the word INTERMEDIATE if the positions of the vowels and consonants are preserved?
 - (a) 151200
- (b) 21600
- (c) 43200
- (d) 7200
- 44. A hundred apples have to be divided between 25 peoples so that nobody gets an even number of apples.In how many ways can this be done?
 - (a) 100
- (b) 25
- (c) 1
- Find 9 integers from 1 to 20(both inclusive) such that no combination of any 3 of the nine integers form an arithmetic progression
 - (a) 1,2,6,7,9,14,15,18,20
 - (b) 1,2,4,7,9,14,16,19,20
 - (c) 2,3,6,8,12,15,17,18,20
 - (d) 2,3,5,8,12,15,16,19,20

- **46.** $f(x) = \sum_{n=1}^{m} (x-n)^2$ has a minimum at x_0 . Then $x_0 = ?$
 - (a) $1 + \frac{1}{2} + \frac{1}{2} + \dots + \frac{1}{2}$
 - (b) $\frac{m(m=1)}{2}$
 - (c) $\frac{m=1}{2}$
 - (d) $\frac{1}{m}(1+\frac{1}{2}+\frac{1}{3}+...+\frac{1}{m})$
- Let Φ denote the null set and P(S) denote the power set of S. Then how many elements does $P(P(\Phi))$ have?
- (b) 1
- (c)2
- (d) 3
- **48.** Find dy/dx if $y = \int_{\sin x}^{x^2} (1+t)dt$
 - (a) $2x(1+x^2) \cos x(1+\sin x)$
 - (b) $x^2 \sin x$
 - (c) $x^2 \left(1 + \frac{x^2}{2}\right) \sin x (1 + \sin^2 x/2)$
 - (d) $2x \cos x$
- A ray of light is sent along the line x-2y-3=0. On reaching the line 3x-2y-5=0,the ray is reflected from it. Find the equation of the line containing the reflected ray.
 - (a) 29x-2y-31=0
- (b) 2x+y-3=0
- (c) 2x+3y-5=0
- (d) 2x+29y-31=0
- 50. consider the matrix

$$A = \begin{bmatrix} -2 & 2 - 3 \\ 2 & 1 - 6 \\ -1 & -2 & 0 \end{bmatrix}$$

Which of the following vectors sre eigen vectors of A with respect to the eigen value -3?

$$x_1 = \begin{bmatrix} 1 \\ 2 \\ -1 \end{bmatrix}, x_2 = \begin{bmatrix} -2 \\ 1 \\ 0 \end{bmatrix}, x_3 = \begin{bmatrix} 3 \\ 0 \\ 1 \end{bmatrix}$$

- (a) x_1, x_2
- (b) x_2 only
- (c) x_2, x_3
- (d) x_1 , x_2 and x_3

ANALYTICAL REASONIG

Read the following information carefully and then answer the questions from 41 to 45:

- (i) $P \psi Q$ means P is mother of Q
- (ii) $P \in Q$ means P is sister of Q
- (iii) P\$Q means P is father of Q
- (iv) P#Q means P is brother of Q
- **51.** Which of the following means *N* is definitely daughter of
 - (a) K L # M # N
- (b) $M \psi K \$ N \in L$
- (c) $K \psi M \# L \in N$
- (d) $L_{\Psi}K$ \$N#M
- **52.** Which of the following means R is brother of T?
 - (a) RψS#U\$RT
- (b) U ψR#S#T
- (c) $U \psi R \in S \psi T$
- (d) T#S\$Q∈R
- **53.** Which of the following means X is real grandmother of
 - (a) $X \in Z \psi K \$ L \# Y$
- (b) Y vK \$ X# L
- (c) $Y \# L \$ K \psi X \in Z$
- (d) $K # X \psi Z # L Y$
- **54.** If $K \psi L \in M \# N$, then how K is related with N?
 - (a) Mother
- (b) Aunt
- (c) Great Aunt
- (d) Grandmother
- **55.** Which of the following means *K* is newphew of *M*?
 - (a) $N # M \$ L # K \in O$
- (b) $K \# L \$ N \in O\$ \in M$
- (c) $L \psi O \# M \$ O \in K$
- (d) M#N\$L#K\$O
- 56. There are six houses in a row. Mr. Lal has Mr. Babu and Mr. Anil as neighbours. Mr. Bhatia has Mr. Gupta and Mr. Sharma as neighbours. Mr. Gupta's house is not next to Mr. Babu or Mr. Anil and Mr. Sharma does not live next to Mr. Anil. Who are Mr. Babu's next-door neighbours?
 - (a) Mr. Lal and Mr. Bhatia (b) Mr. Lal and Mr. Anil
 - (c) Mr. Sharma and Mr. Lal (d) Only Mr. Lal
- 57. A watch which gains 10 seconds in 5 minutes was set correct at 9 a.m. When the watch indicated 20 minutes past 70' clock, the same evening, the true time is:
- (a) 7 p.m. (b) 7.40 p.m. (c) 7.10 p.m. (d) 8 p.m.
- 58. What is the next letter in the series
 - OTTFFSSEN.....
 - (a) T
- (b) O
- (c) E
- (d) N
- **59.** Which of the following are greater than x when $x = \frac{9}{11}$?
- (iii) $\frac{x+1}{x-1}$
- (a) I only
- (b) I and II only
- (c) I and III only
- (d) II and III only

- In a class, six students P. Q. R. S. T and U are the top six rank holders, not necessarily in the same order, R did not get the 4th rank. P's rank is higher than U's and R's but lower than Q's. Among these six rankers, there are four students whose ranks are lower than S's rank and five students whose ranks are above that of T. Who is ranked 5th in the class?
 - (a) U
- (b) T
- (c) R
- (d) None
- 61. Three players - Aalu, Kachaalu and Bhalu were playing pocker and suddenly started to quarrel among themselves blaming each other for cheating. It was found out that atleast one person among the three cheated. When they were asked who cheated, their replies ware as follows:

Aalu: I did not cheat, Kachaalu cheated.

Kachaalu: I did not cheat, both Aalu and Bhalu cheated.

Bhalu: I did not cheat, only Kachaalu did not cheat.

If exactly one person among them always spoke truth, another always lied and the third alternated between the truth and lie, then which of the following statements can never be true in any case?

- (a) Only Aalu and Bhalu cheated
- (b) Only Aalu and Bhalu did not cheat
- (c) Bhalu always spoke the truth
- (d) Bhalu alternated between truth and lie
- If x and y are the two digits of the number 565xy such that this number is divisible by 80, then x + y equal to :
 - (a) 2
- (b) 3
- (c) 8
- (d) 6
- If both 72 and 33 are factors of the number $(a*11^3*6^2*13^{11})$, then what is the smallest possible value of a?
 - (a) 1323
- (b) 147
- (c) 21
- (d) 3087
- **64.** Let x, y and z be distinct integers. x and y are odd and positive, and z is even and positive. Which one of the following statements cannot be true?
 - (a) $(x-z)^2y$ is even (b) $(x-z)y^2$ is odd
 - (c) (x-z)y is odd
- (d) $(x-y)^2z$ is even
- From a height of 16 mts a ball fell down and each time it bounces half the distance back. What is the distance travelled?
 - (a) 45 mts (b) ∞
- (c) 48 mts
- (d) 24 mts
- If a man walks at the rate of 4 kmph, he misses a train by only 6 min. However, if he walks at the rate of 5 kmph he reaches the station 6 minutes before the arrival of the train. Find the distance covered by him reach the station.
 - (a) 4
- (b)7
- (c) 9
- (d) 5

Read the following statements and answer questions from 67 to 70:

The office staff of XYZ corporation presently consists of three bookkeepeers, P, Q, R and 5 secretaries S, T, U, V, W. The management is planning to open a new office in another city using 2 bookkeepers and 3 secretaries of the presents staff.



To do so they plan to separate certain individuals who don't function well together. The following guidelines were established to set up the new office:

- Bookkeeperes P and R are constantly finding fault with one another and should not be sent together to the new office as team
- (ii) R and T function well alone but not as a team, they should be separated
- (iii) S and V have not been on speaking terms and shouldn't go together
- (iv) Since S and U have been competing for promotion they shouldn't be a team
- **67.** If P is to be moved as one of the bookkeepers, which of the following cannot be a possible working unit?
 - (a) PQSTW

(b) PQSVW

(c) PQTUW

(d) PQTVW

- **68.** If *R* and *U* are moved to the new office, how many combinations are possible?
 - (a) 1
- (b) 2
- (c) 3
- (d) 4
- **69.** If *R* is sent to the new office, which member of the staff cannot go with *R*?
 - (a) Q
- (b) S
- (c) W
- (d) V
- **70.** If S goes to the new office, which of the following is true?
 - (a) Only R cannot go
 - (b) Only P cannot go
 - (c) Only P and R cannot go
 - (d) R cannot go and W must go
- Substitute digits for the letters to make the following relation true STILL

+ WITHIN

LIMITS

Not that the leftmost letter can't be zero in any word. Also, there must be a one-to-one mapping between digits and letters. e.g. if you substitute 3 for the letter S, no other letter can be 3 and all other S in the puzzle must be 3.

- (a) 98533 + 258056 = 356589
- (b) 41211 + 527013 = 938224
- (c) 98533 + 158056 = 256589
- (d) 47166 + 517013 = 614179
- 72. 12 members were present at a board meeting. Each member shook hands with all of the other members before and after the meeting. How many hand shakes were there?
 - (a) 118
- (b) 127
- (c) 132
- (d) 264
- **73.** The letters P, Q, R, S, T, U and V not necessarily in that order represents seven consecutive integers from 22 to 33.
 - * U is as much less than Q as R is greater than S
 - * V is greater than U
 - * Q is the middle term
 - * P is 3 greater than S

Can you find the sequence of letters from the lowest

value to the highest value?

- (a) PVSQRTU
- (b) SUTQPRV
- (c) USVQPRT
- (d) TUSQRPV
- **74.** There were a total of 10 bicycles and tricycles. If the total number of wheels was 24, how many tricycles were there?
 - (a) 4
- (b) 6
- (c) 8
- (d) 2
- 75. What are the next three numbers in the given series :

1121223122323 3412232334233

(a) 2, 3, 4

(b) 2, 3, 2

(c) 1, 2, 3

(d) 4, 3, 4

- 76. The Bulls, Pacers, Lakers and Jazz ran for a contest. Anup, Sujit, John made the following statements regarding results.
 - * Anup said either Bulls or Jazz will definitely win
 - * Sujit said he is confident that Bulls will not win
 - * John said he is confident that neither Jazz nor Lakers will win

When the result came, it was found that only one of the above three had made a correct statement. Who has made the correct statement and who has won the contest?

- (a) Anup, Bulls
- (b) John, Pacers
- (c) Sujit, Lakers
- (d) Sujit, Jazz
- 77. A certain street has 1000 buildings. A sign- maker is contracted to number the houses from 1 to 1000. How many zeroes will be need?
 - (a) 128
- (b) 190
- (c) 181
- (d) 192
- 78 Examine the following sequence of numbers

1

11

21

1211

111221

312211

13112221

1113213211

31131211131221

What are the next two numbers in the given series?

- (a) 1321131112211 1231131 and 112132113212221 11131221133
- (b) 23113112211 132113111 and 1112132113212221 1131221133
- (c) 1123113112211 1321131 and 11131221212221 133112132113
- (d) 13211311123113112211 and 11131221133112132113212221
- **79.** There were two men standing on a street. The one says to the other, "I have 3 daughters, the product of their ages is 36. What is the age of the OLDEST daughter?"

The second guy says, "I need more information." So, the first guy says, "The sum of their ages is equal to the address of the house across the street."

The second guy looks at the address and says, "I still need more information." So, the first guy says, "My oldest daughter wears a red dress."

(a) 9

(b) 6

(c) 12

- (d) 4
- 80. Three Gold (G) coins, three Silver (S) coins and three Copper (C) coins are arranged in a single row as follow GSCGSCGSC
 - (1) Only 2 adjacent unlike coins can be moved at any one time.
 - (2) The moved coins must be in contact with at least one other coin in line. i.e. no pair of coins is to be moved and placed away from the remaining ones.
 - (3) No coin pairs can be reversed i.e. a S-C combination must remain in that order in its new position when it is moved.

What is the minimum number of moves required to get all the coins in following order ? C C C S S S G G G

(a) 6

(b) 9

(c) 8

- (d) 12
- 81. Mr. and Mrs. Birla and Mr. and Mrs. Tata competed in a Chess tournament. Of the three games played:
 - (1) In only the first game were the two players married to each other.
 - (2) The men won two games and the women won one game.
 - (3) The Birlas won more game than the Tatas.
 - (4) Anyone who lost a game did not play a subsequent game.

Who did not lose a game?

(a) Mr. Birla

(b) Mrs. Birla

- (c) Mr. Tata
- (d) Mrs. Tata
- **82** Of the three numbers, second is twice the first and is also thrice the third. If the average of three numbers is 44, the largest number is
 - (a) 24

(b) 36

(c) 72

- (d) 108
- 83. Large, medium and small ships are used to bring water. 4 large ships carry as much water as 7 small ships. 3 medium ships carry the same amount of water as 2 large ships and 1 small ship. 15 large, 7 medium and 14 small ships, each made 36 journeys and brought a certain quantity of water. In how many journeys would 12 large, 14 medium and 21 small ships bring the same quantity of water?
 - (a) 32

(b) 25

(c) 29

- (d) 49
- **84.** Five men P, Q, R, S and T read newspaper. The one who reads first gives it to R. The one who reads last had taken it from P. T was not the first or the last to read. There were two readers between Q and P. To whom did Q pass the newspaper?
 - (a) R
- (b) P
- (c) S
- (d) T

- 85. An airline has a certain free luggage allowance and charges for excess luggage at a fixed rate per kg. Two passengers, Raja and Rahim have 60 kg. of luggage between them, and are charged Rs. 1,200 and Rs. 2,400, respectively for excess luggage. Had the entire luggage belonged to one of them, the excess luggage charge would have been Rs. 5,400. What is the weight of Rahim's luggage?
 - (a) 20 kg.
- (b) 25 kg.
- (c) 30 kg.
- 0 kg. (d) 35 kg.
- **86.** A group of 630 children is arranged in rows for a group photograph session. Each row contains three fewer children than the row in front of it. What number of rows is not possible?
 - (a) 3
- (b) 4
- (c) 5
- (d) 6

Read the following passage and answer the questions from 87 to 90:

Sports (and game) persons P, Q, R, S, T, U and V of a university are at the Bangalore Airport. Five of them are selected players and leaving to participate in the Grand Sports Event in five different events cricket, chess, carrom, badminton and table tennis being held at 5 different cities Mumbai, Chennai, Kolkatta, Delhi and Hyderabad.

- (i) P is going to Delhi, but he does not play either cricket or carrom
- (ii) Q has come to give send off to R, who is a chess player and is not leaving to either Mumbai or Hyderabad.
- (iii) S is leaving to Kolkatta to play table tennis
- (iv) U is leaving to Mumbai but he does not play either badminton or cricket
- (v) T is not a selected player
- 87. Who plays badminton?

(a) P

(b) Q

(c) R

(d) S

- 88. Cricketer goes to
 - (a) Mumbai
- (b) Hyderabad
- (c) Chennai
- (d) Delhi
- 89. Player of which game goes to Delhi?
 - (a) Badminton
- (b) Chess
- (c) Cricket
- (d) Table Tennis
- 90. Who plays chess and where is he going?
 - (a) R and Chennai
- (b) S and Mumbai
- (c) U and Delhi
- (d) None of these

COMPUTER AWARENESS

- **91.** Which of the following is (are) true about virtual memory systems that uses pages?
 - The virtual address space can be larger than the amount of physical memory.
 - II. Programs must be resident in main memory throughout their execution.
 - III. Pages correspond to semantic characteristics of the program.
 - (a) I only (b)
- (b) II only
- (c) I and II
- (d) I and III
- **92.** The minimum number of gates needed to implement the Boolean function



$$f(x, y, z) = z(x + y) + \overline{(\overline{z} + x + y)(\overline{x} + \overline{y})}$$
 is:

- (a) 2
- (b) 3
- (c) 4
- (d) 5
- How many bits required to store an ASCII character? (a) 7(b) 6
 - (c) 8

- (d) None of these
- **94.** A CPU has an arithmetic unit that adds bytes and then sets its V, C and Z flag bits as follows: The V-bit is set if arithmetic overflow occurs. The C-bit is set if a carry-out is generated from the most significant bit during an operation. The Z-bit is set if the result is zero. What are the values of the V, C and Z flags bits respectively after the 8-bit bytes 1100 1100 and 1000 1111 are added?


 - (a) 0, 0, 0 (b) 1, 1, 0
- (c) 1, 1, 1
- (d) 0, 1, 0
- 95. Which one of the following statements is always true?
 - (a) A compiled program uses more memory than an interpreted program
 - (b) A compiler converts a program to a lower level language for execution
 - (c) A compiler for a high level language takes less memory than its interpreter
 - (d) Compiled programs take more time to execute than interpreted programs
- Floating point numbers in a computer are represented using a 10 bit mantissa (including a sign bit) and a 7-bit exponent (including a sign bit). What is the approximate value of the normalised form, that is, without leading zeroes.
 - (a) 2^{128}
- (b) 2¹²⁷
- (c) 2^{64}
- (d) 2^{63}
- **97.** The capacity of a memory unit is defined by the number of words multiplied by the number of bits per word. How many separate address and data line are needed for a memory of $4K \times 16$?
 - (a) 10 address lines and 16 data lines
 - (b) 12 address lines and 10 data lines
 - (c) 12 address lines and 16 data lines
 - (d) 12 address lines and 8 data lines
- 98. The main disadvantage of direct mapping of cache organization is that:
 - (a) It doesn't allow simultaneous access to the intended data and its bag
 - (b) It is more expensive than other type of organizations
 - (c) The cache hit ratio is degraded if two or more blocks used alternatively map onto the same block frame in the cache
 - (d) The number of blocks required for the cache increases linearly with the size of the main memory.
- **99.** Let A[1 10] be an array. Let A[i] = 2i for $1 \le i \le 10$. After the assignment j = A[A[5]] is executed, the value of A[j] is equal to:
 - (a) Undefined
- (b) 1

(c) 5

- (d) 10
- 100. The first instruction of bootstrap loader program of an operating system is stored in:
 - (a) RAM
- (b) BIOS
- (c) Hard disk (d) None

- **101.** The function AB'C + A'BC + ABC' + A'B'C + AB'C' is equivalent to:
 - (a) AC' + AB + A'C
- (b) AB' + AC' + A'C
- (c) A'B + AC' + AB'
- (d) A'B + AC + AB'
- 102. The addition of 4 bit, 2's compliment binary numbers 1101 and 0100 results in :
 - (a) 0001 and an overflow (b) 1001 and no overflow

 - (c) 0001 and no overflow (d) 1001 and an overflow
- **103.** Given $\sqrt{(224)_r} = (13)_r$, the value of radix *r* is :
 - (a) 10
- (b) 8
- (c) 6
- **104.** Let A = 11111010 and B = 00001010 be two 8 bit 2's complement numbers. Their product in 2's complement
 - (a) 11000100
- (b) 10011100
- (c) 10100101
- (d) 11010101
- 105. Identify the logic function performed by the circuit



- (a) Exclusive OR
- (b) Exclusive NOR
- (c) NAND
- (d) NOR

English

- 106. Choose the most appropriate meaning for the following idiom 'To fish in troubled waters'
 - (a) To make the situation worse
 - (b) To make profit when others in trouble
 - (c) To create trouble for others
 - (d) To indulge in evil acts
- 107. Read the following sentence and choose one underlined word or phrase that would not be appropriate in standard English.

One of the chair's legs was broken and the upholstery needed mending

- (a) the
- (b) chair's (c) legs
- (d) needed

Directions for questions 108 and 109:

Each sentence given in the questions has two blanks, each blank indicating that something has been omitted. Beneath the sentence are four sets of words. Choose the set of words for each blank that best fits the meaning of the sentence as a whole.

108. Greek philosophers tired to contemporary notions of change and stability by postulating the existence of the atom, _____ particle from which all



	rarieties of matter are formed.				
	(a) confirm	a) confirm an interesting b) reconcile an indivisible c) simplify a specific d) eliminate an infinitesimal			
	(b) reconcile				
	(c) simplify				
	(d) eliminate				
109.	The Tata Group will need all its considerable manage-				
	ment	and	to manage tough chal-		
	lenges ahead a	enges ahead after taking over Corus Steel. a) skills interests			
	(a) skillsi				
	(b) knowledge.	manpowe	er		
	(c) acumen onus				

Directions for questions 110 and 111:

(d) experience brand equity

In each of the following questions, a related pair of words or phrases is followed by four pairs of words or phrases. Select the pair that best expresses a relationship similar to that expressed in the original pair.

110.	INFLAMMABLE : IGNITED : : : :		
	(a) fragile : shattered	(b) flexible : broken	
	(c) famous : plagiarized	(d) somber : mourned	
111.	SAVANT: OBTUSE		
	(a) Seer : Ominous	(b) Writer: Verbose	
	(c) Judge : Melodramatic	(d) Athlete: Sluggish	

Directions for questions 112 and 113:

Each question consists of a word printed in capital letters, followed by four words or phrases. Choose the word or phrase that is <u>most nearly opposite</u> in meaning to the <u>word</u> in capital letters:

- 112. OPPROBRIUM
 - (a) honour (b) prudence (c) ostentation (d) umbrage
- 113. INCESSANT
 - (a) Perpetual (b) Persistent (c) Sporadic (d) Unrelenting

Directions for questions 114 and 115:

Each question consists of a word printed in capital letters, followed by four words or phrases. Choose the word or phrase that is <u>most similar</u> in meaning to the word in capital letters:

114. EXASPERATE

(a) Pacify (b) Mollify (c) Irritate (d) Placate

115. INIMICAL

(a) Antagonistic(b) Anonymous(c) Fanciful(d) Accurate

Directions for questions 116 to 118:

Read the following passage and answer the questions, based on what is stated or implied in the passage :

Declassification of government documents has shed new light on the events comprising the Cuban Missile Crisis of October 1962. Prior to the accessibility of these records, the only source of account of the Crisis for scholars and historians were the personal memoirs and narratives of the officials who served under Kennedy and Krushchev during this period. Many of the declassified documents are transcrip-

tions and notes of meetings between members of the CIA and President Kennedy's Cabinet, as well as the President himself. The revelations in these documents have demonstrated the inadvertent inaccuracies and intended obscurities inherent in the first-person narratives of the Crisis, and has aided historians from all three countries involved in the Crisis to get a more authentic representation of what truly transpired, and for what reasons. Of perhaps the most interest to historians are declassified correspondence between John F. Kennedy and Nikita Krushchev that challenge the idea that the height of the Crisis extended only over the course of thirteen days. Indeed, these letters indicate that the Crisis

was far from resolved by Krushchev's October 28 decision to with draw the Soviet missiles from Cuba; instead it endured far into the following month, while Amercia slept fitfully under the illusion of peace.

- 116. The author is mainly concerned with
 - (a) Petitioning the government to make all classified documents of historic interest accessible to the general public
 - (b) Discounting the sense of danger many Americans felt during the Cuban Missile Crisis
 - (c) Revealing a calculated deception perpetrated by members of Kennedy's Cabinet.
 - (d) Illustrating how previously accepted ideas based on hearsay are being refuted by concrete evidence.
- 117. According to the passage, which of the following statement (s) is/are true of the Cuban Missile Crisis?
 - II. The Crisis is still shrouded in mystery
 - II. The memoirs of those closely involved in the Crisis were not entirely factual
 - III. The Crisis spanned thirteen tense days
 - (a) I only (b) II only (c) III only (d) II and III only
- 118. The author's use of the phrase "inadvertent inaccuracies and intended obscurities" suggests all of the following EXCEPT
 - (a) historical record is often skewed by human perception
 - (b) details of the Crisis were purposely omitted or vague
 - (c) every politician deals in deception and prevarication
 - (d) memory is incapable of recapturing the full details of an event

Directions for question 119 and 120:

In each of the following questions, a sentence is given with a blank followed by four alternatives. Choose the word or phrase that most correctly completes the sentences.

119.	Mary did not attend office yesterday. Shefor a picnic.		
	(a) will have gone (c) may have gone	(b) have gone(d) would go	
120.	I don't know where Maya is.	She at home.	
	(a) would be	(b) is	
	(c) can be	(d) could be	