
drego85 / DDoS-PHP-Script

Join GitHub today GitHub is home to over 28 million developers working together to host and review code, manage projects, and build software together. Sign up

Script to perform a DoS or DDoS UDP Flood by PHP



Script to perform a DDoS UDP flood by PHP

Usage

From web server (visit the page):

http://127.0.0.1/ddos.php?pass=apple&host=TARGET&port=PORT&time=SECONDS&packet=NUMBER&bytes=NUMBER

From terminal:

php ./ddos.php host=TARGET port=PORT time=SECONDS packet=NUMBER bytes=NUMBER

Parameters

```
help
        Print this help summary page
        REQUIRED specify IP or HOSTNAME
host
        REQUIRED only if used from webserver
pass
       OPTIONAL if not specified a random ports will be selected
port
time
        OPTIONAL seconds to keep the DDoS alive, required if packet is not used
packet OPTIONAL number of packets to send to the target, required if time is not used
       OPTIONAL size of the packet to send, defualt: 65000
bytes
format OPTIONAL output format, (text, json, xml), default: text
output OPTIONAL logfile, save the output to file
verbose OPTIONAL 0: debug, 1:info, 2:notice, 3:warning, 4:error, default: info
       If both time and packet are specified, only time will be used
Note:
```

Requirements

• PHP 5.4 version or greater

To-Do List

• Introduce a logging function to file

Credits

• Andrea Draghetti is the creator of the project

Special thanks:

- @TheZer0 to support for coding.
- @Smaury to support for coding.
- @moty66 to support for coding.
- @AxissXs to support for coding.

License

GNU General Public License version 2.0 (GPLv2)

Disclaimer

This tool is written for educational purpose only, please use it on your own good faith.