

# ASEN 6060

## ADVANCED ASTRODYNAMICS

### Week 7 Discussion, Part 1


---

#### Objectives:

- Gain intuition that will be useful for creating, debugging, and assessing implementation of numerical corrections algorithms

# Example 1: Computing an $L_2$ Lyapunov Orbit


Your colleague has created a script to numerically compute an  $L_2$  Lyapunov orbit via a single-shooting corrections scheme



**Question 1:** Do you think that their corrections scheme could be implemented correctly? What information would you ask for to assess this further or help them identify any issues, if applicable, and why?



# Question 1

Group Brainstorming:



# Example 2: Computing an $L_1$ Lyapunov Orbit


Your colleague has created a script to numerically compute an  $L_1$  Lyapunov orbit via single-shooting



**Question 2:** What information would you ask for to determine whether they have implemented their corrections algorithm correctly or help them identify any issues, if applicable, and why?



# Question 2

Group Brainstorming:



# Example 3: Computing an $L_1$ Lyapunov Orbit



Two colleagues have independently implemented single shooting schemes to compute an  $L_1$  Lyapunov orbit. They used the same trajectory to generate an initial guess but get two different results:



**Question 3:** Create a list of possible reasons that they are producing different results



# Question 3

Group Brainstorming:



# Example 4: Computing an $L_2$ Halo Orbit

Your colleague has created a script to numerically compute an  $L_2$  halo orbit via single-shooting




**Question 4:** What information would you ask for to determine whether they have implemented their corrections algorithm correctly or help them identify any issues, if applicable, and why?



# Question 4

Group Brainstorming:



# *Question 5*

---

Two of your colleagues have independently implemented single shooting schemes to compute a periodic orbit from the same initial guess, using the same definition of the free variable vector. After corrections, their final free variable vectors are slightly different. Let's assume they didn't make any coding errors!

**Question 5:** List as many reasons that you can think of explaining why there might be slight differences in their results.

# *Question 5*

---

**Question 5:** List as many reasons that you can think of explaining why there might be slight differences in their results.

Group Brainstorming: