

PV239 – Bonus 2 - Useful Tools

Debugging

- XAML Binding Failures
 - Displays failuers in bindings – also in runtime
- Device Log
 - Displaying log directly from a device
 - Enables filtering
 - Available for Android and iOS
- Output
 - If you can't see error elsewhere – try to look into Output
 - Sometimes you encounter error from native code – at least you know what to search for

Debugging

DEMO

Extensions

- Resharper
 - Much better IntelliSense in XAML
 - Refactoring, code navigation...
 - Performance can get bad – especially with larger solutions
- XAML Styler
 - Automatic formatting for XAML files
 - Can change order of attributes, clean up spacing...
 - Very customizable – look into options and see what is available
 - Can run as CLI tool

Extensions

DEMO

Configuration

- Add json file (i.e. **appsettings.json**) as Embedded Resource
- Add Nuget packages
 - `Microsoft.Extensions.Configuration.Binder`
 - `Microsoft.Extensions.Configuration.Json`
- Add the file stream to ConfigurationBuilder
 - `AddJsonStream()`
- Configure the section for IOptions
 - ```
builder.Configure<ApiOptions>(o =>
builder.Configuration.GetSection("ApiOptions")).Bind(options));
```
- Resolve `IOptions<ApiOptions>` where needed

# Configuration

DEMO

# Platform Specific – OnPlatform, OnIdiom

- Useful in XAML
- OnPlatform – specify different value for different platforms (Android, iOS, MacCatalyst, Tizen, WinUI)
- OnIdiom – specify different value for different idioms (Phone, Tablet, Desktop, TV, Watch)

# OnPlatform, OnIdiom

## DEMO

# Local API

- Emulator - **10.0.2.2** - loopback address to host machine
- Visual Studio - [Dev Tunnels](#)
- CLI - ngrok

# Visual Studio Dev Tunnles

DEMO

# Global XAML namespaces

- Don't write XAML namespaces anymore!
- In C# define namespaces that are globally available:

```
[assembly: XmlnsDefinition("http://schemas.microsoft.com/dotnet/maui/global", "CookBook.Maui.Pages.Base")]
```

- In XAML use the <http://schemas.microsoft.com/dotnet/maui/global> value as **xmlns:**

```
<ContentPageBase xmlns="http://schemas.microsoft.com/dotnet/maui/global" ... />
```