```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Travel Booking</title>

<style>
* {
    box-sizing: border-box;
}

body {
    font-family: Arial, sans-serif;
    margin: 0;
    background: #f2f5f9;
    color: #222;
}

header {
    background: #164e8c;
    color: white;
    text-align: center;
    padding: 18px;
}

.container {
    width: 90%;
    max-width: 950px;
    margin: 20px auto;
}

.card {
    background: white;
    padding: 18px;
    margin-bottom: 18px;
    border-radius: 8px;
    box-shadow: 0 2px 7px #ddd;
}

h2 {
    color: #164e8c;
    font-size: 20px;
}

form {
    display: grid;
```

```
    grid-template-columns: repeat(auto-fit, minmax(180px, 1fr));
    gap: 12px;
}

label {
    display: block;
    margin-bottom: 5px;
}

input, select, button {
    width: 100%;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 5px;
}

button {
    background: #164e8c;
    color: white;
    border: none;
    cursor: pointer;
}

button:hover {
    background: #0d3765;
}

.services {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
    gap: 12px;
}

.service {
    border: 1px solid #ddd;
    padding: 12px;
    border-radius: 6px;
}

.price {
    font-weight: bold;
    color: #148044;
}

table {
    width: 100%;
    border-collapse: collapse;
}
```

```
th, td {
    padding: 10px;
    border: 1px solid #ddd;
    text-align: left;
}

th {
    background: #e5edf7;
}

.seats {
    display: grid;
    grid-template-columns: repeat(4, 1fr);
    gap: 8px;
    max-width: 260px;
}

.seat {
    background: #e0f4e5;
    color: #222;
    border: 1px solid #80b88c;
}

.seat.selected {
    background: #164e8c;
    color: white;
}

.seat.booked {
    background: #ccc;
    cursor: not-allowed;
}

#message {
    margin-top: 12px;
    font-weight: bold;
}

footer {
    background: #164e8c;
    color: white;
    text-align: center;
    padding: 12px;
}

@media (max-width: 500px) {
    .container {
```

```
        width: 95%;
    }

    th, td {
        padding: 6px;
        font-size: 13px;
    }
}
</style>
</head>

<body>

<header>
    <h1>Travel Booking</h1>
    <p>Bus and Train Ticket Reservation</p>
</header>

<div class="container">

    <section class="card">
        <h2>Search Tickets</h2>

        <form id="searchForm">
            <div>
                <label for="type">Travel Type</label>
                <select id="type">
                    <option value="Bus">Bus</option>
                    <option value="Train">Train</option>
                </select>
            </div>

            <div>
                <label for="source">Source</label>
                <input id="source" type="text" placeholder="Starting city" required>
            </div>

            <div>
                <label for="destination">Destination</label>
                <input id="destination" type="text" placeholder="Destination city" required>
            </div>

            <div>
                <label for="date">Travel Date</label>
                <input id="date" type="date" required>
            </div>

            <div>
```

```
            <label for="passengers">Passengers</label>
            <input id="passengers" type="number" min="1" max="6" value="1" required>
        </div>

        <div>
            <label> </label>
            <button type="submit">Search</button>
        </div>
    </form>
</section>

<section class="card">
    <h2>Available Services</h2>
    <div id="services" class="services">
        <div class="service">
            <h3>Express Bus</h3>
            <p>Departure: 8:00 AM</p>
            <p class="price">Fare: ₹500</p>
        </div>

        <div class="service">
            <h3>Luxury Bus</h3>
            <p>Departure: 10:00 AM</p>
            <p class="price">Fare: ₹800</p>
        </div>

        <div class="service">
            <h3>Express Train</h3>
            <p>Departure: 6:00 PM</p>
            <p class="price">Fare: ₹350</p>
        </div>
    </div>
</section>

<section class="card">
    <h2>Fare Information</h2>

    <table>
        <tr>
            <th>Service</th>
            <th>Type</th>
            <th>Fare</th>
        </tr>
        <tr>
            <td>Express Bus</td>
            <td>Bus</td>
            <td>₹500</td>
        </tr>
```

```
        <tr>
          <td>Luxury Bus</td>
          <td>Bus</td>
          <td>₹800</td>
        </tr>
        <tr>
          <td>Express Train</td>
          <td>Train</td>
          <td>₹350</td>
        </tr>
      </table>
    </section>

    <section class="card">
      <h2>Select Seats</h2>
      <p>Choose your seats below.</p>

      <div class="seats" id="seats">
        <button type="button" class="seat">1</button>
        <button type="button" class="seat">2</button>
        <button type="button" class="seat booked" disabled>3</button>
        <button type="button" class="seat">4</button>
        <button type="button" class="seat">5</button>
        <button type="button" class="seat">6</button>
        <button type="button" class="seat">7</button>
        <button type="button" class="seat">8</button>
      </div>

      <p>Selected Seats: <span id="selectedSeats">None</span></p>
    </section>

    <section class="card">
      <h2>Passenger Details</h2>

      <form id="bookingForm">
        <div>
          <label for="name">Full Name</label>
          <input id="name" type="text" required>
        </div>

        <div>
          <label for="email">Email</label>
          <input id="email" type="email" required>
        </div>

        <div>
          <label for="phone">Phone Number</label>
```

```
            <input id="phone" type="tel" pattern="[0-9]{10}" placeholder="10-digit number"
required>
          </div>

          <div>
            <label for="service">Choose Service</label>
            <select id="service">
              <option value="500">Express Bus - ₹500</option>
              <option value="800">Luxury Bus - ₹800</option>
              <option value="350">Express Train - ₹350</option>
            </select>
          </div>

          <div>
            <label>Total Fare</label>
            <input id="total" value="₹500" readonly>
          </div>

          <div>
            <label> </label>
            <button type="submit">Book Ticket</button>
          </div>
        </form>

        <p id="message"></p>
    </section>

</div>

<footer>
    <p>Travel Booking Website</p>
</footer>

<script>
const service = document.getElementById("service");
const passengers = document.getElementById("passengers");
const total = document.getElementById("total");
const selectedSeats = document.getElementById("selectedSeats");
const message = document.getElementById("message");

let chosenSeats = [];

function updateFare() {
    const fare = Number(service.value);
    const count = Number(passengers.value) || 1;
    total.value = "₹" + (fare * count);
}
```

```
service.addEventListener("change", updateFare);
passengers.addEventListener("input", updateFare);

document.querySelectorAll(".seat:not(.booked)").forEach(function(seat) {
    seat.addEventListener("click", function() {
        const number = seat.textContent;

        if (chosenSeats.includes(number)) {
            chosenSeats = chosenSeats.filter(function(item) {
                return item !== number;
            });
            seat.classList.remove("selected");
        } else {
            chosenSeats.push(number);
            seat.classList.add("selected");
        }

        selectedSeats.textContent = chosenSeats.length
            ? chosenSeats.join(", ")
            : "None";
    });
});

document.getElementById("searchForm").addEventListener("submit", function(event) {
    event.preventDefault();

    const source = document.getElementById("source").value;
    const destination = document.getElementById("destination").value;
    const type = document.getElementById("type").value;
    const date = document.getElementById("date").value;

    alert(
        "Search Details\n" +
        "Type: " + type + "\n" +
        "From: " + source + "\n" +
        "To: " + destination + "\n" +
        "Date: " + date
    );
});

document.getElementById("bookingForm").addEventListener("submit", function(event) {
    event.preventDefault();

    const name = document.getElementById("name").value;
    const count = Number(passengers.value);

    if (chosenSeats.length !== count) {
        message.textContent = "Please select " + count + " seat(s).";
```

```
        message.style.color = "red";
        return;
    }

    message.style.color = "green";
    message.textContent =
        "Demo booking confirmed for " + name +
        ". Total fare: " + total.value +
        ". Seats: " + chosenSeats.join(", ") + ".";

});
</script>

</body>
</html>
```

