


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	IIS Parameters Module - Charges maintenance Screen	1	1	0	0	19.812 s
2	IIS Parameters Module -Product type Screen	1	1	0	0	20.470 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	IIS Parameters Module - Charges maintenance Screen	CRUD testing For Charge Maintenance Screen	9	9	0	0	19.808 s
2	IIS Parameters Module -Product type Screen	CRUD testing For Product Type Maintenance Screen	8	8	0	0	20.470 s

DETAILED SECTION

(F)- IIS Parameters Module - Charges maintenance Screen

PASSED	DURATION - 19.812 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 5:23:58.088 PM	1 // 5:24:17.900 PM /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- CRUD testing For Charge Maintenance Screen




#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	2.007 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
	+ ************************************		
2	Then log into IISP with valid credentials	PASSED	3.941 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		


AFTER_STEP - isParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - isParamsStepdefinitions.HooksClass.addScreenshot(io.c	#	Step / Hook Details	Status	Duration
Screenshot 4 Given Navigate to charges maintenance screen AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Given user input Charge code and charge description AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s	3	And Click on Parameters Root OPT	PASSED	0.146 s
4 Given Navigate to charges maintenance screen AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario) Screenshot 5 Given user input Charge code and charge description AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario) Screenshot 6 Then Save Charge Details AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario) Screenshot AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario) AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario) AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario) AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario) AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario) AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario)) AFTER_STEP_iisParamsStepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario)) PASSED 0.195 s		AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
4 Given Navigate to charges maintenance screen AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) 5 Given user input Charge code and charge description AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) Screenshot AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.192 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.159 s		screenshot		
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Marting and Charge code and charge description AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.158 s				
screenshot 5 Given user input Charge code and charge description AFTER_STEP - itsParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save Charge Details AFTER_STEP - itsParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - itsParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s 1.465 s AFTER_STEP - itsParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s AFTER_STEP - itsParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s	4	Given Navigate to charges maintenance screen	PASSED	1.051 s
5 Given user input Charge code and charge description PASSED 1.584 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s 6 Then Save Charge Details PASSED AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s 7 And Retrieve Saved Charge details PASSED AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s		AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
5 Given user input Charge code and charge description AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save Charge Details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And Retrieve Saved Charge details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s		screenshot	1	
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save Charge Details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And Retrieve Saved Charge details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s 0.149 s 0.149 s PASSED 0.149 s		world 1 man 2 man		
Screenshot 6 Then Save Charge Details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And Retrieve Saved Charge details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED 0.159 s	5	Given user input Charge code and charge description	PASSED	1.584 s
6 Then Save Charge Details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And Retrieve Saved Charge details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s		AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
6 Then Save Charge Details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And Retrieve Saved Charge details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s		screenshot		
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And Retrieve Saved Charge details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s				
7 And Retrieve Saved Charge details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s O.159 s	6	Then Save Charge Details	PASSED	1.465 s
7 And Retrieve Saved Charge details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.247 s 0.159 s		AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s		screenshot		
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s				
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s	7	And Retrieve Saved Charge details	PASSED	2.247 s
screenshot			PASSED	0.159 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	Foundation and the state of the		
8	Then Delete Charge Code Created	PASSED	2.590 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
	Figure 1 and		
9	And Close Charge maintenance Screen	PASSED	0.446 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
	In the second se		

(F)- IIS Parameters Module -Product type Screen



(S)- CRUD testing For Product Type Maintenance Screen



#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	2.720 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
	+		
	A CANADA		
2	Then log into IISP with valid credentials	PASSED	3.920 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.602 s
	screenshot		
3	And Click on Parameters Root OPT	PASSED	0.149 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
4	Given Open product type maintenance	PASSED	1.419 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.151 s

Step / Hook Details	Status	Duration
screenshot		
Plant Section 2012 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
And Input product Type Values and save	PASSED	2.085 s
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
screenshot		
The state of the s		
And Retrieve Saved Product Type details	PASSED	2.676 s
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
screenshot		
For the part of th		
Then Delete Product Type Created	PASSED	1.929 s
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
screenshot		
The first section of the first		
And Close Product Type maintenance Screen	PASSED	0.425 s
AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
screenshot		
	And Input product Type Values and save AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Retrieve Saved Product Type details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Delete Product Type Created AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Close Product Type maintenance Screen AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	And Input product Type Values and save AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Retrieve Saved Product Type details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED And Close Product Type maintenance Screen AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED PASSED

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration


EXPANDED SECTION -- 10 --

(Step) AFTER_STEP - iisParamsStepdefin itions.HooksClass.addScreenshot(io. cucumber.java.Scenario)


(S) CRUD testing For Charge Maintenance Screen

(F) IIS Parameters Module - Charges maintenance Screen







EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --




(Step) AFTER_STEP - iisParamsStepdefin itions.HooksClass.addScreenshot(io. cucumber.java.Scenario)

(S) CRUD testing For Product Type Maintenance Screen


(F) IIS Parameters Module -Product type Screen




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

