

Cucumber Report

Jul 22, 2023, 9:11:00 PM

Start : Jul 21, 4:44:42.206 PM

End : Jul 22, 9:10:56.855 PM

Duration : 1706 m 14.649 s

Features







PASSED - 4
FAILED - 8
SKIPPED - 0


Scenarios

PASSED - 4
FAILED - 8
SKIPPED - 0

Steps

PASSED - 73
FAILED - 8
SKIPPED - 22







#	Feature Name	T	P	F	S	Duration
1	<u>IIS Parameters Module - Board Members maintenance Screen</u>	1	0	1	0	57.014 s
2	<u>IIS Parameters Module - Charges maintenance Screen</u>	1	1	0	0	21.014 s
3	<u>IIS Parameters Module - Deviation maintenance Screen</u>	1	0	1	0	26.450 s
4	<u>IIS Parameters Module - Insurance Companies maintenance Screen</u>	1	1	0	0	36.482 s
5	<u>IIS Parameters Module - InsuranceType maintenance Screen</u>	1	1	0	0	41.496 s
6	<u>IIS Parameters Module - Leased Asset maintenance Screen</u>	1	0	1	0	333 m 46.958 s
7	<u>IIS Parameters Module -Product type Screen</u>	1	1	0	0	27.542 s
8	<u>IIS Parameters Module -Settlement Policy</u>	1	0	1	0	333 m 41.396 s
9	<u>IIS Parameters Module -Target Miantenance Screen</u>	1	0	1	0	667 m 11.016 s
10	<u>IIS Parameter Vendor Information</u>	1	0	1	0	334 m 12.295 s



#	Feature Name	T	P	F	S	Duration
11	<u>Yeild-Yeild Roster</u>	1	0	1	0	33 m 43.659 s
12	<u>Yeild-Yeild Register</u>	1	0	1	0	8.975 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>IIS Parameters Module - Board Members maintenance Screen</u>	<u>CRUD testing For Board Members Maintenance Screen</u>	9	5	1	3	57.008 s
2	<u>IIS Parameters Module - Charges maintenance Screen</u>	<u>CRUD testing For Charge Maintenance Screen</u>	9	9	0	0	21.014 s
3	<u>IIS Parameters Module - Deviation maintenance Screen</u>	<u>CRUD testing For Deviation Maintenance Screen</u>	9	5	1	3	26.449 s
4	<u>IIS Parameters Module - Insurance Companies maintenance Screen</u>	<u>CRUD testing For Insurance Companies Maintenance Screen</u>	9	9	0	0	36.482 s
5	<u>IIS Parameters Module - InsuranceType maintenance Screen</u>	<u>CRUD testing For InsuranceType Maintenance Screen</u>	9	9	0	0	41.496 s
6	<u>IIS Parameters Module - Leased Asset maintenance Screen</u>	<u>CRUD testing For Charge Maintenance Screen</u>	9	5	1	3	333 m 46.958 s
7	<u>IIS Parameters Module -Product type Screen</u>	<u>CRUD testing For Product Type Maintenance Screen</u>	8	8	0	0	27.542 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>IIS Parameters Module -Settlement Policy</u>	<u>CURD Testing of Settlement Policy</u>	8	4	1	3	333 m 41.396 s
9	<u>IIS Parameters Module -Target Miantenance Screen</u>	<u>CURD Testing of the Target Miantenance Screen</u>	9	5	1	3	667 m 11.016 s
10	<u>IIS Parameter Vendor Information</u>	<u>CURD testing of Vendor Information Screen</u>	8	6	1	1	334 m 12.295 s
11	<u>Yeild-Yeild Roster</u>	<u>CURD Testing of Yeild Roster</u>	8	5	1	2	33 m 43.658 s
12	<u>Yeild-Yeild Register</u>	<u>CURD Testing of Yeild Roster</u>	8	3	1	4	8.975 s




(F)- IIS Parameters Module - Board Members maintenance Screen



(S)- CRUD testing For Board Members Maintenance Screen




#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot + NOT FOUND	PASSED	1.535 s
		PASSED	0.148 s
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.981 s
	Screenshot	PASSED	0.196 s

#	Step / Hook Details	Status	Duration
	 + NOT FOUND		
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED PASSED	0.151 s 0.161 s
4	Then Navigate to BoardMembers maintenance screen AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED PASSED	1.520 s 0.120 s
5	Given user input MemberId and Cifno	PASSED	0.859 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>NOT FOUND</p>	PASSED	0.163 s
6	<p>Then Save BoardMembers Details</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (c4c9ff777af7e9439c036c05052518c8)] -> xpath: //*[@id="trsboardmembersFormId_M019MT_Save_key"]]] (tried for 30 second(s) with 0 milliseconds interval) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utls.WaitElements.waitVisibilityOfElement(WaitElements.java:42) at utls.ElementActions.clickonElement(ElementActions.java:37) at iisParamsStepdefinitions.BoardMembers.Save_BoardMembers_Details(BoardMembers.java:119) at ?.Save BoardMembers Details(file:///D:/Workspace/IslamicInvest_Cucumber_Framework/IslamicInvest_Cucumber_Framework/src/test/java/iisParamsFeatures/BoardMembers.feature:15) * Not displayable characters are replaced by '?'.</pre>	FAILED	30.015 s
	<p>AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p>NOT FOUND</p>	PASSED	0.161 s
7	And Retrieve Saved BoardMembers details	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	Then Delete BoardMembers Code Created	SKIPPED	0.000 s
9	And Close BoardMembers maintenance Screen	SKIPPED	0.000 s

(F)- IIS Parameters Module - Charges maintenance Screen






(S)- CRUD testing For Charge Maintenance Screen




#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	2.916 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot NOT FOUND	PASSED	0.166 s


#	Step / Hook Details	Status	Duration
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	3.971 s
	 +		
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.130 s
	 +		
4	Given Navigate to charges maintenance screen AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.377 s
	Screenshot	PASSED	0.123 s

#	Step / Hook Details	Status	Duration
	 + NOT FOUND		
5	Given user input Charge code and charge description AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	1.301 s
	 + NOT FOUND	PASSED	0.286 s
6	Then Save Charge Details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	1.636 s
	 + NOT FOUND	PASSED	0.209 s
7	And Retrieve Saved Charge details	PASSED	2.196 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  +	PASSED	0.210 s
8	Then Delete Charge Code Created	PASSED	2.571 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  +	PASSED	0.232 s
9	And Close Charge maintenance Screen	PASSED	0.358 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.178 s

#	Step / Hook Details	Status	Duration
	 + NOT FOUND		




(F)- IIS Parameters Module - Deviation maintenance Screen




(S)- CRUD testing For Deviation Maintenance Screen



#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	3.948 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.283 s

#	Step / Hook Details	Status	Duration
	 + NOT FOUND		
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED PASSED	10.114 s 0.256 s
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED PASSED	0.125 s 0.127 s
4	Then Navigate to deviation maintenance screen	PASSED	3.748 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.311 s
5	Given user input code and Deviation description	PASSED	3.290 s
	<p>AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.207 s
6	<p>Then Save Deviation Details</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id=\"_popup_path_sol_confirm_ok\"]"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e2b7996dd8c2a28b1d019bd06dfdb43e, findElement {using=xpath, value=//*[@id=\"_popup_path_sol_confirm_ok\"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\in02643\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61315}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61315/devtoo... , se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e2b7996dd8c2a28b1d019bd06dfdb43e at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)</pre>	FAILED	1.175 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy47.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at utls.WaitElements.waitForElement(WaitElements.java:42) at utls.ElementActions.clickonElement(ElementActions.java:37) at iisParamsStepdefinitions.Deviation.Save_Deviation_Details(Deviation.java:114) at ?.Save Deviation Details(file:///D:/Workspace/IslamicInvest_Cucumber_Framework/IslamicInvest_Cucumber_Framework/src/test/java/iisParamsFeatures/Deviation.feature:15) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.114 s

#	Step / Hook Details	Status	Duration
7	And Retrieve Saved Deviation details	SKIPPED	0.000 s
8	Then Delete Deviation Code Created	SKIPPED	0.000 s
9	And Close Deviation maintenance Screen	SKIPPED	0.000 s




(F)- IIS Parameters Module - Insurance Companies maintenance Screen







(S)- CRUD testing For Insurance Companies Maintenance Screen



#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	5.522 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.173 s


#	Step / Hook Details	Status	Duration
	 + NOT FOUND		
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED	8.300 s
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED	0.129 s
4	Then Navigate to Insurance Companies maintenance screen	PASSED	3.627 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  NOT FOUND	PASSED	0.568 s
5	Given user input Code and Description	PASSED	1.451 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  NOT FOUND	PASSED	0.171 s
6	Then Save Insurance Companies Details	PASSED	6.162 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.166 s


#	Step / Hook Details	Status	Duration
	 + NOT FOUND		
7	And Retrieve Saved Insurance Companies details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED	2.380 s
8	Then Delete Insurance Companies Code Created AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED	2.442 s
9	And Close Insurance Companies maintenance Screen	PASSED	0.442 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  +	PASSED	0.170 s




(F)- IIS Parameters Module - InsuranceType maintenance Screen






(S)- CRUD testing For InsuranceType Maintenance Screen



#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	8.520 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		


#	Step / Hook Details	Status	Duration
	 + NOT FOUND		
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED PASSED	6.731 s 0.231 s
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED PASSED	0.137 s 0.160 s
4	Then Navigate to InsuranceType maintenance screen	PASSED	3.665 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  NOT FOUND	PASSED	1.061 s
5	Given user input code and InsuranceType description	PASSED	0.535 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  NOT FOUND	PASSED	0.234 s
6	Then Save InsuranceType Details	PASSED	6.167 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.183 s


#	Step / Hook Details	Status	Duration
	 + NOT FOUND		
7	And Retrieve Saved InsuranceType details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED PASSED	1.515 s 0.271 s
8	Then Delete InsuranceType Code Created AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED PASSED	2.521 s 0.200 s
9	And Close InsuranceType maintenance Screen	PASSED	0.388 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  <p style="color: red;">+</p>	PASSED	0.300 s




(F)- IIS Parameters Module - Leased Asset maintenance Screen



(S)- CRUD testing For Charge Maintenance Screen



#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	5.767 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		


#	Step / Hook Details	Status	Duration
	 + NOT FOUND		
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED	5.562 s
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  + NOT FOUND	PASSED	0.142 s
4	Then Navigate to Leased Asset maintenance screen	PASSED	3.064 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  +	PASSED	0.225 s
5	And user input Asset code and description	PASSED	2.990 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  +	PASSED	0.138 s
6	Then Save Asset Details <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.248) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3b14e8fdd7acd1d11147ed77a787803, findElement {using=xpath, value=//[@id="_popup_path_sol_confirm_ok"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\in02643\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61460}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61460/devtoo... , se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3b14e8fdd7acd1d11147ed77a787803 at jdk.internal.reflect.GeneratedConstructorAccessor64.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</pre>	FAILED	333 m 22.858 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy47.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62) at iisParamsStepdefinitions.Leasedassetmaintenance.save_Asset_details(Leasedassetmaintenance.java:108) at ?.Save Asset Details(file:///D:/Workspace/IslamicInvest_Cucumber_Framework/IslamicInvest_Cucumber_Framework/src/test/java/iisParamsFeatures/LeasedAsset.feature:12) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.248) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3b14e8fdd7acd1d11147ed77a787803, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\in02643\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:61460}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61460/devtoo..., se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3b14e8fdd7acd1d11147ed77a787803 at jdk.internal.reflect.GeneratedConstructorAccessor64.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	0.044 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at iisParamsStepdefinitions.HooksClass.addScreenshot(HooksClass.java:66)		
7	Then Retrieve Asset details	SKIPPED	0.000 s
8	Then Delete Asset Code Created	SKIPPED	0.000 s
9	And Close Asset maintenance Screen	SKIPPED	0.000 s



(F)- IIS Parameters Module -Product type Screen





(S)- CRUD testing For Product Type Maintenance Screen




#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	1.870 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.139 s


#	Step / Hook Details	Status	Duration
	+ 		
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	3.263 s
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.213 s
4	Given Open product type maintenance AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	1.427 s
5	And Input product Type Values and save AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	2.991 s
		PASSED	0.110 s

#	Step / Hook Details	Status	Duration
	 +		
6	And Retrieve Saved Product Type details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  +	PASSED	2.784 s
7	Then Delete Product Type Created AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  +	PASSED	1.917 s
8	And Close Product Type maintenance Screen AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  +	PASSED	0.357 s


(F)- IIS Parameters Module -Settlement Policy



(S)- CURD Testing of Settlement Policy




#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot +	PASSED	3.512 s
			
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot +	PASSED	5.332 s
			

#	Step / Hook Details	Status	Duration
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.125 s
4	And User Opened Settlement Policy Miantenance OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	4.864 s
5	When User Input Mian Informations and CIF Informations org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@id='_popup_path_sol_ok']' (tried for 20000 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62) at iisParamsStepdefinitions.SettlementPolicy.user_input_mian_informations_and_cif_informations(SettlementPolicy.java:72) at ?.User Input Mian Informations and CIF Informations(file:///D:/Workspace/IslamicInvest_Cucumber_Framework/IslamicInvest_Cucumber_Framework/src/test/java/iisParamsFeatures/SettlementPolicy.feature:8) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {'method':'xpath','selector':'//input[@id='_popup_path_sol_ok']'} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [398c24521f1107ffc6f7ac6751f7602d, findElement {using=xpath, value=//input[@id='_popup_path_sol_ok']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lin02643\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:49362}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49362/devtoo..., se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 398c24521f1107ffc6f7ac6751f7602d at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	333 m 20.766 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy47.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62) at iisParamsStepdefinitions.SettlementPolicy.user_input_mian_informations_and_cif_informations(SettlementPolicy.java:72) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.169 s
6	And User Save Settlement Policy Data	SKIPPED	0.000 s
7	And User Retrieve and Delete Data	SKIPPED	0.000 s
8	Then User validate the outcomes and Close Browser	SKIPPED	0.000 s



(F)- IIS Parameters Module -Target Miantenance Screen



(S)- CURD Testing of the Target Miantenance Screen



#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot +	PASSED	1.312 s
			
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot +	PASSED	11.109 s
			

#	Step / Hook Details	Status	Duration
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.660 s
4	Then Navigate to Target Maintenance Screen AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	1.566 s
5	Given User Select Input Product class,country,year,Target Amount AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	1.877 s
6	Then Save Target Maintenance org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@id='popup_path_sol_confirm_ok']' (tried for 40000 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62) at iisParamsStepdefinitions.TargetMaintenace.save_target_maintenace(TargetMaintenace.java:62) at ?.Save Target Maintenace(file:///D:/Workspace/IslamicInvest_Cucumber_Framework/IslamicInvest_Cucumber_Framework/src/test/java/iisParamsFeatures/TargetMaintenanceM04MT.feature:11) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: { "method": "xpath", "selector": "//[@id='popup_path_sol_confirm_ok']" } (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [96bb40d2422bb9d9e87b328e81aef93a, findElement {using=xpath, value=//[@id='popup_path_sol_confirm_ok']} Capabilities	FAILED	666 m 41.503 s

#	Step / Hook Details	Status	Duration
	<pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lin02643\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:65309}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65309/devtoo., se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 96bb40d2422bb9d9e87b328e81aef93a at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy47.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62) at iisParamsStepdefinitions.TargetMaintenace.save_target_maintenace(TargetMaintenace.java:62) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccesso rImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccesso rImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</pre>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.125 s

#	Step / Hook Details	Status	Duration
	+ 		
7	And Retrieve Saved Target Maintenance	SKIPPED	0.000 s
8	Then Delete Target Maintenance Created	SKIPPED	0.000 s
9	And Close Target Maintenance Screen	SKIPPED	0.000 s



(F)- IIS Parameter Vendor Information





(S)- CURD testing of Vendor Information Screen




#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	2.101 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.154 s


#	Step / Hook Details	Status	Duration
	+ 		
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	11.537 s
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	4.128 s
4	Then User Click on Vendor Information Maitenance Link AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	1.099 s
5	Then User Click on Add Option AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	2.591 s
		PASSED	0.181 s

#	Step / Hook Details	Status	Duration
			
6	And User Inputs data	PASSED	12.025 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.184 s
7	Then User Save Vendor Information org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@id='popup_path_sol_confirm_ok']' (tried for 20000 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62) at iisParamsStepdefinitions.VendorInformation.user_save_vendor_information(VendorInformation.java:135) at ?.User Save Vendor Information(file:///D:/Workspace/IslamicInvest_Cucumber_Framework/IslamicInvest_Cucumber_Framework/src/test/java/iisParamsFeatures/VendorInformation.feature:10) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='popup_path_sol_confirm_ok']"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f018cb192b86eaf733e991ff45dd2437, findElement {using>xpath, value=//*[@id='popup_path_sol_confirm_ok']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\in02643\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:53026}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53026/devtoo... se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f018cb192b86eaf733e991ff45dd2437 at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	333 m 21.584 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy47.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62) at iisParamsStepdefinitions.VendorInformation.user_save_vendor_information(VendorInformation.java:135) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.192 s
8	Then User Close Vendor Information Tab	SKIPPED	0.000 s

(F)- Yeild-Yield Roster



(S)- CURD Testing of Yeild Roster



#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot +	PASSED	1.427 s
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot +	PASSED	6.006 s


#	Step / Hook Details	Status	Duration
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.659 s
4	And User Click on Yield Roster Maintenance OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	2.066 s
5	When User Input Main and Roster Details AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	2.293 s
6	Then User Save Roster Details org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@id='_popup_path_sol_confirm_ok']' (tried for 2000 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62) at iisParamsStepdefinitions.YieldRoster.user_save_roster_details(YieldRoster.java:86) at ?.User Save Roster Details(file:///D:/Workspace/IslamicInvest_Cucumber_Framework/IslamicInvest_Cucumber_Framework/src/test/java/iisParamsFeatures/YieldRoster.feature:9) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: { "method": "xpath", "selector": "//input[@id='_popup_path_sol_confirm_ok']" } (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [287b10e2c8469ae7bbd8a379a3085a5d, findElement {using>xpath, value=/input[@id='_popup_path_sol_confirm_ok']}] Capabilities	FAILED	33 m 20.183 s

#	Step / Hook Details	Status	Duration
	<pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\lin02643\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:55246}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55246/devtoo., se:cdpVersion: 114.0.5735.248, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 287b10e2c8469ae7bbd8a379a3085a5d at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy47.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62) at iisParamsStepdefinitions.YieldRoster.user_save_roster_details(YieldRoster.java:86) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccesso rImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccesso rImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</pre>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	PASSED	0.203 s

#	Step / Hook Details	Status	Duration
	 +		
7	And User Retrieve Saved Data	SKIPPED	0.000 s
8	Then User Delete Roster Details	SKIPPED	0.000 s


(F)- Yeild-Yield Register







(S)- CURD Testing of Yeild Roster







#	Step / Hook Details	Status	Duration
1	Given User Navigate to IISP URL login	PASSED	1.696 s
	AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot +	PASSED	0.356 s



#	Step / Hook Details	Status	Duration
2	Then log into IISP with valid credentials AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	4.688 s
3	And Click on Parameters Root OPT AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.123 s
4	And User Click on Yield Register Maintenance OPT io.cucumber.java.PendingException: TODO: implement me at iisParamsStepdefinitions.YieldRegister.user_click_on_yield_register_maintenance_opt(YieldRegister.java:41) at ?.User Click on Yield Register Maintenance OPT(file:///D:/Workspace/IslamicInvest_Cucumber_Framework/IslamicInvest_Cucumber_Framework/src/test/java/iisParamsFeatures/YieldRegister.feature:7) * Not displayable characters are replaced by '?'. AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.074 s
	Screenshot 	PASSED	0.130 s
5	When User Input Yield Register Details	SKIPPED	0.000 s
6	Then User Save Register Details	SKIPPED	0.000 s
7	And User Retrieve Saved Yield Register Data	SKIPPED	0.000 s
8	Then User Delete Yield Register	SKIPPED	0.000 s



















(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are printed in a large, bold, gray sans-serif font.
<u>(S) CRUD testing For Charge Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Charges maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are printed in a large, bold, gray sans-serif font.
<u>(S) CRUD testing For Charge Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Charges maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 NOT FOUND
<u>(S) CRUD testing For Charge Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Charges maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 NOT FOUND
<u>(S) CRUD testing For Deviation Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Deviation maintenance Screen</u>	





(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 NOT FOUND
<u>(S) CRUD testing For Deviation Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Deviation maintenance Screen</u>	



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 NOT FOUND
<u>(S) CRUD testing For Insurance Companies Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Insurance Companies maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are written in a large, light gray sans-serif font.
<u>(S) CRUD testing For Insurance Companies Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Insurance Companies maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are written in a large, light gray sans-serif font.
<u>(S) CRUD testing For Insurance Companies Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Insurance Companies maintenance Screen</u>	



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are printed in a large, bold, gray sans-serif font.
<u>(S) CRUD testing For Insurance Companies Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Insurance Companies maintenance Screen</u>	



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are printed in a large, bold, gray sans-serif font.
<u>(S) CRUD testing For Insurance Companies Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Insurance Companies maintenance Screen</u>	







(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are printed in a large, bold, gray sans-serif font.
<u>(S) CRUD testing For Insurance Companies Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Insurance Companies maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are printed in a large, bold, gray sans-serif font.
<u>(S) CRUD testing For Insurance Companies Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Insurance Companies maintenance Screen</u>	









(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 NOT FOUND
<u>(S) CRUD testing For InsuranceType Maintenance Screen</u>	
<u>(F) IIS Parameters Module - InsuranceType maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 NOT FOUND
<u>(S) CRUD testing For Charge Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Leased Asset maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon (two small squares for eyes, a curved line for a mouth) and the words "NOT FOUND" in a large, bold, sans-serif font at the bottom.
<u>(S) CRUD testing For Charge Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Leased Asset maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A large, dark gray rectangular box containing a simple sad face icon (two small squares for eyes, a curved line for a mouth) and the words "NOT FOUND" in a large, bold, sans-serif font at the bottom.
<u>(S) CRUD testing For Charge Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Leased Asset maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are written in a large, light gray sans-serif font.
<u>(S) CRUD testing For Charge Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Leased Asset maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	 A dark gray rectangular box containing a simple sad face icon with two small black squares for eyes and a downward-curving black line for a mouth. Below the icon, the words "NOT FOUND" are written in a large, light gray sans-serif font.
<u>(S) CRUD testing For Charge Maintenance Screen</u>	
<u>(F) IIS Parameters Module - Leased Asset maintenance Screen</u>	

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CRUD testing For Product Type Maintenance Screen


(F) IIS Parameters Module -Product type Screen



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CRUD testing For Product Type Maintenance Screen

(F) IIS Parameters Module -Product type Screen



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CRUD testing For Product Type Maintenance Screen

(F) IIS Parameters Module -Product type Screen

Copyright ©2023 Azentio All Rights Reserved | Powered By AZENTIO

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CRUD testing For Product Type Maintenance Screen

(F) IIS Parameters Module -Product type Screen

Copyright ©2023 Azentio All Rights Reserved | Powered By AZENTIO

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CRUD testing For Product Type Maintenance Screen

(F) IIS Parameters Module -Product type Screen



The screenshot shows the AZENTIO IIS Parameters module interface. The left sidebar has a tree view with 'Parameters' expanded, showing 'Maintenance' selected. The main area is titled 'Parameters / Product Type / Maintenance'. A modal window titled 'INFORMATION' displays the message 'Saved Successfully'. The bottom status bar says 'Copyright ©2023 Azentio All Rights Reserved IML IIS Parameter 14.7.0.0 Build 225'.

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CRUD testing For Product Type Maintenance Screen

(F) IIS Parameters Module -Product type Screen

The screenshot shows the AZENTIO IIS Parameters module interface. The left sidebar has a tree view with 'Parameters' expanded, showing 'Maintenance' selected. The main area is titled 'Parameters / Product Type / Maintenance'. The 'Code' field contains '1000'. The 'Main Information' section has 'Brief Description' set to 'Brief desc' and 'Long Description' set to 'Long Description'. Below these, 'Limit Factor' is set to '0' and 'Link Trade deal in Investment deal' is checked. The 'Funded Deal' dropdown is set to 'No'. The bottom status bar says 'Copyright ©2023 Azentio All Rights Reserved IML IIS Parameter 14.7.0.0 Build 225'.



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of Settlement Policy

(F) IIS Parameters Module -Settlement Policy



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of Settlement Policy

(F) IIS Parameters Module -Settlement Policy

This screenshot of the AZENTIO application shows a user interface with a dark blue header bar. On the left, there's a sidebar with a 'Menu Options' dropdown. The main content area has a vertical scroll bar on the right and displays the message 'Loading Contents...'. At the top center, there's a user profile icon with a question mark, followed by the text 'User : JASIN', 'Company : 14.7 Oracle BAJ', and 'Branch : ICD Treasury-Invest'. To the right of this information is the date '21 July 2023'. Along the top right edge are several icons: Full Screen, Options, Advanced Options, Switch View, Home, Log Out, and Help. Below these icons is a 'Language' button with a gear icon. At the very bottom of the screen, a footer bar contains the text 'Copyright ©2023 Azentio All Rights Reserved IMAL IIS Parameter 14.7.0.0 Build 225' and 'Powered By AZENTIO'.

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

(S) CURD Testing of Settlement Policy

**(F) IIS Parameters Module -Settlement
Policy**

The screenshot shows the AZENTIO application interface. At the top, there is a header bar with the AZENTIO logo, user information (User: JASIN, Company: 14.7 Oracle BAJ, Branch: ICD Treasury-Invest), the date (21 July 2023), and various navigation links like Full Screen, Options, Advanced Options, Switch View, Home, Log Out, and Help. Below the header is a sidebar with 'Parameters' and a main content area.

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

(S) CURD Testing of Settlement Policy

**(F) IIS Parameters Module -Settlement
Policy**

This screenshot shows a more detailed view of the AZENTIO application. It features a sidebar on the left with a tree view of 'Parameters' categories, including 'Settlement Policy' which is currently selected. The main content area displays a 'Maintenance' screen for 'Settlement Policy' with fields for Policy No., Policy Description, Status, Product Type (set to 'Specific Products'), Product Class, and other parameters like Max. no of Trials and No of free Trials. There are also buttons for New, Search, Record, Audit, and Smart.

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

(S) CURD Testing of Settlement Policy

**(F) IIS Parameters Module -Settlement
Policy**

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

**(S) CURD Testing of the Target
Miantenance Screen**


**(F) IIS Parameters Module -Target
Miantenance Screen**



(Step) AFTER_STEP - iisParamsStepdefinition.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of the Target Maintenance Screen

(F) IIS Parameters Module -Target Maintenance Screen




The screenshot shows the AZENTIO application interface. At the top, there is a header bar with the AZENTIO logo, user information (User: JASIN, Company: 14.7 Oracle BAJ, Branch: ICD Treasury-Invest), the date (22 July 2023), and various navigation links like Full Screen, Options, Advanced Options, Switch View, Home, Log Out, and Help. Below the header is a menu bar with 'Menu Options' and a sub-menu 'Parameters'. A central panel displays a message 'Loading Contents...'. At the bottom, there is a footer bar with copyright information (Copyright ©2023 Azentio All Rights Reserved) and a 'Powered By AZENTIO' logo.

(Step) AFTER_STEP - iisParamsStepdefinition.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of the Target Maintenance Screen

(F) IIS Parameters Module -Target Maintenance Screen



This screenshot is identical to the one above it, showing the AZENTIO application interface with the 'Parameters' menu selected. The central panel is still displaying the 'Loading Contents...' message. The footer bar at the bottom includes the copyright notice and the 'Powered By AZENTIO' logo.

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

(S) CURD Testing of the Target Maintenance Screen

(F) IIS Parameters Module -Target Maintenance Screen

User : JASIN 22 July 2023

Full Screen | Options | Advanced Options | Switch View | Home | Log Out | Help

Language

Copyright ©2023 Azentio All Rights Reserved iMAL IIS Parameter 14.7.0.0 Build 225

Powered By AZENTIO

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

(S) CURD Testing of the Target Maintenance Screen

(F) IIS Parameters Module -Target Maintenance Screen

User : JASIN 22 July 2023

Full Screen | Options | Advanced Options | Switch View | Home | Log Out | Help

Language

Copyright ©2023 Azentio All Rights Reserved iMAL IIS Parameter 14.7.0.0 Build 225

Powered By AZENTIO

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of the Target Maintenance Screen

(F) IIS Parameters Module -Target Maintenance Screen

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD testing of Vendor Information Screen


(F) IIS Parameter Vendor Information



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD testing of Vendor Information Screen

(F) IIS Parameter Vendor Information




Copyright ©2023 Azentio All Rights Reserved | Powered By AZENTIO

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD testing of Vendor Information Screen

(F) IIS Parameter Vendor Information



Copyright ©2023 Azentio All Rights Reserved | Powered By AZENTIO

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

(S) CURD testing of Vendor Information Screen

(F) IIS Parameter Vendor Information

User : JASIN 22 July 2023

Full Screen | Options | Advanced Options | Switch View | Home | Log Out | Help

Language

Copyright ©2023 Azentio All Rights Reserved iMAL IIS Parameter 14.7.0.0 Build 225

Powered By AZENTIO

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

(S) CURD testing of Vendor Information Screen

(F) IIS Parameter Vendor Information

User : JASIN 22 July 2023

Full Screen | Options | Advanced Options | Switch View | Home | Log Out | Help

Language


Copyright ©2023 Azentio All Rights Reserved iMAL IIS Parameter 14.7.0.0 Build 225

Powered By AZENTIO

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD testing of Vendor Information Screen


(F) IIS Parameter Vendor Information



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD testing of Vendor Information Screen

(F) IIS Parameter Vendor Information



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of Yeild Roster


(F) Yeild-Yeild Roster



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of Yeild Roster

(F) Yeild-Yeild Roster



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of Yield Roster

(F) Yield-Yield Roster

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of Yield Roster

(F) Yield-Yield Roster

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

(S) CURD Testing of Yield Roster

(F) Yield-Yield Roster

(Step) AFTER_STEP - iisParamsStepdefin
itions.HooksClass.addScreenshot(io.
cucumber.java.Scenario)

(S) CURD Testing of Yield Roster

(F) Yield-Yield Roster

(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of Yeild Roster

(F) Yeild-Yeild Register



(Step) AFTER_STEP - iisParamsStepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) CURD Testing of Yeild Roster

(F) Yeild-Yeild Register

