

Firewall Authentication Keepal... x Create a resource group - Micro... x +

portal.azure.com/#view/HubsExtension/ResourceGroupCreate.ReactView/_provisioningContext~/9%7B%3A%570d5963-c482-42ef-907a-a38c4b71d152%22...

Microsoft Azure Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com DEFAULT DIRECTORY (16JASLEEN...)

Home > Resource Manager | Resource groups

Create a resource group ...

Basics Tags Review + create

Resource group - A container that holds related resources for an Azure solution. The resource group can include all the resources for the solution, or only those resources that you want to manage as a group. You decide how you want to allocate resources to resource groups based on what makes the most sense for your organization. [Learn more](#)

Subscription * ⓘ Azure for Students

Resource group name * ⓘ rg-vnet-vpn-lab

Region * ⓘ (Asia Pacific) Central India

Previous

Next

Review + create

Hot days ahead 21°C

Search

ENG IN 38% 09:48 11-04-2026

Firewall Authentication Keepal... x Create virtual network - Micro... x +

portal.azure.com/#view/Microsoft_Azure_Network/VirtualNetworkCreateV3.ReactView/selectedLegacyPlanId/Microsoft.VirtualNetwork-ARM/legacyPlanId/Micros...

Microsoft Azure Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com DEFAULT DIRECTORY (16JASLEEN...)

Home > Resource Manager | Resource groups > rg-vnet-vpn-lab

Create virtual network ...

Basics Security Address space Tags Review + create

Azure resources, such as Azure Virtual Machines (VM), to securely communicate with each other, the internet, and on-premises networks. VNet is similar to a traditional network that you'd operate in your own data center, but brings with it additional benefits of Azure's infrastructure such as scale, availability, and isolation. [Learn more.](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * Azure for Students

Resource group * rg-vnet-vpn-lab [Create new](#)

Instance details

Virtual network name * vnet1

Region * ⓘ (Asia Pacific) Central India [Deploy to an Azure Extended Zone](#)

Previous

Next

Review + create

21°C Sunny

Search

ENG IN 45% 09:56 11-04-2026

Firewall Authentication Keepal... x Create virtual network - Micros... x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_Network/VirtualNetworkCreateV3.ReactView/selectedLegacyPlanId/Microsoft.VirtualNetwork-ARM/legacyPlanId/Micros...

Microsoft Azure Search resources, services, and docs (G+/?)

Home > Resource Manager | Resource groups > rg-vnet-vpn-lab

Create virtual network

Validation passed

Basics Security Address space Tags **Review + create**

[View automation template](#)

Basics

Subscription	Azure for Students
Resource Group	rg-vnet-vpn-lab
Name	vnet1
Region	Central India

Security

Azure Bastion	Disabled
Azure Firewall	Disabled
Azure DDoS Network Protection	Disabled

Address space

Address space	10.0.0.0/16 (65,536 addresses)
Subnet	default (10.0.0.0/24) (256 addresses)
- Private subnet	Enabled

Tags

[Previous](#) [Next](#) [Create](#) [Download a template for automation](#) [Give feedback](#)

21°C Sunny Search ENG IN 46% 09:57 11-04-2026

Firewall Authentication Keepal... x Add a subnet - Microsoft Azure x + Ask Gemini | - x

portal.azure.com/#@16jasleen11a@gmail.onmicrosoft.com/resource/subscriptions/67710e70-ec8a-4c62-9921-5786d91e59de/resourcegroups/rg-vnet-vpn-lab/pr...

Microsoft Azure Search resources, services, and docs (G+/?)

Home > vnet1-1775881650391 | Overview > vnet1

vnet1 | Subnets

Virtual network

[Overview](#) [Activity log](#) [Access control \(IAM\)](#) [Tags](#) [Diagnose and solve problems](#) [Resource visualizer](#) [Settings](#) [Address space](#) [Connected devices](#) **[Subnets](#)** [Bastion](#) [DDoS protection](#) [Firewall](#) [Microsoft Defender for Cloud](#) [Network manager](#) [DNS](#) [Peering](#) [Service endpoints](#) [Private endpoints](#)

[+ Subnet](#) [Refresh](#) [Manage users](#) [Delete](#)

Create subnets to segment the virtual network address space into sm

[Search subnets](#)

☐	Name 1	IPv4
☐	default	10.0.0.0/24

Showing 1 subnet

Add a subnet

Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. [Learn more](#)

Subnet purpose

Name *

IPv4

Include an IPv4 address space ☒

IPv4 address range
10.0.0.0 - 10.0.255.255

Starting address *
10.0.1.0 - 10.0.1.255

Size

Subnet address range

IPv6

Include an IPv6 address space ☐ This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#)

Enable private subnet (no default outbound access) ☒

[After March 31, 2026, private subnet will be the default selection for new virtual networks. Learn more](#)

[Add](#) [Cancel](#) [Give feedback](#)

21°C Sunny Search ENG IN 47% 09:58 11-04-2026

Firewall Authentication Keepali

Add a subnet - Microsoft Azure

Ask Gemini

portal.azure.com/#@16jasleen11a@gmail.onmicrosoft.com/resource/subscriptions/67710e70-ec8a-4c62-9921-5786d91e59de/resourcegroups/rg-vnet-vpn-lab/pr...

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

16jasleen11a@gmail.com

DEFAULT DIRECTORY (16JASLEEN...)

Homevnet1-1775881650391 | Overviewvnet1

vnet1 | Subnets

Virtual network

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Address space

Connected devices

Subnets

Bastion

DDoS protection

Firewall

Microsoft Defender for Cloud

Network manager

DNS

Peering

Service endpoints

Private endpoints

+ Subnet

Refresh

Manage users

Delete

Create subnets to segment the virtual network address space into sm

Search subnets

☐

Name 1

IPv4

☐

default

10.0.0.0/24

☐

subnet1

10.0.1.0/24

Showing 2 subnets

Add or remove favorites by pressing Ctrl+Shift+F

21°C Sunny

Search

ENG IN

49%

10:01 11-04-2026

Add a subnet

Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. [Learn more](#)

Subnet purpose

Virtual Network Gateway

Name *

GatewaySubnet

IPv4

Include an IPv4 address space

IPv4 address range

10.0.0.0/16

10.0.0.0 - 10.0.255.255

Starting address *

10.0.255.0

Size

/27 (32 addresses)

Subnet address range

10.0.255.0 - 10.0.255.31

IPv6

Include an IPv6 address space

This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#)

Enable private subnet (no default outbound access)

After March 31, 2026, private subnet will be the default selection for new virtual networks. [Learn more](#)

Add

Cancel

Give feedback

Firewall Authentication Keepali

Create virtual network - Micro

Ask Gemini

portal.azure.com/#view/Microsoft_Azure_Network/VirtualNetworkCreateV3.ReactView/selectedLegacyPlanId/Microsoft.VirtualNetwork-ARM/legacyPlanId/Micros...

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

16jasleen11a@gmail.com

DEFAULT DIRECTORY (16JASLEEN...)

Home

Create virtual network

Basics

Security

Address space

Tags

Review + create

Azure Virtual Network (VNet) is the fundamental building block for your private network in Azure. VNet enables many types of Azure resources, such as Azure Virtual Machines (VM), to securely communicate with each other, the internet, and on-premises networks. VNet is similar to a traditional network that you'd operate in your own data center, but brings with it additional benefits of Azure's infrastructure such as scale, availability, and isolation. [Learn more](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

Azure for Students

Resource group *

NetworkWatcherRG

Create new

Instance details

Virtual network name *

vnet2

Region *

(Asia Pacific) Central India

Deploy to an Azure Extended Zone

Previous

Next

Review + create

Give feedback

21°C Sunny

Search

ENG IN

50%

10:02 11-04-2026

Firewall Authentication Keepal...x

Create virtual network - Micros...x

+

Ask Gemini

16jasleen11a@gmail.com

portal.azure.com/#view/Microsoft_Azure_Network/VirtualNetworkCreateV3.ReactView/selectedLegacyPlanId/Microsoft.VirtualNetwork-ARM/legacyPlanId/Micros...

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

16jasleen11a@gmail.com

DEFAULT DIRECTORY (16JASLEEN...

Home

Create virtual network

BasicsSecurityAddress spaceTagsReview + create

Define the address space of your virtual network with one or more IPv4 or IPv6 address ranges. Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resources into a subnet, Azure assigns the resource an IP address from the subnet. [Learn more](#)

☐ Allocate using IP address pools. [Learn more](#)

+ Add a subnet

10.1.0.0/16

10.1.0.0

/16

10.1.0.0 - 10.1.255.255

65,536 addresses

Delete address space

Subnets	IP address range	Size	NAT gateway
default	10.1.0.0 - 10.1.0.255	/24 (256 addresses)	-

Add IPv4 address space

Previous

Next

Review + create

Give feedback

21°C Sunny

Search

ENG IN

51%

10:03 11-04-2026

Firewall Authentication Keepal...x

Add a subnet - Microsoft Azure x

+

Ask Gemini

16jasleen11a@gmail.com

portal.azure.com/#@16jasleen11a@gmail.onmicrosoft.com/resource/subscriptions/67710e70-ec8a-4c62-9921-5786d91e59de/resourcegroups/NetworkWatcherR...

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

16jasleen11a@gmail.com

DEFAULT DIRECTORY (16JASLEEN...

Home > vnet2-1775882035092 | Overview > vnet2

vnet2 | Subnets

Virtual network

Search

+ Subnet

Refresh

Manage users

Delete

Create subnets to segment the virtual network address space into sm

Search subnets

☐ Name 1

IPv4

☐ default

10.1.0.0/24

Showing 1 subnet

Add or remove favorites by pressing Ctrl+Shift+F

Add a subnet

Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. [Learn more](#)

Subnet purpose

Default

Name *

subnet2

IPv4

Include an IPv4 address space

☒

IPv4 address range

10.1.0.0/16

10.1.0.0 - 10.1.255.255

Starting address *

10.1.1.0

Size

/24 (256 addresses)

Subnet address range

10.1.1.0 - 10.1.1.255

IPv6

Include an IPv6 address space

☐ This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#)

Enable private subnet (no default outbound access)

☒

After March 31, 2026, private subnet will be the default selection for new virtual networks. [Learn more](#)

Add

Cancel

Give feedback

21°C Sunny

Search

ENG IN

52%

10:05 11-04-2026

Firewall Authentication Keepali x Add a subnet - Microsoft Azure x + Ask Gemini | - x

portal.azure.com/#@16jasleen11a@gmail.onmicrosoft.com/resource/subscriptions/67710e70-ec8a-4c62-9921-5786d91e59de/resourcegroups/NetworkWatcherR...

Microsoft Azure Search resources, services, and docs (G+/)

Home vnet2-1775882035092 | Overview vnet2

vnet2 | Subnets Virtual network

Search

Overview Activity log Access control (IAM) Tags Diagnose and solve problems Resource visualizer Settings Address space Connected devices Subnets Bastion DDoS protection Firewall Microsoft Defender for Cloud Network manager DNS Peerings Service endpoints Private endpoints

+ Subnet Refresh Manage users Delete

Create subnets to segment the virtual network address space into sm

Search subnets

Name	IPv4
default	10.1.0.0/24
subnet2	10.1.1.0/24

Showing 2 subnets

Add a subnet

Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. [Learn more](#)

Subnet purpose Virtual Network Gateway

Name GatewaySubnet

IPv4

Include an IPv4 address space ☒

IPv4 address range 10.1.0.0/16
10.1.0.0 - 10.1.255.255

Starting address 10.1.255.0

Size /27 (32 addresses)

Subnet address range 10.1.255.0 - 10.1.255.31

IPv6

Include an IPv6 address space ☐ This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#)

Enable private subnet (no default outbound access) ☒

After March 31, 2026, private subnet will be the default selection for new virtual networks. [Learn more](#)

Add Cancel Give feedback

21°C Sunny Search ENG IN 53% 10:05 11-04-2026

Firewall Authentication Keepali x Create a virtual machine - Micro x vnet2 - Microsoft Azure x Hybrid connectivity - Microsoft x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUIDef~/~/7B%isFullCreate%3Atrue%7D/_provisioningContext~/~/7B%telemetryId~...

Microsoft Azure Search resources, services, and docs (G+/)

Home Compute infrastructure | Virtual machines

Create a virtual machine

Help me create a VM optimized for high availability Help me choose the right VM size for my workload Help me create a low cost VM

your resources

Subscription Azure for Students

Resource group rg-vnet-vpn-lab [Create new](#)

Instance details

Virtual machine name vm1

Region (Asia Pacific) Central India [Deploy to an Azure Extended Zone](#)

Availability options No infrastructure redundancy required

Security type Trusted launch virtual machines [Configure security features](#)

Image Ubuntu Server 24.04 LTS - x64 Gen2 [See all images](#) [Configure VM generation](#)

VM architecture ☐ Arm64 ☒ x64

Run with Azure Spot discount ☒

Eviction type ☒ Capacity only: Your virtual machine will be evicted when Azure's excess capacity disappears.
☐ Price or capacity: Your virtual machine will be evicted when Azure's excess capacity disappears, or costs exceed your specified max price.

< Previous Next: Disks > Review + create Give feedback

21°C Sunny Search ENG IN 56% 10:10 11-04-2026

Firewall Authentication Keepali...x>Create a virtual machine - Micr...x|vnet2 - Microsoft Azure...x|Hybrid connectivity - Microsoft...x|+Ask Gemini|−|□|×

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUIDef~/~/7B%isFullCreate%3Atrue%7D/_provisioningContext~/~/7B%telemetryId~...

Microsoft AzureSearch resources, services, and docs (G+/?)Copilot16jasleen11a@gmail.comDEFAULT DIRECTORY (16JASLEEN...)

Home > Compute infrastructure | Virtual machines

Create a virtual machine...Help me create a VM optimized for high availabilityHelp me choose the right VM size for my workloadHelp me create a low cost VM

Eviction policy ⓘ

Stop / Deallocate

Delete

Size * ⓘ

Standard_DC1s_v3 - 1 vcpu, 8 GiB memory (\$0.01866) ▾

See all sizes

View pricing history and compare prices in nearby regions

Maximum price you want to pay per hour (USD) ⓘ

0.101

Enter a price greater than or equal to the hardware costs (\$0.01866)

Enable Hibernation ⓘ

ⓘ

 Hibernate does not currently support Trusted launch and Confidential virtual machines for Linux images. [Learn more](#) ⚡

Administrator account

Authentication type ⓘ

SSH public key

Password

Username * ⓘ

Admin12 ✓

Password *

***** ✓

Confirm password *

***** ✓

Inbound port rules

Select which virtual machine network ports are accessible from the public internet. You can specify more limited or granular network access on the Networking tab.

Public inbound ports * ⓘ

None

< PreviousNext : Disks >Review + createGive feedback

21°C Sunny

Search

ENG IN57%10:1011-04-2026

Firewall Authentication Keepali...x>Create a virtual machine - Micr...x|vnet2 - Microsoft Azure...x|Hybrid connectivity - Microsoft...x|+Ask Gemini|−|□|×

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUIDef~/~/7B%isFullCreate%3Atrue%7D/_provisioningContext~/~/7B%telemetryId~...

Microsoft AzureSearch resources, services, and docs (G+/?)Copilot16jasleen11a@gmail.comDEFAULT DIRECTORY (16JASLEEN...)

Home > Compute infrastructure | Virtual machines

Create a virtual machine...Help me create a VM optimized for high availabilityHelp me choose the right VM size for my workloadHelp me create a low cost VM

BasicsDisksNetworkingManagementMonitoringAdvancedTagsReview + create

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution. [Learn more](#) ⚡

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network * ⓘ

vnet1

Create new

Subnet * ⓘ

subnet1 (10.0.1.0/24)

Manage subnet configuration

Public IP ⓘ

(new) vm1-ip

Create new

ⓘ

 Public IP addresses have a nominal charge. [Estimate price](#) ⚡

NIC network security group ⓘ

None

Basic

Advanced

Public inbound ports * ⓘ

None

Allow selected ports

Select inbound ports *

SSH (22) ▾

⚠

 This will allow all IP addresses to access your virtual machine. This is only

< PreviousNext : Management >Review + createGive feedback

21°C Sunny

Search

ENG IN57%10:1111-04-2026

Firewall Authentication Keepali x Create a virtual machine - Micr x vnet2 - Microsoft Azure x Hybrid connectivity - Microsoft x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUIDef~/~/7B"isFullCreate"%3Atrue%7D/_provisioningContext~/~/7B"telemetryId"...

Microsoft Azure Search resources, services, and docs (G+/? Copilot 16jasleen11a@gmail.com

Home > Compute infrastructure | Virtual machines

Create a virtual machine ... Help me create a low cost VM Help me choose the right VM size for my workload Help me create a VM optimized for high availability

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * Azure for Students

Resource group * rg-vnet-vpn-lab

Instance details

Virtual machine name * vm2

Region * (Asia Pacific) Central India

Availability options No infrastructure redundancy required

Security type Trusted launch virtual machines

Image * Ubuntu Server 24.04 LTS - x64 Gen2

VM architecture Arm64 x64

Run with Azure Spot discount

Eviction type Capacity only: Your virtual machine will be evicted when Azure's excess capacity

< Previous

Next : Disks >

Review + create

Give feedback

Firewall Authentication Keepali x Create a virtual machine - Micr x vnet2 - Microsoft Azure x Hybrid connectivity - Microsoft x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUIDef~/~/7B"isFullCreate"%3Atrue%7D/_provisioningContext~/~/7B"telemetryId"...

Microsoft Azure Search resources, services, and docs (G+/? Copilot 16jasleen11a@gmail.com

Home > Compute infrastructure | Virtual machines

Create a virtual machine ... Help me create a low cost VM Help me choose the right VM size for my workload Help me create a VM optimized for high availability

Eviction type Capacity only: Your virtual machine will be evicted when Azure's excess capacity disappears.

Eviction policy Stop / Deallocate

Size * Standard_DC1s_v3 - 1 vcpu, 8 GiB memory (\$0.01866)

Maximum price you want to pay per hour (USD) 0.101

Enable Hibernation

Administrator account

Authentication type SSH public key Password

Username * Admin12

Password *

Confirm password *

< Previous

Next : Disks >

Review + create

Give feedback

Firewall Authentication Keepali x Create a virtual machine - Micr x Create virtual network gateway x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateVirtualNetworkGatewayBladeV2/_provisioningContext~/?%7B%22initialValues%3A%7B%22subscript...

Microsoft Azure Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com DEFAULT DIRECTORY (16JASLEEN...)

Home > Hybrid connectivity | ExpressRoute gateways

Create virtual network gateway ...

Validation passed

Basics Tags Review + create

Basics

Subscription

Resource group

Name

Region

SKU

Generation

Virtual network

Subnet

Gateway type

VPN type

Enable active-active mode

Enable Advanced Connectivity

Configure BGP

Public IP address

Azure for Students

rg-vnet-vpn-lab

vnet1-gateway

Central India

Basic

Generation1

vnet1

GatewaySubnet (10.0.255.0/27)

Vpn

RouteBased

Disabled

Disabled

Disabled

pip-vnet-gw

Tags

None

Create

Previous

Next

Download a template for automation

22°C Mostly sunny

Search

ENG IN 68% 10:24 11-04-2026

Firewall Authentication Keepali x Create a virtual machine - Micr x NoMarketplace-202604111021 x Create virtual network gateway x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateVirtualNetworkGatewayBladeV2/_provisioningContext~/?%7B%22initialValues%3A%7B%22subscript...

Microsoft Azure Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com DEFAULT DIRECTORY (16JASLEEN...)

Home > Hybrid connectivity | ExpressRoute gateways

Create virtual network gateway ...

Resource group rg-vnet-vpn-lab (derived from virtual network's resource group)

Instance details

Name *

Region *

vnet2-gateway

Central India

Deploy to an Azure Extended Zone

Gateway Configuration

Gateway type *

SKU *

Generation

Enable Advanced Connectivity

Virtual network *

Subnet

VPN ExpressRoute

Basic

Generation1

Enabled Disabled

vnet2

GatewaySubnet (10.1.255.0/27)

Only virtual networks in the currently selected subscription and region are listed.

Public IP address

Public IP address *

Public IP address name *

Create new Use existing

pip-vnet2-gw

Review + create

Previous

Next : Tags >

Download a template for automation

22°C Mostly sunny

Search

ENG IN 70% 10:26 11-04-2026

Firewall Authentication xCreate connection - Mi...vnet2-gateway - Micro...Adaptability & Resilienc... (53) How to Create UPI...Smart App Control has...Ask Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateConnectionBladeV2

Microsoft AzureSearch resources, services, and docs (G+ /)Copilot16jasleen11a@gmail.com

Home > NoMarketplace-20260411102147 | Overview > vnet1-gateway | Connections

Create connection

BasicsSettingsTagsReview + create

Create a secure connection to your virtual network by using VPN Gateway or ExpressRoute.
[Learn more about VPN Gateway](#)
[Learn more about ExpressRoute](#)

Project details

Subscription *Azure for Students

Resource group *rg-vnet-vpn-lab
[Create new](#)

Instance details

Connection type * VNet-to-VNet

Establish bidirectional connectivity ☐

Name *VNet1-to-VNet2

Region *Central India

PreviousNext : Settings >

Firewall Authentication xCreate connection - Mi...vnet2-gateway - Micro...Adaptability & Resilienc... (53) How to Create UPI...Smart App Control has...Ask Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateConnectionBladeV2

Microsoft AzureSearch resources, services, and docs (G+ /)Copilot16jasleen11a@gmail.com

Home > NoMarketplace-20260411102147 | Overview > vnet1-gateway | Connections

Create connection

BasicsSettingsTagsReview + create

Virtual network gateway

To use a virtual network with a connection, it must be associated to a virtual network gateway.

First virtual network gateway * vnet1-gateway

Second virtual network gateway * vnet2-gateway

Authentication Method ☒ Shared Key(PSK) ☐ Key Vault Certificate (Preview)

Shared Key(PSK) * Azure123

IKE Protocol ☐ IKEv1 ☒ IKEv2

Use Azure Private IP Address ☐

Enable BGP ☐

IPsec / IKE policy ☒ Default ☐ Custom

Use policy based traffic selector ☐ Enable ☒ Disable

DPD timeout in seconds * 45

Connection Mode ☒ Default ☐ InitiatorOnly ☐ ResponderOnly

PreviousNext : Tags >

CS Basics Page 10

Firewall Authentication x CreateConnection-2021 x Create connection - Mi x Adaptability & Resilien x (53) How to Create UPI x Smart App Control has x + Ask Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateConnectionBladeV2

Microsoft Azure Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com

Home > NoMarketplace-20260411102500 | Overview > vnet2-gateway | Connections

Create connection

Basics Settings Tags Review + create

Create a secure connection to your virtual network by using VPN Gateway or ExpressRoute.
[Learn more about VPN Gateway](#)
[Learn more about ExpressRoute](#)

Project details

Subscription * Azure for Students

Resource group * rg-vnet-vpn-lab
[Create new](#)

Instance details

Connection type * VNet-to-VNet

Establish bidirectional connectivity ☐

Name * VNet2-to-VNet1

Region * Central India

Previous Next : Settings >

11:44 11-04-2026

Firewall Authentication x CreateConnection-2021 x Create connection - Mi x Adaptability & Resilien x (53) How to Create UPI x Smart App Control has x + Ask Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateConnectionBladeV2

Microsoft Azure Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com

Home > NoMarketplace-20260411102500 | Overview > vnet2-gateway | Connections

Create connection

Basics Settings Tags Review + create

Virtual network gateway

To use a virtual network with a connection, it must be associated to a virtual network gateway.

First virtual network gateway * vnet2-gateway

Second virtual network gateway * vnet1-gateway

Authentication Method ☒ Shared Key(PSK) ☐ Key Vault Certificate (Preview)

Shared Key(PSK) * Azure123

IKE Protocol ☐ IKEv1 ☒ IKEv2

Use Azure Private IP Address ☐

Enable BGP ☐

IPsec / IKE policy ☒ Default ☐ Custom

Use policy based traffic selector ☐ Enable ☒ Disable

DPD timeout in seconds * 45

Connection Mode ☒ Default ☐ InitiatorOnly ☐ ResponderOnly

Previous Next : Tags >

11:44 11-04-2026

Firewall Authentication x Create connection - Mi x Compute infrastructure x Adaptability & Resilien x (S3) How to Create UP x Smart App Control has x + Ask Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateConnectionBladeV2

Microsoft Azure Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com

Home > Hybrid connectivity | VPN gateways > vnet2-gateway | Connections

Create connection

Basics Settings Tags Review + create

Virtual network gateway

To use a virtual network with a connection, it must be associated to a virtual network gateway.

First virtual network gateway * vnet2-gateway

Second virtual network gateway * vnet1-gateway

Authentication Method Shared Key(PSK) Key Vault Certificate (Preview)

Shared Key(PSK) *

IKE Protocol IKEv1 IKEv2

Use Azure Private IP Address

Enable BGP

IPsec / IKE policy Default Custom

Use policy based traffic selector Enable Disable

DPD timeout in seconds * 45

Connection Mode Default InitiatorOnly ResponderOnly

Previous Next : Tags >

11:52 11-04-2026

Firewall Authentic x vm2 - Microsoft A x Compute infrastru x Compute infrastru x Adaptability & Re x (S3) How to Creat x Smart App Contr x + Ask Gemini

portal.azure.com/#@16jasleen11a@gmail.onmicrosoft.com/resource/subscriptions/67710e70-ec8a-4c62-9921-5786d91e59de/resourcegroups/vm2_group/provide...

Microsoft Azure Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com

Home > CreateVm-canonical.ubuntu-24_04-lts-server-20260411121741 | Overview > vm2

vm2 | Bastion

Virtual machine

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Monitor

Resource visualizer

Connect

Connect

Bastion

Networking

Network settings

Load balancing

Application security groups

Network manager

Settings

Availability + scale

Security

Backup + disaster recovery

Tell us what you think of the Bastion experience

Azure Bastion protects your virtual machines by secure and seamless RDP & SSH connectivity without the need to expose them through public IP addresses. Deploying will automatically create a Bastion host on a subnet in your virtual network. Learn more

Using Bastion: vnet2-bastion

Provisioning State: Succeeded

Please provide your credentials to securely connect to the virtual machine using Bastion.

Authentication Type VM Password

Username Admin12

VM Password

Open in new browser tab

Connect

12:25 11-04-2026

```
Admin12@vm1: ~  
Admin12@vm1:~$ ping 10.1.1.4  
PING 10.1.1.4 (10.1.1.4) 56(84) bytes of data.  
64 bytes from 10.1.1.4: icmp_seq=1 ttl=64 time=5.41 ms  
64 bytes from 10.1.1.4: icmp_seq=2 ttl=64 time=3.56 ms  
64 bytes from 10.1.1.4: icmp_seq=3 ttl=64 time=3.99 ms  
64 bytes from 10.1.1.4: icmp_seq=4 ttl=64 time=3.86 ms  
64 bytes from 10.1.1.4: icmp_seq=5 ttl=64 time=3.86 ms  
64 bytes from 10.1.1.4: icmp_seq=6 ttl=64 time=5.19 ms  
64 bytes from 10.1.1.4: icmp_seq=7 ttl=64 time=3.82 ms  
64 bytes from 10.1.1.4: icmp_seq=8 ttl=64 time=3.97 ms  
64 bytes from 10.1.1.4: icmp_seq=9 ttl=64 time=4.03 ms  
64 bytes from 10.1.1.4: icmp_seq=10 ttl=64 time=3.53 ms  
64 bytes from 10.1.1.4: icmp_seq=11 ttl=64 time=11.7 ms  
64 bytes from 10.1.1.4: icmp_seq=12 ttl=64 time=3.87 ms  
64 bytes from 10.1.1.4: icmp_seq=13 ttl=64 time=46.3 ms  
64 bytes from 10.1.1.4: icmp_seq=14 ttl=64 time=5.90 ms  
64 bytes from 10.1.1.4: icmp_seq=15 ttl=64 time=3.72 ms  
64 bytes from 10.1.1.4: icmp_seq=16 ttl=64 time=5.42 ms  
64 bytes from 10.1.1.4: icmp_seq=17 ttl=64 time=3.68 ms  
64 bytes from 10.1.1.4: icmp_seq=18 ttl=64 time=3.92 ms  
64 bytes from 10.1.1.4: icmp_seq=19 ttl=64 time=55.3 ms  
64 bytes from 10.1.1.4: icmp_seq=20 ttl=64 time=4.55 ms  
64 bytes from 10.1.1.4: icmp_seq=21 ttl=64 time=3.78 ms  
64 bytes from 10.1.1.4: icmp_seq=22 ttl=64 time=3.53 ms  
64 bytes from 10.1.1.4: icmp_seq=23 ttl=64 time=3.95 ms  
64 bytes from 10.1.1.4: icmp_seq=24 ttl=64 time=3.46 ms  
64 bytes from 10.1.1.4: icmp_seq=25 ttl=64 time=66.1 ms  
64 bytes from 10.1.1.4: icmp_seq=26 ttl=64 time=50.3 ms  
64 bytes from 10.1.1.4: icmp_seq=27 ttl=64 time=165 ms  
64 bytes from 10.1.1.4: icmp_seq=28 ttl=64 time=12.9 ms  
64 bytes from 10.1.1.4: icmp_seq=29 ttl=64 time=3.56 ms  
64 bytes from 10.1.1.4: icmp_seq=30 ttl=64 time=4.95 ms  
64 bytes from 10.1.1.4: icmp_seq=31 ttl=64 time=95.7 ms  
64 bytes from 10.1.1.4: icmp_seq=32 ttl=64 time=5.39 ms  
64 bytes from 10.1.1.4: icmp_seq=33 ttl=64 time=3.63 ms  
64 bytes from 10.1.1.4: icmp_seq=34 ttl=64 time=4.88 ms  
64 bytes from 10.1.1.4: icmp_seq=35 ttl=64 time=3.57 ms  
64 bytes from 10.1.1.4: icmp_seq=36 ttl=64 time=12.3 ms  
64 bytes from 10.1.1.4: icmp_seq=37 ttl=64 time=5.03 ms  
64 bytes from 10.1.1.4: icmp_seq=38 ttl=64 time=122 ms  
64 bytes from 10.1.1.4: icmp_seq=39 ttl=64 time=80.8 ms  
64 bytes from 10.1.1.4: icmp_seq=40 ttl=64 time=3.91 ms  
64 bytes from 10.1.1.4: icmp_seq=41 ttl=64 time=3.72 ms  
64 bytes from 10.1.1.4: icmp_seq=42 ttl=64 time=3.72 ms  
64 bytes from 10.1.1.4: icmp_seq=43 ttl=64 time=4.53 ms  
64 bytes from 10.1.1.4: icmp_seq=44 ttl=64 time=3.90 ms
```

```
0 updates can be applied immediately.  
Enable ESM Apps to receive additional future security updates.  
See https://ubuntu.com/esm or run: sudo pro status  
  
The list of available updates is more than a week old.  
To check for new updates run: sudo apt update  
  
The programs included with the Ubuntu system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by  
applicable law.  
  
To run a command as administrator (user "root"), use "sudo <command>".  
See "man sudo_root" for details.  
  
Admin12@vm2:~$ ping 10.0.1.4  
PING 10.0.1.4 (10.0.1.4) 56(84) bytes of data.  
64 bytes from 10.0.1.4: icmp_seq=1 ttl=64 time=9.49 ms  
64 bytes from 10.0.1.4: icmp_seq=2 ttl=64 time=7.33 ms  
64 bytes from 10.0.1.4: icmp_seq=3 ttl=64 time=3.84 ms  
64 bytes from 10.0.1.4: icmp_seq=4 ttl=64 time=40.0 ms  
64 bytes from 10.0.1.4: icmp_seq=5 ttl=64 time=3.67 ms  
64 bytes from 10.0.1.4: icmp_seq=6 ttl=64 time=4.35 ms  
64 bytes from 10.0.1.4: icmp_seq=7 ttl=64 time=3.82 ms  
64 bytes from 10.0.1.4: icmp_seq=8 ttl=64 time=3.91 ms  
64 bytes from 10.0.1.4: icmp_seq=9 ttl=64 time=5.41 ms  
64 bytes from 10.0.1.4: icmp_seq=10 ttl=64 time=3.92 ms  
64 bytes from 10.0.1.4: icmp_seq=11 ttl=64 time=9.64 ms  
64 bytes from 10.0.1.4: icmp_seq=12 ttl=64 time=3.51 ms  
64 bytes from 10.0.1.4: icmp_seq=13 ttl=64 time=3.55 ms  
64 bytes from 10.0.1.4: icmp_seq=14 ttl=64 time=4.62 ms  
64 bytes from 10.0.1.4: icmp_seq=15 ttl=64 time=3.64 ms  
64 bytes from 10.0.1.4: icmp_seq=16 ttl=64 time=3.65 ms
```

Bastion Developer supports one connection at a time. To unlock support for additional connections and advanced features, [upgrade to Bastion Standard or Premium SKU.](#)