

Firewall Authentication Keepal... x Add a subnet - Microsoft Azure x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_Network/VirtualNetworkCreateV3.ReactView/_provisioningContext~/7B"initialValues"%3A%7B"subscriptionId"%3A%5B"67... | Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com DEFAULT DIRECTORY (16JASLEEN...

Create virtual network

Basics Security **Address space** Tags Review + create

Define the address space of your virtual network with one or more the virtual network address space into smaller ranges for use by yo Azure assigns the resource an IP address from the subnet. [Learn more](#)

☐ Allocate using IP address pools. [Learn more](#)

+ Add a subnet

10.0.0.0/16

10.0.0.0 /16

10.0.0.0 - 10.0.255.255 65,536 addresses

Subnets IP address range

Add IPv4 address space

Add a subnet

Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. [Learn more](#)

Subnet purpose

Name

IPv4

Include an IPv4 address space ☒

IPv4 address range
10.0.0.0 - 10.0.255.255

Starting address

Size

Subnet address range 10.0.0.0 - 10.0.0.255

IPv6

Include an IPv6 address space ☐ This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#)

Enable private subnet (no default outbound access) ☒

After March 31, 2026, private subnet will be the default selection for new virtual networks. [Learn more](#)

Security

Add Cancel

Give feedback

Previous Next Review + create

22°C Sunny Search 09:56 10-04-2026

Firewall Authentication Keepal... x Create virtual network - Micros... x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_Network/VirtualNetworkCreateV3.ReactView/_provisioningContext~/7B"initialValues"%3A%7B"subscriptionId"%3A%5B"67... | Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com DEFAULT DIRECTORY (16JASLEEN...

Create virtual network

Basics Security **Address space** Tags Review + create

Define the address space of your virtual network with one or more IPv4 or IPv6 address ranges. Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resources into a subnet, Azure assigns the resource an IP address from the subnet. [Learn more](#)

☐ Allocate using IP address pools. [Learn more](#)

+ Add a subnet

10.0.0.0/16 [Delete address space](#)

10.0.0.0 /16

10.0.0.0 - 10.0.255.255 65,536 addresses

Subnets	IP address range	Size	NAT gateway
appgw-subnet	10.0.0.0 - 10.0.0.255	/24 (256 addresses)	-
backend-subnet	10.0.1.0 - 10.0.1.255	/24 (256 addresses)	-

Add IPv4 address space

Previous Next Review + create

Give feedback

22°C Sunny Search 09:58 10-04-2026

Firewall Authentication Keepali

Create virtual network - Micros

+

Ask Gemini

portal.azure.com/#view/Microsoft_Azure_Network/VirtualNetworkCreateV3.ReactView/_provisioningContext~/%7B%22initialValues%3A%7B%22subscriptionId%3A%5B%27...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

16jasleen11a@gmail.com

DEFAULT DIRECTORY (16JASLEEN...

Home

Network foundation | Virtual networks

Create virtual network

Validation passed

BasicsSecurityAddress spaceTagsReview + create

Subscription

Azure for Students

Resource Group

rg

Name

vnet-appgw

Region

Central India

Security

Azure Bastion

Disabled

Azure Firewall

Disabled

Azure DDoS Network Protection

Disabled

Address space

Address space

10.0.0.0/16 (65,536 addresses)

Subnet

appgw-subnet (10.0.0.0/24) (256 addresses)

- Private subnet

Enabled

Subnet

backend-subnet (10.0.1.0/24) (256 addresses)

- Private subnet

Enabled

Tags

Previous

Next

Create

Download a template for automation

Give feedback

22°C Sunny

Search

ENG IN

83%

09:58 10-04-2026

Firewall Authentication Keepali

vnet-appgw - Microsoft Azure

vnet-appgw - Microsoft Azure

+

Ask Gemini

portal.azure.com/#@16jasleen11a@gmail.onmicrosoft.com/resource/subscriptions/67710e70-ec8a-4c62-9921-5786d91e59de/resourcegroups/rg/providers/Microsoft.N...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

16jasleen11a@gmail.com

DEFAULT DIRECTORY (16JASLEEN...

Home

vnet-appgw | Subnets

Virtual network

Search

+ Subnet + Gateway subnet Refresh Manage users Delete

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Address space

Connected devices

Subnets

Bastion

DDoS protection

Firewall

Microsoft Defender for Cloud

Network manager

DNS

Peerings

Service endpoints

Private endpoints

Search subnets

Name ↑↓	IPv4 ↑↓	IPv6 ↑↓	Available IPs ↑↓	Delegated to ↑↓	Security group ↑↓	Route table ↑↓	
appgw-subnet	10.0.0.0/24	-	251	-	-	-	...
backend-subnet	10.0.1.0/24	-	251	-	-	-	...

Add or remove favorites by pressing Ctrl+Shift+F

22°C Sunny

Search

ENG IN

83%

09:59 10-04-2026

Firewall Authentication Keapali x vnet-appgw - Microsoft Azure x Create a virtual machine - Micro x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUIDef~/7B%isFullCreate%3Atrue%7D/_provisioningContext~/7B%telemetryId%3A%... Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com DEFAULT DIRECTORY (16JASLEEN...)

Home > Compute infrastructure | Virtual machines

Create a virtual machine ... Help me create a VM optimized for high availability Help me create a low cost VM Help me choose the right VM size for my workload

Basics Disks **Networking** Management Monitoring Advanced Tags Review + create

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution. [Learn more](#)

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network * ⓘ vnet-appgw Create new

Subnet * ⓘ backend-subnet (10.0.1.0/24) Manage subnet configuration

Public IP ⓘ (new) vm1-ip Create new Public IP addresses have a nominal charge. [Estimate price](#)

NIC network security group ⓘ

None

Basic

Advanced

Public inbound ports * ⓘ

None

Allow selected ports

Select inbound ports * SSH (22)

This will allow all IP addresses to access your virtual machine. This is only

< Previous

Next : Management >

Review + create

Give feedback

22°C Sunny Search 79% 10:06 10-04-2026

Firewall Authentication Keapali x vnet-appgw - Microsoft Azure x vm1 - Microsoft Azure x Create a virtual machine - Micro x + Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUIDef~/7B%isFullCreate%3Atrue%7D/_provisioningContext~/7B%telemetryId%3A%... Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com DEFAULT DIRECTORY (16JASLEEN...)

Home > Compute infrastructure | Virtual machines

Create a virtual machine ... Help me choose the right VM size for my workload Help me create a VM optimized for high availability Help me create a low cost VM

Changing Basic options may reset selections you have made. Review all options prior to creating the virtual machine.

Subscription * ⓘ Azure for Students

Resource group * ⓘ rg Create new

Instance details

Virtual machine name * ⓘ vm2

Region * ⓘ (Asia Pacific) Central India Deploy to an Azure Extended Zone

Availability options ⓘ No infrastructure redundancy required

Security type ⓘ Trusted launch virtual machines Configure security features

Image * ⓘ Ubuntu Server 24.04 LTS - x64 Gen2 See all images | Configure VM generation

VM architecture ⓘ

Arm64

x64

Run with Azure Spot discount ⓘ

✓

Eviction type ⓘ

Capacity only: Your virtual machine will be evicted when Azure's excess capacity disappears.

Price or capacity: Your virtual machine will be evicted when Azure's ex...

< Previous

Next : Disks >

Review + create

Give feedback

22°C Sunny Search 73% 10:16 10-04-2026

Firewall Authentication Keepali...xvnet-appgw - Microsoft Azurexvm1 - Microsoft AzurexCreate a virtual machine - Micr...x

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUiDef~/~/7B%isFullCreate%3Atrue%7D/_provisioningContext~/~/7B%telemetryId%3A%F737a...

Microsoft AzureSearch resources, services, and docs (G+/)Copilot16jasleen11a@gmail.com

Home > Compute infrastructure | Virtual machines

Create a virtual machine

Help me choose the right VM size for my workloadHelp me create a VM optimized for high availabilityHelp me create a low cost VM

Changing Basic options may reset selections you have made. Review all options prior to creating the virtual machine.

Size *

Standard_DC1s_v3 - 1 vcpu, 8 GiB memory (\$0.01866)

See all sizesView pricing history and compare prices in nearby regions

Maximum price you want to pay per hour (USD)

0.101Enter a price greater than or equal to the hardware costs (\$0.01866)

Enable Hibernation

Hibernate does not currently support Trusted launch and Confidential virtual machines for Linux images. [Learn more](#)

Administrator account

Authentication type

SSH public key

Password

Username *

admin12

Password *

Confirm password *

Inbound port rules

Select which virtual machine network ports are accessible from the public internet. You can specify more limited or granular network access on the Networking tab.

Public inbound ports *

None

Allow selected ports

< Previous

Next : Disks >

Review + create

Give feedback

22°C Sunny

Search

ENG IN73%10:1610-04-2026

Firewall Authentication Keepali...xvnet-appgw - Microsoft Azurexvm1 - Microsoft AzurexCreate a virtual machine - Micr...x

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUiDef~/~/7B%isFullCreate%3Atrue%7D/_provisioningContext~/~/7B%telemetryId%3A%F737a...

Microsoft AzureSearch resources, services, and docs (G+/)Copilot16jasleen11a@gmail.com

Home

Create a virtual machine

Help me create a VM optimized for high availabilityHelp me choose the right VM size for my workloadHelp me create a low cost VM

Changing Basic options may reset selections you have made. Review all options prior to creating the virtual machine.

Hibernate does not currently support Trusted launch and Confidential virtual machines for Linux images. [Learn more](#)

Administrator account

Authentication type

SSH public key

Password

Username *

admin12

Password *

Confirm password *

Inbound port rules

Select which virtual machine network ports are accessible from the public internet. You can specify more limited or granular network access on the Networking tab.

Public inbound ports *

None

Allow selected ports

Select inbound ports *

HTTP (80), SSH (22)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

< Previous

Next : Disks >

Review + create

Give feedback

22°C Sunny

Search

ENG IN70%10:2110-04-2026

CS Basics Page 5

Firewall Authentication Keepal...vnet-appgw - Microsoft Azurevm1 - Microsoft AzureCreate a virtual machine - Micr...Ask Gemini

portal.azure.com/#view/Microsoft_Azure_Compute/CreateVmBlade/createUIDef~/7B%isFullCreate%3Atrue%7D/_provisioningContext~/7B%telemetryId%3A%...16jasleen11a@gmail.com

Microsoft AzureSearch resources, services, and docs (G+/)Copilot

Home

Create a virtual machineHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workloadHelp me create a low cost VM

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network *vnet-appgwCreate new

Subnet *backend-subnet (10.0.1.0/24)Manage subnet configuration

Public IP(new) vm2-ipCreate newPublic IP addresses have a nominal charge. Estimate price

NIC network security groupNoneBasicAdvanced

Public inbound ports *NoneAllow selected ports

Select inbound ports *HTTP (80), SSH (22)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

Delete public IP and NIC when VM is deleted

< PreviousNext : Management >Review + createGive feedback

22°C Sunny

Search

ENG IN69%10:2210-04-2026

Firewall Authentication Keepal...vnet-appgw - Microsoft AzureAdd inbound security rule - M...CreateVm-canonical.ubuntu-24...Ask Gemini

portal.azure.com/#@16jasleen11a@microsoft.com/resource/subscriptions/67710e70-ec8a-4c62-9921-5786d91e59de/resourcegroups/rg/providers/Micros...16jasleen11a@gmail.com

Microsoft AzureSearch resources, services, and docs (G+/)Copilot

Home > vm1

vm1 | Network settingsVirtual machine

Search

List all my network interfaces for vm1.

Attach network interfaceDetach network interfaceView topologyTroubleshootRefresh

Network interface / IP configurationvm118 (primary) / ipconfig1 (primary)

Essentials

Network interface : vm118

Virtual network / subnet : vnet-appgw / backend-subnet

Public IP address : 20.204.49.135

Private IP address : 10.0.1.4

Admin security rules : 0 (Configure)

Rules

Collapse all

Network security group vm1-nsg (attached to networkInterface: vm118)Impacts 0 subnets, 1 network interfaces

Search rules

Source == allDestination == allProtocol == allAction ==

PriorityNamePort

Inbound port rules (4)

300SSH22

Add inbound security rule

vm1-nsg

SourceAny

Source port ranges

DestinationAny

ServiceHTTP

Destination port ranges80

ProtocolAnyTCPUDPICMPv4ICMPv6

ActionAllowDeny

Priority310

AddCancelGive feedback

22°C Sunny

Search

ENG IN68%10:2410-04-2026

admin12@vm1: ~

Microsoft Windows [Version 10.0.26200.8117]
(c) Microsoft Corporation. All rights reserved.

C:\Users\admin>ssh admin12@20.204.49.135
The authenticity of host '20.204.49.135 (20.204.49.135)' can't be established.
ED25519 key fingerprint is SHA256:FhwDutAl9md5AhOmJcrz07FTNBfb8iu9Bfxy2hLM94.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '20.204.49.135' (ED25519) to the list of known hosts.
admin12@20.204.49.135's password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.17.0-1010-azure x86_64)

* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/pro

System information as of Fri Apr 10 04:56:02 UTC 2026

System load: 0.0 Processes: 129
Usage of /: 5.7% of 28.02GB Users logged in: 0
Memory usage: 3% IPv4 address for eth0: 10.0.1.4
Swap usage: 0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".

admin12@vm2: ~

Microsoft Windows [Version 10.0.26200.8117]
(c) Microsoft Corporation. All rights reserved.

C:\Users\admin>ssh admin12@40.80.80.130
The authenticity of host '40.80.80.130 (40.80.80.130)' can't be established.
ED25519 key fingerprint is SHA256:ScfZ6SAo07ArwilY44TLuxqXzG+Bi/FpZsak0f0vWd4.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '40.80.80.130' (ED25519) to the list of known hosts.
admin12@40.80.80.130's password:
Permission denied, please try again.
admin12@40.80.80.130's password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.17.0-1010-azure x86_64)

* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/pro

System information as of Fri Apr 10 04:58:13 UTC 2026

System load: 0.03 Processes: 130
Usage of /: 5.7% of 28.02GB Users logged in: 0
Memory usage: 4% IPv4 address for eth0: 10.0.1.5
Swap usage: 0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

Firewall Authentication Keapali | Create application gateway - M | vm1 - Microsoft Azure | vm2 - Microsoft Azure | Ask Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateApplicationGatewayBladeV2

Microsoft Azure | Search resources, services, and docs (G+/)

Home > Load balancing and content delivery | Application gateways

Create application gateway

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * Azure for Students

Resource group * rg

Create new

Instance details

Application gateway name * appgw-demo

Region * Central India

Tier Standard V2

Enable autoscaling Yes No

Minimum instance count * 1

Maximum instance count 10

IP address type IPv4 only Dual stack (IPv4 & IPv6)

HTTP2 Disabled Enabled

FIPS (Federal Information Processing Standard) mode 140-2 Disabled Enabled

Previous Next : Frontends >

CS Basics Page 7

Firewall Authentication Keepali...Create application gateway - M...vm1 - Microsoft Azurevm2 - Microsoft AzureAsk Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateApplicationGatewayBladeV2

Microsoft AzureSearch resources, services, and docs (G+ /)Copilot16jasleen11a@gmail.com

Home > Load balancing and content delivery | Application gateways

Create application gateway

Resource group *
rg
[Create new](#)

Instance details

Application gateway name *
appgw-demo

Region *
Central India

Tier
Standard V2

Enable autoscaling
☒ Yes ☐ No

Minimum instance count *
1

Maximum instance count
10

IP address type
☒ IPv4 only ☐ Dual stack (IPv4 & IPv6)

HTTP2
☐ Disabled ☒ Enabled

FIPS (Federal Information Processing Standard) mode 140-2
☒ Disabled ☐ Enabled

Configure virtual network

Virtual network *
vnet-appgw
[Create new](#)

Subnet *
appgw-subnet (10.0.0.0/24)
[Manage subnet configuration](#)

Previous

Next : Frontends >

Search

ENG IN55%10:4910-04-2026

Firewall Authentication Keepali...Create application gateway - M...vm1 - Microsoft Azurevm2 - Microsoft AzureAsk Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateApplicationGatewayBladeV2

Microsoft AzureSearch resources, services, and docs (G+ /)Copilot16jasleen11a@gmail.com

Home > Load balancing and content delivery | Application gateways

Create application gateway

Changes you make on this tab may affect any configuration you've done on other tabs. Review all options prior to creating the application gateway.

Basics

Frontends

Backends

Configuration

Tags

Review + create

Traffic enters the application gateway via its frontend IP address(es). An application gateway can use a public IP address, private IP address, or one of each type.

Frontend IP address type
☒ Public ☐ Private ☐ Both

Public IPv4 address *
(New) appgw-pip
[Add new](#)

Previous

Next : Backends >

Search

ENG IN54%10:5010-04-2026

Firewall Authentication Keepali...Add a backend pool - Microso...vm1 - Microsoft Azurevm2 - Microsoft AzureAsk Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateApplicationGatewayBladeV2

Microsoft AzureSearch resources, services, and docs (G+/)

Copilot

16jasleen11a@gmail.comDEFAULT DIRECTORY (16JASLEEN...)

Home > Load balancing and content delivery | Application gateways

Create application gateway

✓ Basics✓ Frontends4 Backends4 Configuration5 Tags6 Review + create

A backend pool is a collection of resources to which your application gateway can send traffic. A backend pool can contain virtual machines, virtual machine scale sets, app services, IP addresses, or fully qualified domain names (FQDN). ⓘ

Add a backend pool

Backend pool	Targets
No results	

PreviousNext : Configuration >

AddCancel

2

Search

ENG IN53%10:5210-04-2026

Firewall Authentication Keepali...Add Backend setting - Microso...vm1 - Microsoft Azurevm2 - Microsoft AzureAsk Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateApplicationGatewayBladeV2

Microsoft AzureSearch resources, services, and docs (G+/)

Copilot

16jasleen11a@gmail.comDEFAULT DIRECTORY (16JASLEEN...)

Home > Load balancing and content delivery | Application gateways

Create application gateway

✓ Basics✓ Frontends✓ Backends1 Configuration3 Tags6 Review + create

Create routing rules that link your frontend(s) and backend(s). You can also add more backend pools, add a second

Frontends

+ Add a frontend IP

Public: (new) appgw-pip

← Discard changes and go back to routing rules

Backend settings name *

Backend protocol

Backend port *

Additional backend settings

Cookie-based affinity ⓘ

Connection draining ⓘ

Dedicated backend connection ⓘ

Request time-out (seconds) * ⓘ

Override backend path ⓘ

Override hostname

Override with new host name

Create custom probes

http-setting

☒ HTTP☐ HTTPS

80

☐ Enable☒ Disable

☐ Enable☒ Disable

☐ Enable☒ Disable

20

By default, the Application Gateway sends the same HTTP host header to the backend as it receives from the client. If your backend application/service requires a specific host value, you can override it using this setting.

☐ Yes☒ No

☐ Yes☐ No

PreviousNext : Tags >

AddCancel

2

Search

ENG IN47%11:0110-04-2026

CS Basics Page 9

Firewall Authentication Keepali

Add a routing rule - Microsoft /

vm1 - Microsoft Azure

vm2 - Microsoft Azure

+

Ask Gemini

16jasleen11a@gmail.com

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateApplicationGatewayBladeV2

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

16jasleen11a@gmail.com

DEFAULT DIRECTORY (16JASLEEN...)

Home > Load balancing and content delivery | Application gateways

Create application gateway

✓ Basics

✓ Frontends

✓ Backends

① Configuration

③ Tags

⑥ Review + create

Create routing rules that link your frontend(s) and backend(s). You can also add more backend pools, add a second

Frontends

+ Add a frontend IP

Public: (new) appgw-pip

...

Previous

Next : Tags >

Add a routing rule

Configure a routing rule to send traffic from a given frontend IP address to one or more backend targets. A routing rule must contain a listener and at least one backend target.

Rule name *

Priority * ⓘ

*Listener *Backend targets

Choose a backend pool to which this routing rule will send traffic. You will also need to specify a set of Backend settings that define the behavior of the routing rule. ⓘ

Target type

Backend pool

Redirection

(new) http-setting

Add new

http-setting

Add new

Backend target * ⓘ

Backend settings * ⓘ

Path-based routing

You can route traffic from this rule's listener to different backend targets based on the URL path of the request. You can also apply a different set of Backend settings based on the URL path. ⓘ

Path based rules

Path	Target name	Backend setting name	Backend pool
No additional targets to display			

Add multiple targets to create a path-based rule

Add

Cancel

2

Search

ENG IN

47%

11:02

10-04-2026

Firewall Authentication Keepali

Add a routing rule - Microsoft /

vm1 - Microsoft Azure

vm2 - Microsoft Azure

+

Ask Gemini

16jasleen11a@gmail.com

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateApplicationGatewayBladeV2

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

16jasleen11a@gmail.com

DEFAULT DIRECTORY (16JASLEEN...)

Home > Load balancing and content delivery | Application gateways

Create application gateway

✓ Basics

✓ Frontends

✓ Backends

① Configuration

③ Tags

⑥ Review + create

Create routing rules that link your frontend(s) and backend(s). You can also add more backend pools, add a second

Frontends

+ Add a frontend IP

Public: (new) appgw-pip

...

Previous

Next : Tags >

Add a routing rule

Configure a routing rule to send traffic from a given frontend IP address to one or more backend targets. A routing rule must contain a listener and at least one backend target.

Rule name *

Priority * ⓘ

*Listener *Backend targets

A listener "listens" on a specified port and IP address for traffic that uses a specified protocol. If the listener criteria are met, the application gateway will apply this routing rule. ⓘ

Listener name * ⓘ

Frontend IP * ⓘ

Protocol ⓘ

Port * ⓘ

Listener type ⓘ

Custom error pages

Show customized error pages for different response codes generated by Application Gateway. This section lets you configure Listener-specific error pages. [Learn more](#) ⓘ

Please verify that the url(s) being added here is reachable from your application gateway using the [connection troubleshoot](#) tool to prevent any deployment error.

Bad Gateway - 502

Forbidden - 403

Show more status codes

rule1

100

listener

Public IPv4

HTTP

HTTPS

TCP

TLS

80

Basic

Multi site

Enter Html file URL

Enter Html file URL

Add

Cancel

2

Search

ENG IN

45%

11:05

10-04-2026

Firewall Authentication Keepali x Create application gateway - M x vm1 - Microsoft Azure x vm2 - Microsoft Azure x Ask Gemini | - x

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/CreateApplicationGatewayBladeV2

Microsoft Azure Search resources, services, and docs (G+/?)

Home > Load balancing and content delivery | Application gateways

Create application gateway

Validation passed

Basics Frontends Backends Configuration Tags **Review + create**

Basics

Subscription	Azure for Students
Resource group	rg
Name	appgw-demo
Region	Central India
Tier	Standard_v2
Enable autoscaling	Enabled
Minimum instance count	1
Maximum instance count	10
Availability zone	Zones 1, 2, 3
HTTP2	Enabled
FIPS (Federal Information Processing Standard) mode 140-2	Disabled
Virtual network	vnet-appgw
Subnet	appgw-subnet (10.0.0.0/24)

Frontends

Public IPv4 address name	appgw-pip
SKU	Standard
Assignment	Static
Availability zone	ZoneRedundant

Create Previous Next Download a template for automation

ENG IN 44% 11:06 10-04-2026

Firewall Authentic x vm1 - Microsoft A x vm2 - Microsoft A x Add health probe x 20.204.49.135 x 40.80.80.130 x 502 Bad Gateway x Ask Gemini | - x

portal.azure.com/#@16jasleen11a@gmail.onmicrosoft.com/resource/subscriptions/67710e70-ec8a-4c62-9921-5786d91e59de/resourceGroups/rg/providers/Microsoft.N...

Microsoft Azure Search resources, services, and docs (G+/?)

Home > appgw-demo

appgw-demo | Health probes

Application gateway

health probes x x x + Add Refresh

Settings

Health probes

Monitoring

Backend health

Help

Resource health

Add health probe

appgw-demo

Name * probe1 ✓

Protocol * ☒ HTTP ☐ HTTPS ☐ TCP ☐ TLS

Pick host name from backend settings ☐ Yes ☒ No

Host * 127.0.0.1 ✓

Pick port from backend settings ☐ Yes ☒ No

Port * 80 ✓

Path * / ✓

Interval (seconds) * 30 ✓

Timeout (seconds) * 30 ✓

Unhealthy threshold * 3 ✓

Use probe matching conditions ☐ Yes ☒ No

Backend settings 0 selected

Nothing to test as no HTTP Settings selected. You can still save the probe now and associate HTTP settings later.

☒ I want to test the backend health before adding the health probe

Test Cancel

Add or remove favorites by pressing Ctrl+Shift+F

ENG IN 83% 11:58 10-04-2026

Firewall Authentic...vm1 - Microsoft...vm2 - Microsoft...Backend health...20.204.49.135...40.80.80.130...4.247.193.91...Ask Gemini

portal.azure.com/#view/Microsoft_Azure_HybridNetworking/ApplicationGatewayBackendHealthGridBladeV2/id/%2Fsubscriptions%2F67710e70-ec8a-4c62-9921-5786...Search resources, services, and docs (G+)

Copilot16jasleen11a@gmail.com

Home > appgw-demo | Rules

Backend health

RefreshFeedback

Backend health

By default, Azure Application Gateway probes backend servers to check their health and whether they're ready to serve requests. You can also create custom [Health Probes](#) to mention a specific hostname and path to be probed or a response code to be accepted as Healthy.

The Backend health report is updated based on the respective probe's refresh interval and doesn't depend on the page refresh.

All

2 out of 2

Healthy

2 out of 2

Search backend health

Server (backend pool)	Status	Port (Backend setting)	Protocol	Details	Action
10.0.1.4 (backend-pool)	Healthy	80 (http-setting)	Http	Success. Received 200 status code	
10.0.1.5 (backend-pool)	Healthy	80 (http-setting)	Http	Success. Received 200 status code	

3

Search

ENG IN 91% 12:12 10-04-2026

If health is 0 then delete listener, delete rule, add it again

Listener Tab

Name: listener

Frontend IP: Public

Protocol: HTTP

Port: 80

Backend Targets Tab (MOST IMPORTANT)

Target type: Backend pool

Backend pool: backend-pool

Backend settings: http-setting

If this step is wrong -> your exact issue happens

Firewall Authentic... x vm1 - Microsoft A x vm2 - Microsoft A x Azure for Student... x 20.204.49.135 x 40.80.80.130 x 4.247.193.91 x + Ask Gemini | - x

portal.azure.com/#@16jasleen11@gmail.onmicrosoft.com/resource/subscriptions/67710e70-ec8a-4c62-9921-5786d91e59de/resourceproviders

Microsoft Azure Search resources, services, and docs (G+/) Copilot 16jasleen11a@gmail.com

Home > Subscriptions > Azure for Students

Subscriptions

Default Directory (16jasleen11a@gmail.onmicrosoft.com)

+ Add Manage Policies ...

Global administrators can manage all subscriptions in this list by updating their policy setting [here](#).

View list of subscriptions for which you have role-based access control (RBAC) permissions to manage Azure resources. To view subscriptions for which you have billing access, [click here](#).

Showing subscriptions in Default Directory directory. Don't see a subscription? [Switch directories](#)

Subscriptions : Filtered (1 of 1)

My role == all

Status == all

+ Add filter

Subscription name ↑↓

Azure for Students ...

Azure for Students | Resource providers

Subscription

resourceproviders x x Register Unregister Refresh Export to CSV Feedback

cdn Status: All Registration Policy: All

Provider ↑	Status	Registration Policy
Microsoft.Cdn	NotRegistered	RegistrationRequired

Add or remove favorites by pressing Ctrl+Shift+F

ENG IN 93% 12:15 10-04-2026

- Backend pool has both VMs
- Rule links
- Listener ☒
- Backend pool ☒
- Backend setting ☒
- NSG allows port 80 (both VMs)
- App responds (you already confirmed ☒)

From <<https://chatept.com/c/69d88a2d-052c-83e8-8808-e19163c71e17>>

Firewall Authentication Keepali... x vm118 - Microsoft Azure x Delete vm2 - Microsoft Azure x 4.247.193.91 x + Ask Gemini | - x

Not secure 4.247.193.91

Hello from VM1

3 Search ENG IN 95% 12:19 10-04-2026

