

Test Cases

Login & New Test Case Features — UI & API, Positive & Negative Scenarios

DOCUMENT ID
TC-001

RELATED PLAN
TP-001

VERSION
1.0

STATUS
Draft

FEATURES
Login, New Test Case

40
TOTAL CASES

22
UI CASES

18
API CASES

22
POSITIVE

18
NEGATIVE

Filter:

All

UI Only

API Only

Positive Only

Negative Only

 Login 20 cases ▼						
UI POSITIVE 6 cases						
ID	TITLE	PRECONDITIONS	STEPS	EXPECTED RESULT	PRIORITY	TYPE
LGN-UI-P-01	Successful login redirects to dashboard	Valid user account exists. App loaded over HTTPS.	1. Navigate to /login 2. Enter valid email 3. Enter valid password 4. Click Login button	User is redirected to the dashboard page. No error message shown.	HIGH	AUTOMATED
LGN-UI-P-02	Remember Me extends session beyond default timeout	Valid user account. Standard session timeout known.	1. Log in with Remember Me toggled ON 2. Close and reopen browser after default session timeout	User remains logged in. No re-authentication prompt.	HIGH	MANUAL
LGN-UI-P-03	Forgot Password link navigates to forgot password page	App loaded at /login.	1. Navigate to /login 2. Click Forgot Password link	User is redirected to the Forgot Password page.	HIGH	AUTOMATED
LGN-UI-P-04	Admin link navigates to admin login page	App loaded at /login.	1. Navigate to /login 2. Click Admin link in top menu	User is navigated to the admin login page.	MEDIUM	AUTOMATED
LGN-UI-P-05	Login menu link navigates to /login	User is on a page other than /login.	1. Navigate to any non-login page 2. Click Login link in top menu	User is redirected to /login.	LOW	AUTOMATED

ID	TITLE	PRECONDITIONS	STEPS	EXPECTED RESULT	PRIORITY	TYPE
LGN-UI-P-06	Password input is masked	App loaded at /login.	1. Navigate to /login 2. Click the Password field 3. Type any characters	Characters are displayed as dots or asterisks. Plain text is not visible.	HIGH	AUTOMATED
UI NEGATIVE 6 cases						
ID	TITLE	PRECONDITIONS	STEPS	EXPECTED RESULT	PRIORITY	TYPE
LGN-UI-N-01	Invalid credentials shows error message	App loaded at /login.	1. Enter valid email 2. Enter incorrect password 3. Click Login	Error message displayed. User remains on /login. No redirect.	HIGH	AUTOMATED
LGN-UI-N-02	Empty email blocks submission — no backend call fired	Network monitoring active.	1. Leave email empty 2. Enter any password 3. Click Login 4. Inspect network requests	Form does not submit. No API call made. Inline error shown on email field.	HIGH	AUTOMATED
LGN-UI-N-03	Empty password blocks submission — no backend call fired	Network monitoring active.	1. Enter valid email 2. Leave password empty 3. Click Login 4. Inspect network requests	Form does not submit. No API call made. Inline error shown on password field.	HIGH	AUTOMATED
LGN-UI-N-04	Invalid email format shows validation error	App loaded at /login.	1. Enter "notanemail" in email field 2. Enter any password 3. Click Login	Inline email validation error displayed. Form does not submit.	HIGH	AUTOMATED
LGN-UI-N-05	Both fields empty shows individual error messages	App loaded at /login.	1. Leave both email and password empty 2. Click Login	Both fields display their respective inline error messages. Form does not submit.	MEDIUM	AUTOMATED
LGN-UI-N-06	Remember Me defaults to OFF on fresh page load	No existing session. Fresh browser load.	1. Navigate to /login in a fresh session 2. Observe the Remember Me toggle state	Remember Me toggle is in the OFF (unchecked) state by default.	LOW	AUTOMATED
API POSITIVE 4 cases						
ID	TITLE	REQUEST	REQUEST BODY	EXPECTED RESPONSE	PRIORITY	
LGN-API-P-01	Valid credentials return 200 with session token	POST /login	{ "email": "valid@test.com", "password": "ValidPass1" }	200 OK Body contains session token or cookie. User data returned.	HIGH	
LGN-API-P-02	Valid credentials with Remember Me	POST /login	{ "email": "valid@test.com",	200 OK Token or cookie expiry is longer	HIGH	

ID	TITLE	REQUEST	REQUEST BODY	EXPECTED RESPONSE	PRIORITY
	returns extended token TTL		"password": "ValidPass1", "rememberMe": true }	than default session TTL.	
LGN-API-P-03	Successful login response contains expected user data	POST /login	{ "email": "valid@test.com", "password": "ValidPass1" }	200 OK Response body includes user identifier and email. Password field is absent from response.	HIGH
LGN-API-P-04	HTTP request to login is redirected to HTTPS	GET http://.../login	No body required.	301/302 Redirect to https:// equivalent URL. Plain HTTP access is not served.	HIGH

API

NEGATIVE

4 cases

ID	TITLE	REQUEST	REQUEST BODY	EXPECTED RESPONSE	PRIORITY
LGN-API-N-01	Wrong password returns 401	POST /login	{ "email": "valid@test.com", "password": "WrongPass" }	401 Unauthorized Error message in body. No session token returned.	HIGH
LGN-API-N-02	Non-existent email returns 401	POST /login	{ "email": "nobody@test.com", "password": "AnyPass1" }	401 Unauthorized Generic error message. Does not reveal whether email exists.	HIGH
LGN-API-N-03	Missing email field returns 400	POST /login	{ "password": "ValidPass1" }	400 Bad Request Validation error indicating email is required.	HIGH
LGN-API-N-04	Missing password field returns 400	POST /login	{ "email": "valid@test.com" }	400 Bad Request Validation error indicating password is required.	HIGH



New Test Case

20 cases

UI

POSITIVE

6 cases

ID	TITLE	PRECONDITIONS	STEPS	EXPECTED RESULT	PRIORITY	TYPE
NTC-UI-P-01	Submit with all required fields saves the test case	New Test Case page loaded.	1. Fill in Title 2. Fill in Expected Result 3. Add at least one Test Step 4. Click Submit	Test case is saved. User is navigated to Test Case List. New entry is visible in the list.	HIGH	AUTOMATED
NTC-UI-P-02	Submit without Description succeeds	New Test Case page loaded.	1. Fill Title, Expected Result, and one Test Step 2. Leave Description empty 3. Click Submit	Test case saved successfully. Description is absent or empty in the saved record.	MEDIUM	AUTOMATED
NTC-UI-P-03	Multiple test steps are saved in correct order	New Test Case page loaded.	1. Add 3 test steps: "Step A", "Step B", "Step C"	Steps appear in the saved record in the exact order: Step A, Step B, Step C.	HIGH	AUTOMATED

ID	TITLE	PRECONDITIONS	STEPS	EXPECTED RESULT	PRIORITY	TYPE
			2. Click Submit 3. Open the saved test case			
NTC-UI-P-04	Automated toggle can be enabled and is saved	New Test Case page loaded.	1. Fill all required fields 2. Toggle Automated to ON 3. Click Submit 4. Open saved test case	Saved test case has Automated flag set to true.	MEDIUM	AUTOMATED
NTC-UI-P-05	Back arrow navigates to Test Case List	New Test Case page loaded.	1. Navigate to New Test Case page 2. Click the back arrow	User is returned to the Test Case List page.	MEDIUM	AUTOMATED
NTC-UI-P-06	Automated toggle defaults to OFF on page load	New Test Case page loaded fresh.	1. Navigate to New Test Case page 2. Observe Automated toggle state without interacting	Automated toggle is in the OFF state by default.	LOW	AUTOMATED
UI NEGATIVE 4 cases						
ID	TITLE	PRECONDITIONS	STEPS	EXPECTED RESULT	PRIORITY	TYPE
NTC-UI-N-01	Submit without Title shows inline error	New Test Case page loaded.	1. Leave Title empty 2. Fill Expected Result and at least one Step 3. Click Submit	Inline error shown on the Title field. Form does not submit.	HIGH	AUTOMATED
NTC-UI-N-02	Submit without Expected Result shows inline error	New Test Case page loaded.	1. Fill Title and one Test Step 2. Leave Expected Result empty 3. Click Submit	Inline error shown on Expected Result field. Form does not submit.	HIGH	AUTOMATED
NTC-UI-N-03	Submit without any Test Steps shows inline error	New Test Case page loaded.	1. Fill Title and Expected Result 2. Leave Test Steps empty 3. Click Submit	Inline error shown on the Test Steps section. Form does not submit.	HIGH	AUTOMATED
NTC-UI-N-04	Enter key does not submit form when required fields are invalid	New Test Case page loaded.	1. Fill Title only 2. Focus any field 3. Press Enter	Form is not submitted. Validation errors appear for remaining required fields.	MEDIUM	AUTOMATED
API POSITIVE 4 cases						

ID	TITLE	REQUEST	REQUEST BODY	EXPECTED RESPONSE	PRIORITY
NTC-API-P-01	All required fields return 201 and created record	POST /test-cases	{ "title": "Test title", "expectedResult": "Pass", "steps": ["Step 1"] }	201 Created Response body contains the created test case with generated ID.	HIGH
NTC-API-P-02	Omitting optional Description returns 201	POST /test-cases	{ "title": "No desc", "expectedResult": "Pass", "steps": ["Step 1"] }	201 Created Record saved. Description field is null or absent in response.	MEDIUM
NTC-API-P-03	Multiple steps are persisted in correct order	POST /test-cases	{ "title": "T", "expectedResult": "P", "steps": ["Step A", "Step B", "Step C"] }	201 Created Response steps array: ["Step A", "Step B", "Step C"] — order preserved.	HIGH
NTC-API-P-04	Setting automated flag to true is persisted	POST /test-cases	{ "title": "T", "expectedResult": "P", "steps": ["S1"], "automated": true }	201 Created Response contains "automated": true.	MEDIUM
API	NEGATIVE	6 cases			
ID	TITLE	REQUEST	REQUEST BODY	EXPECTED RESPONSE	PRIORITY
NTC-API-N-01	Missing title returns 400	POST /test-cases	{ "expectedResult": "Pass", "steps": ["Step 1"] }	400 Bad Request Validation error: title is required.	HIGH
NTC-API-N-02	Empty title string returns 400	POST /test-cases	{ "title": "", "expectedResult": "Pass", "steps": ["Step 1"] }	400 Bad Request Validation error: title must not be empty.	HIGH
NTC-API-N-03	Missing expectedResult returns 400	POST /test-cases	{ "title": "Test", "steps": ["Step 1"] }	400 Bad Request Validation error: expectedResult is required.	HIGH
NTC-API-N-04	Missing steps field returns 400	POST /test-cases	{ "title": "Test", "expectedResult": "Pass" }	400 Bad Request Validation error: at least one step is required.	HIGH
NTC-API-N-05	Empty steps array returns 400	POST /test-cases	{ "title": "Test", "expectedResult": "Pass", "steps": [] }	400 Bad Request Validation error: steps array must contain at least one step.	HIGH
NTC-API-N-06	Whitespace-only title returns 400	POST /test-cases	{ "title": " ", "expectedResult": "Pass", "steps": ["Step 1"] }	400 Bad Request Validation error: title must not be blank.	MEDIUM

API endpoint paths used in this document (e.g. /login, /test-cases) are indicative. Confirm exact routes with the development team before executing API test cases.