

Test Plan

QA Test Plan — Login & New Test Case Features

PLAN ID TP-001	VERSION 1.0	STATUS Draft
AUTHOR QA Team	FEATURES Login, New Test Case	TEST TYPES Manual + Automation

2

FEATURES

32

TEST CASES

4

TEST CATEGORIES

5

RISK ITEMS



1. Objectives



- Verify that the **Login** feature functions correctly across all defined functional, validation, security, and usability requirements.
- Verify that the **New Test Case** creation feature functions correctly across all defined functional, validation, and usability requirements.
- Ensure frontend validation prevents unnecessary backend calls on both features.
- Confirm security standards are upheld on the Login page (HTTPS, masked passwords).
- Validate clear, accessible error messaging and usability across both features.



2. Scope



IN SCOPE

- Login page — all four requirement categories
- New Test Case page — all three requirement categories
- Frontend validation behaviour
- Navigation flows and redirects

OUT OF SCOPE

- Backend authentication implementation
- Password reset flow internals
- Admin login page functionality
- Test case execution / results
- Performance & load testing

- Error and success states
- Form field usability
- Security: HTTPS, masked input

- Accessibility audit (WCAG)
- Cross-browser matrix testing



3. Test Approach



- **Functional tests** — black-box testing of all user-facing flows; executed manually first, then automated for regression.
- **Validation tests** — boundary and negative testing of all required fields; confirm frontend prevents bad data before submission.
- **Security tests** — manual inspection of HTTPS enforcement and password masking; no penetration testing in this cycle.
- **Usability tests** — manual review of labels, placeholders, toggle visibility, and keyboard behaviour.
- **Regression scope** — all P1 (High priority) test cases are candidates for automation and inclusion in the regression suite.

Automation candidates are marked with the **AUTOMATED** badge in the test case list below.
Manual-only cases are marked **MANUAL** .



4. Entry & Exit Criteria



ENTRY CRITERIA

- Feature implementation is code-complete
- Build is deployed to test environment
- Test environment is accessible over HTTPS
- Valid and invalid test credentials are provisioned
- Test data for New Test Case feature is available
- This test plan is reviewed and approved

EXIT CRITERIA

- All High priority test cases pass
- No open Critical or High severity defects
- All security test cases pass without exception
- Medium priority failures are documented with accepted risk
- Test results are logged and signed off by QA lead



5. Test Environment



REQUIREMENTS

- HTTPS-enabled test environment
- Modern browser (Safari, Chrome, Firefox)
- Test user accounts (valid + invalid credentials)
- Admin account for admin link verification
- Network access to trigger backend calls

ASSUMPTIONS

- Dashboard page exists and is accessible post-login
- Forgot Password page route is implemented
- Admin login page route is implemented
- /login route is stable and accessible
- Test case list page exists for back-navigation test



6. Test Cases — Login

20 cases



FUNCTIONAL

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
LGN-F-01	Successful login with valid credentials	1. Navigate to /login 2. Enter valid email and password 3. Click Login button	User is redirected to the dashboard page	HIGH	AUTOMATED
LGN-F-02	Login with invalid credentials shows error	1. Navigate to /login 2. Enter valid email and wrong password 3. Click Login button	Error message is displayed; user stays on login page	HIGH	AUTOMATED
LGN-F-03	Remember Me keeps session active beyond default	1. Log in with Remember Me toggled on 2. Close and reopen the browser after session	User remains logged in; no re-authentication required	HIGH	MANUAL

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
		expiry window			
LGN-F-04	Login without Remember Me expires normally	1. Log in with Remember Me off 2. Wait for standard session timeout	Session expires; user is redirected to login page	MEDIUM	MANUAL
LGN-F-05	Forgot Password link navigates to forgot password page	1. Navigate to /login 2. Click Forgot Password link	User is redirected to the Forgot Password page	HIGH	AUTOMATED
LGN-F-06	Admin link navigates to admin login page	1. Navigate to /login 2. Click Admin link in the top menu	User is navigated to the admin login page	MEDIUM	AUTOMATED
LGN-F-07	Login menu link navigates to /login	1. Navigate to any page 2. Click Login link in the top menu	User is redirected to /login or stays on login page if already there	LOW	AUTOMATED
LGN-F-08	Empty email field blocks form submission (no backend call)	1. Navigate to /login 2. Leave email empty, fill password 3. Click Login 4. Monitor network requests	Form does not submit; no backend call is made; frontend error shown	HIGH	AUTOMATED
LGN-F-09	Empty password field blocks form submission (no backend call)	1. Navigate to /login 2. Fill email, leave password empty 3. Click Login	Form does not submit; no backend call is made; frontend error shown	HIGH	AUTOMATED

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
		4. Monitor network requests			

VALIDATION

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
LGN-V-01	Invalid email format shows validation error	1. Enter "notanemail" in email field 2. Enter any password 3. Click Login	Inline error: "Please enter a valid email address"	HIGH	AUTOMATED
LGN-V-02	Email missing @ symbol shows validation error	1. Enter "userexample.com" in email field 2. Click Login	Inline email format error displayed	MEDIUM	AUTOMATED
LGN-V-03	Empty password field shows required error	1. Enter valid email 2. Leave password empty 3. Click Login	Inline error: "Password is required"	HIGH	AUTOMATED
LGN-V-04	Both fields empty show individual error messages	1. Leave both fields empty 2. Click Login	Both fields show their respective inline error messages	MEDIUM	AUTOMATED

SECURITY

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
LGN-S-01	Login page loads over HTTPS only	1. Open /login via HTTP 2. Check browser address bar	Page redirects to HTTPS; HTTP access is blocked or redirected	HIGH	MANUAL
LGN-S-02	Password field masks input characters	1. Navigate to /login 2. Type in the Password field 3. Observe the field display	Input is masked (dots or asterisks); plain text is not visible	HIGH	AUTOMATED
LGN-S-03	Password value is not exposed in page source	1. Type password 2. Inspect page source and DOM	Password value is not visible in rendered HTML or DOM attributes	HIGH	MANUAL

USABILITY

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
LGN-U-01	Email field has correct label and placeholder	1. Navigate to /login 2. Inspect the email field label and placeholder	Label reads "Email"; placeholder clearly indicates the expected input	MEDIUM	MANUAL
LGN-U-02	Password field has correct label and placeholder	1. Navigate to /login 2. Inspect the password field label and placeholder	Label reads "Password"; placeholder clearly indicates the expected input	MEDIUM	MANUAL
LGN-U-03	Remember Me toggle is visible and interactive	1. Navigate to /login 2. Locate the Remember Me toggle	Toggle is clearly visible, labelled, and responds to interaction	MEDIUM	MANUAL

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
		3. Toggle on and off			
LGN-U-04	Remember Me toggle defaults to off	1. Navigate to /login on a fresh session 2. Observe Remember Me toggle state	Remember Me toggle is in the OFF state by default	LOW	AUTOMATED



7. Test Cases — New Test Case

12 cases ▼

FUNCTIONAL

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
NTC-F-01	Submit new test case with all required fields	1. Navigate to New Test Case page 2. Fill Title, Expected Result, and at least one Test Step 3. Click Submit	Test case is saved and appears in the Test Case List	HIGH	AUTOMATED
NTC-F-02	Description field is optional — submit without it succeeds	1. Fill all required fields; leave Description empty 2. Click Submit	Test case is saved successfully without Description	MEDIUM	AUTOMATED
NTC-F-03	Add multiple test steps using Add Test Step button	1. Click Add Test Step multiple times 2. Fill each step field 3. Submit the form	All steps are saved and displayed in the correct order	HIGH	AUTOMATED

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
NTC-F-04	Automated toggle defaults to off	1. Open New Test Case page 2. Observe Automated toggle	Automated toggle is in the OFF state by default	LOW	AUTOMATED
NTC-F-05	Automated toggle can be enabled	1. Toggle Automated to ON 2. Submit the form	Saved test case is marked as Automated	MEDIUM	AUTOMATED
NTC-F-06	Back arrow navigates to Test Case List	1. Navigate to New Test Case page 2. Click the back arrow	User is returned to the Test Case List or previous page	MEDIUM	AUTOMATED

VALIDATION

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
NTC-V-01	Submit with empty Title shows error	1. Leave Title empty 2. Fill all other required fields 3. Click Submit	Inline error shown on Title field; form does not submit	HIGH	AUTOMATED
NTC-V-02	Submit with empty Expected Result shows error	1. Fill Title; leave Expected Result empty 2. Add one test step 3. Click Submit	Inline error shown on Expected Result field; form does not submit	HIGH	AUTOMATED
NTC-V-03	Submit with no test steps shows error	1. Fill Title and Expected Result 2. Leave Test Steps empty 3. Click Submit	Inline error shown on Test Steps field; form does not submit	HIGH	AUTOMATED

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
NTC-V-04	Multiple test steps preserved in order after save	1. Add 3+ test steps in sequence 2. Submit form 3. Open saved test case	Steps appear in the exact order they were entered	HIGH	AUTOMATED

USABILITY

ID	TITLE	STEPS	EXPECTED RESULT	PRIORITY	TYPE
NTC-U-01	Enter key does not submit form when required fields are invalid	1. Fill only the Title field 2. Press Enter	Form is not submitted; remaining required field errors are shown	MEDIUM	AUTOMATED
NTC-U-02	All field placeholders are correctly displayed	1. Navigate to New Test Case page 2. Inspect placeholder text on each field	Placeholders read: "Title", "Description", "Expected Result", "Test step"	LOW	MANUAL



8. Risks & Mitigations

5 items ▼

RISK	IMPACT	LIKELIHOOD	MITIGATION
Test environment not available on HTTPS	HIGH	MEDIUM	Confirm HTTPS configuration with DevOps before test cycle begins
Valid test credentials not provisioned	HIGH	LOW	Request test account creation as entry criteria; block testing until resolved
Remember Me session timeout window unknown	MEDIUM	MEDIUM	Clarify with engineering; document expected duration in test data

RISK	IMPACT	LIKELIHOOD	MITIGATION
Test Case List page not yet implemented	MEDIUM	LOW	Confirm dependency; defer back-navigation test cases if needed
Frontend validation logic may differ across browsers	MEDIUM	MEDIUM	Run validation test cases on Safari, Chrome, and Firefox minimum



9. Defect Reporting



- **Tool:** Radar
- **Severity classification:** Critical, High, Medium, Low aligned to test case priority.
- **Required fields per radar:** Title, Steps to Reproduce, Expected Result, Actual Result, Build/Version, Environment, Attachments (screenshots or logs where applicable).
- **Security defects** (LGN-S-*) must be filed immediately and escalated to the security team regardless of severity classification.
- **Re-test policy:** All fixed defects must be re-tested by the original tester before closure.

Any defect related to HTTPS enforcement or password exposure must be treated as Critical severity and escalated immediately.