



FUSO VEHICLE CATALOGUE

CANTER

Commercial vehicle catalogue
LHD Philippine specification

5 OCTOBER 2026



AI BODY-STYLE ILLUSTRATION

[WhatsApp +65 89874467](https://wa.me/6589874467)

FUSO Canter range at a glance

MODEL / BODY	BODY LENGTH	FOB USD PRICE	PAGES
Canter FE71 / Cab & Chassis	10 / 11 ft	\$29,000	3-4
Canter FE73 / Cab & Chassis	14 ft	\$32,000	5-6
Canter FE84 / Cab & Chassis	16 ft	\$33,000	7-8
Canter FE71 / FB Body	10 ft	\$32,000	9-10
Canter FE71 / Freezer Van	10 ft	\$39,000	11-12
Canter FE71 / Aluminum Van Body	10 ft	\$32,000	13-14
Canter FE71 / Dropside Body	10 ft	\$31,000	15-16

Indicative prices per vehicle. Final body, equipment and availability confirmed with your quotation.
Freight, insurance and destination charges are quoted separately.

Canter FE71 / Cab & Chassis

4-wheeler cab and chassis



AI BODY-STYLE ILLUSTRATION

INDICATIVE FOB PRICE (USD)

\$29,000

BODY LENGTH

10 / 11 ft nominal

CONFIGURATION

4 wheels, diesel, 70-litre fuel tank.
Cab and chassis for your chosen body.

SPECIFICATIONS

Engine	4P10-WAT2, 2,998 cc, inline 4-cylinder turbo-intercooler common-rail DOHC diesel
Power / torque	131 PS at 2,620 rpm; 350 Nm at 1,400 rpm
Transmission	5-speed synchromesh manual, plus 1 reverse
Drivetrain	4×2 rear-wheel drive

Final body and equipment confirmed with your quotation.

Canter FE71 / Cab & Chassis

Exterior colours	White shown in manufacturer literature. Confirm current colours and paint codes with your order.
Seats / material	Cab: 3 seating positions. Upholstery and trim confirmed with your order.
Rims / wheels	16 × 5.5-inch rims, 5 studs. Confirm rim material with your order.
Tyres	205/85R16, single front and rear tyres.
Comfort / audio	Reclining seats, tilt / telescopic power steering and dash shifter. Audio equipment confirmed with your order.

Fuel / tank	Diesel, 70-litre fuel tank.
Consumption	Fuel use varies with load, body and route. No estimate available for this exact configuration.
Dimensions	Base cab / chassis L × W × H: 4,800-5,095 × 1,695 × 2,135 mm. GVW: 4,400-4,490 kg.
Clearance	200 mm, base chassis.
Body application	10 / 11 ft nominal application. Cargo compartment and volume depend on the selected body.
Cargo capacity	Chassis payload: 2,490-2,585 kg before body and occupants. Final payload and volume depend on body.
Safety / exterior	Dual-circuit disc brakes and exhaust brake. Confirm other safety systems and lamp equipment with your order.

Canter FE73 / Cab & Chassis

6-wheeler cab and chassis



AI BODY-STYLE ILLUSTRATION

INDICATIVE FOB PRICE (USD)

\$32,000

BODY LENGTH

14 ft nominal

CONFIGURATION

6 wheels, diesel, 100-litre fuel tank.
Cab and chassis for your chosen body.

SPECIFICATIONS

Engine	4P10-WAT2, 2,998 cc, inline 4-cylinder turbo-intercooler common-rail DOHC diesel
Power / torque	131 PS at 2,620 rpm; 350 Nm at 1,400 rpm
Transmission	5-speed synchromesh manual, plus 1 reverse
Drivetrain	4×2 rear-wheel drive

Final body and equipment confirmed with your quotation.

Canter FE73 / Cab & Chassis

Exterior colours	White shown in manufacturer literature. Confirm current colours and paint codes with your order.
Seats / material	Cab: 3 seating positions. Upholstery and trim confirmed with your order.
Rims / wheels	16 × 5.5-inch rims, 5 studs. Confirm rim material with your order.
Tyres	205/75R16, single front and dual rear tyres.
Comfort / audio	Reclining seats, tilt / telescopic power steering, dash shifter, power windows and central locking. Audio is optional.

Fuel / tank	Diesel, 100-litre fuel tank.
Consumption	2023 test: 11.22 km/L with a 1,000-kg load and aluminum van body. Actual use varies.
Dimensions	Base cab / chassis L × W × H: 5,785 × 1,875 × 2,110 mm. GVW: 4,490 kg.
Clearance	200 mm, base chassis.
Body application	14 ft nominal application. Cargo compartment and volume depend on the selected body.
Cargo capacity	Chassis payload: 2,405 kg before body and occupants. Final payload and volume depend on body.
Safety / exterior	Disc / exhaust brakes, ABS, EBD, seatbelts and side-impact beams. Halogen headlamps and fog lamps. Confirm final equipment.

Canter FE84 / Cab & Chassis

6-wheeler cab and chassis



AI BODY-STYLE ILLUSTRATION

INDICATIVE FOB PRICE (USD)

\$33,000

BODY LENGTH

16 ft nominal

CONFIGURATION

6 wheels, diesel, 100-litre fuel tank.
Cab and chassis for your chosen body.

SPECIFICATIONS

Engine	4P10-WAT4, 2,998 cc, inline 4-cylinder turbo-intercooler common-rail DOHC diesel
Power / torque	150 PS at 2,839 rpm; 370 Nm at 1,400 rpm
Transmission	5-speed synchromesh manual, plus 1 reverse
Drivetrain	4×2 rear-wheel drive

Final body and equipment confirmed with your quotation.

Canter FE84 / Cab & Chassis

Exterior colours	White shown in manufacturer literature. Confirm current colours and paint codes with your order.
Seats / material	Cab: 3 seating positions. Upholstery and trim confirmed with your order.
Rims / wheels	17.5 × 6-inch rims, 6 studs. Confirm rim material with your order.
Tyres	215/75R17.5, single front and dual rear tyres.
Comfort / audio	Reclining seats, tilt / telescopic power steering, dash shifter, power windows and central locking. Audio is optional.

Fuel / tank	Diesel, 100-litre fuel tank.
Consumption	Fuel use varies with load, body and route. No estimate available for this exact configuration.
Dimensions	Base cab / chassis L × W × H: 6,685 × 2,035 × 2,215 mm. GVW: 6,500 kg.
Clearance	200 mm, base chassis.
Body application	16 ft nominal application. Cargo compartment and volume depend on the selected body.
Cargo capacity	Chassis payload: 4,130 kg before body and occupants. Final payload and volume depend on body.
Safety / exterior	Disc / exhaust brakes, ABS, EBD, seatbelts and side-impact beams. Halogen headlamps and fog lamps. Confirm final equipment.

Canter FE71 / FB Body

**4-wheeler with enclosed
FB utility / passenger
body**



AI BODY-STYLE ILLUSTRATION

INDICATIVE FOB PRICE (USD)

\$32,000

BODY LENGTH

10 ft nominal

CONFIGURATION

4 wheels, diesel, 70-litre fuel tank.
Enclosed FB utility / passenger body.

SPECIFICATIONS

Engine	4P10-WAT2, 2,998 cc, inline 4-cylinder turbo-intercooler common-rail DOHC diesel
Power / torque	131 PS at 2,620 rpm; 350 Nm at 1,400 rpm
Transmission	5-speed synchromesh manual, plus 1 reverse
Drivetrain	4×2 rear-wheel drive

Final body and equipment confirmed with your quotation.

Canter FE71 / FB Body

Exterior colours	White shown in manufacturer literature. Confirm current colours and paint codes with your order.
Seats / material	Cab: 3 seating positions. FB rear capacity and upholstery confirmed with your order.
Rims / wheels	16 × 5.5-inch rims, 5 studs. Confirm rim material with your order.
Tyres	205/85R16, single front and rear tyres.
Comfort / audio	Reclining seats, tilt / telescopic power steering and dash shifter. Audio equipment confirmed with your order.

Fuel / tank	Diesel, 70-litre fuel tank.
Consumption	Fuel use varies with load, body and route. No estimate available for this exact configuration.
Dimensions	Base cab / chassis L × W × H: 4,800-5,095 × 1,695 × 2,135 mm. GVW: 4,400-4,490 kg.
Clearance	200 mm, base chassis.
Body application	10-ft FB body. Confirm rear capacity and completed dimensions with your order.
Cargo capacity	Chassis payload: 2,490-2,585 kg before body and occupants. Final payload and volume depend on body.
Safety / exterior	Dual-circuit disc brakes and exhaust brake. Confirm other safety systems and lamp equipment with your order.

Canter FE71 / Freezer Van

**4-wheeler with
refrigerated / freezer van
body**



AI BODY-STYLE ILLUSTRATION

INDICATIVE FOB PRICE (USD)

\$39,000

BODY LENGTH

10 ft nominal

CONFIGURATION

4 wheels, diesel, 70-litre fuel tank.
Refrigerated / freezer van body.

SPECIFICATIONS

Engine	4P10-WAT2, 2,998 cc, inline 4-cylinder turbo-intercooler common-rail DOHC diesel
Power / torque	131 PS at 2,620 rpm; 350 Nm at 1,400 rpm
Transmission	5-speed synchromesh manual, plus 1 reverse
Drivetrain	4×2 rear-wheel drive

Final body and equipment confirmed with your quotation.

Canter FE71 / Freezer Van

Exterior colours	White shown in manufacturer literature. Confirm current colours and paint codes with your order.
Seats / material	Cab: 3 seating positions. Upholstery and trim confirmed with your order.
Rims / wheels	16 × 5.5-inch rims, 5 studs. Confirm rim material with your order.
Tyres	205/85R16, single front and rear tyres.
Comfort / audio	Reclining seats, tilt / telescopic power steering and dash shifter. Audio equipment confirmed with your order.

Fuel / tank	Diesel, 70-litre fuel tank.
Consumption	Fuel use varies with load, body and route. No estimate available for this exact configuration.
Dimensions	Base cab / chassis L × W × H: 4,800-5,095 × 1,695 × 2,135 mm. GVW: 4,400-4,490 kg.
Clearance	200 mm, base chassis.
Body application	10-ft freezer van. Internal volume and temperature rating subject to confirmation.
Cargo capacity	Chassis payload: 2,490-2,585 kg before body and occupants. Final payload and volume depend on body.
Safety / exterior	Dual-circuit disc brakes and exhaust brake. Confirm other safety systems and lamp equipment with your order.

Canter FE71 / Aluminum Van Body

4-wheeler with enclosed aluminum cargo van



AI BODY-STYLE ILLUSTRATION

INDICATIVE FOB PRICE (USD)

\$32,000

BODY LENGTH

10 ft nominal

CONFIGURATION

4 wheels, diesel, 70-litre fuel tank.
Enclosed aluminum cargo van body.

SPECIFICATIONS

Engine	4P10-WAT2, 2,998 cc, inline 4-cylinder turbo-intercooler common-rail DOHC diesel
Power / torque	131 PS at 2,620 rpm; 350 Nm at 1,400 rpm
Transmission	5-speed synchromesh manual, plus 1 reverse
Drivetrain	4×2 rear-wheel drive

Final body and equipment confirmed with your quotation.

Canter FE71 / Aluminum Van Body

Exterior colours	White shown in manufacturer literature. Confirm current colours and paint codes with your order.
Seats / material	Cab: 3 seating positions. Upholstery and trim confirmed with your order.
Rims / wheels	16 × 5.5-inch rims, 5 studs. Confirm rim material with your order.
Tyres	205/85R16, single front and rear tyres.
Comfort / audio	Reclining seats, tilt / telescopic power steering and dash shifter. Audio equipment confirmed with your order.

Fuel / tank	Diesel, 70-litre fuel tank.
Consumption	Fuel use varies with load, body and route. No estimate available for this exact configuration.
Dimensions	Base cab / chassis L × W × H: 4,800-5,095 × 1,695 × 2,135 mm. GVW: 4,400-4,490 kg.
Clearance	200 mm, base chassis.
Body application	10-ft aluminum cargo van. Internal volume and finished dimensions subject to confirmation.
Cargo capacity	Chassis payload: 2,490-2,585 kg before body and occupants. Final payload and volume depend on body.
Safety / exterior	Dual-circuit disc brakes and exhaust brake. Confirm other safety systems and lamp equipment with your order.

Canter FE71 / Dropside Body

**4-wheeler with open
dropside cargo bed**



AI BODY-STYLE ILLUSTRATION

INDICATIVE FOB PRICE (USD)

\$31,000

BODY LENGTH

10 ft nominal

CONFIGURATION

4 wheels, diesel, 70-litre fuel tank.
Open cargo bed with dropside body.

SPECIFICATIONS

Engine	4P10-WAT2, 2,998 cc, inline 4-cylinder turbo-intercooler common-rail DOHC diesel
Power / torque	131 PS at 2,620 rpm; 350 Nm at 1,400 rpm
Transmission	5-speed synchromesh manual, plus 1 reverse
Drivetrain	4×2 rear-wheel drive

Final body and equipment confirmed with your quotation.

Canter FE71 / Dropside Body

Exterior colours	White shown in manufacturer literature. Confirm current colours and paint codes with your order.
Seats / material	Cab: 3 seating positions. Upholstery and trim confirmed with your order.
Rims / wheels	16 × 5.5-inch rims, 5 studs. Confirm rim material with your order.
Tyres	205/85R16, single front and rear tyres.
Comfort / audio	Reclining seats, tilt / telescopic power steering and dash shifter. Audio equipment confirmed with your order.

Fuel / tank	Diesel, 70-litre fuel tank.
Consumption	Fuel use varies with load, body and route. No estimate available for this exact configuration.
Dimensions	Base cab / chassis L × W × H: 4,800-5,095 × 1,695 × 2,135 mm. GVW: 4,400-4,490 kg.
Clearance	200 mm, base chassis.
Body application	10-ft dropside body. Bed width and side height subject to confirmation.
Cargo capacity	Chassis payload: 2,490-2,585 kg before body and occupants. Final payload and volume depend on body.
Safety / exterior	Dual-circuit disc brakes and exhaust brake. Confirm other safety systems and lamp equipment with your order.

Vehicle enquiries



Jasmine Global Export

WhatsApp +65 89874467

FUSO Canter
LHD Philippine specification

Indicative FOB USD prices. Freight, insurance and destination charges quoted separately.
AI illustrations show body styles. Actual vehicle appearance and completed body may vary.

Your vehicle enquiry

MODEL AND BODY

Tell us the model, body type and quantity.

DESTINATION

Share your destination port for a shipping quotation.

BODY REQUIREMENTS

Include cargo size and load, rear seating or refrigeration needs.

YOUR QUOTATION

Confirm availability, colour, final equipment and export terms.