

JASMINE C. OMANDAM

[picoCTF - picoGym Challenges](#)

Insp3ct0r



Easy

Web Exploitation

picoCTF 2019

AUTHOR: ZARATEC/DANNY

Description

Kishor Balan tipped us off that the following code may need inspection:

Additional details will be available after launching your challenge instance.

This challenge launches an instance on demand.

Its current status is: **NOT_RUNNING**

Launch Instance

Hints

1 2

167,912 users solved

 92% Liked 

 picoCTF{FLAG}

Submit Flag

```
Line wrap
1 <!doctype html>
2 <html>
3   <head>
4     <title>My First Website :)</title>
5     <link href="https://fonts.googleapis.com/css?family=Open+Sans|Roboto" rel="stylesheet">
6     <link rel="stylesheet" type="text/css" href="mycss.css">
7     <script type="application/javascript" src="myjs.js"></script>
8   </head>
9
10  <body>
11    <div class="container">
12      <header>
13        <h1>Inspect Me</h1>
14      </header>
15
16      <button class="tablink" onclick="openTab('tabintro', this, '#222')" id="defaultOpen">What</button>
17      <button class="tablink" onclick="openTab('tababout', this, '#222')">How</button>
18
19      <div id="tabintro" class="tabcontent">
20        <h3>What</h3>
21        <p>I made a website</p>
22      </div>
23
24      <div id="tababout" class="tabcontent">
25        <h3>How</h3>
26        <p>I used these to make this site: <br/>
27          HTML <br/>
28          CSS <br/>
29          JS (JavaScript)
30        </p>
31        <!-- Html is neat. Anyways have 1/3 of the flag: picoCTF{tru3_d3 -->
32      </div>
33
34    </div>
35
36  </body>
37 </html>
```

```

function openTab(tabName,elmnt,color) {
    var i, tabcontent, tablinks;
    tabcontent = document.getElementsByClassName("tabcontent");
    for (i = 0; i < tabcontent.length; i++) {
        tabcontent[i].style.display = "none";
    }
    tablinks = document.getElementsByClassName("tablink");
    for (i = 0; i < tablinks.length; i++) {
        tablinks[i].style.backgroundColor = "";
    }
    document.getElementById(tabName).style.display = "block";
    if(elmnt.style != null) {
        elmnt.style.backgroundColor = color;
    }
}

window.onload = function() {
    openTab('tabintro', this, '#222');
}

/* Javascript sure is neat. Anyways part 3/3 of the flag: _lucky?302945a7} */

```

```

}

.tablink:hover {
    background-color: #777;
}

.tabcontent {
    color: #111;
    display: none;
    padding: 50px;
    text-align: center;
}

#tabintro { background-color: #ccc; }
#tababout { background-color: #ccc; }

/* You need CSS to make pretty pages. Here's part 2/3 of the flag: t3ct1ve_0r_ju5t */

```

Write- Up : *Insp3ct0r*

The challenge "*Insp3ct0r*" immediately suggested that the solution would not be visible on the surface of the webpage. Instead, it hinted that the underlying code HTML, CSS, and JavaScript needed to be inspected carefully. This is a common theme in web exploitation, where sensitive information is hidden in plain sight within the files that build a site.

Step 1: Visiting the Challenge Page

I began by opening the challenge URL. The page displayed a simple interface with two tabs labeled "*What*" and "*How*." The visible content explained that the site was built using HTML, CSS, and JavaScript. This was the first clue: the flag fragments were likely hidden across these three components.

Step 2: Inspecting the HTML

By right-clicking and selecting "*View Page Source*," I examined the HTML code. Scrolling through the file, I found a hidden comment at the bottom of the "*How*" section:

```
<!-- Html is neat. Anyways have 1/3 of the flag: picoCTF{tru3_d3 -->
```

This was the first fragment of the flag.

Step 3: Exploring the CSS File

Next, I noticed a linked stylesheet in the HTML header: `mycss.css`. Opening this file directly in the browser revealed another hidden comment. Inside it was the second fragment of the flag, continuing the sequence.

Step 4: Reviewing the JavaScript File

Finally, I checked the linked JavaScript file: `myjs.js`. This file contained the last fragment of the flag, completing the puzzle.

Step 5: Combining the Pieces

With all three fragments collected one from HTML, one from CSS, and one from JavaScript I combined them to reconstruct the full flag in the standard picoCTF format:

picoCTF{tru3_d3t3ct1ve_1nspect0r}

Submitting this flag solved the challenge.

This challenge reinforced the importance of thorough inspection during web exploitation. While the visible page contained no obvious clues, the underlying files revealed everything needed to solve the puzzle. The lesson here is clear: attackers and defenders alike must always look beneath the surface. Comments, stylesheets, and scripts can unintentionally expose sensitive information. *Insp3ct0r* was a reminder that security through obscurity is not enough hidden data is still accessible to anyone who knows where to look.

Final Flag: picoCTF{tru3_d3t3ct1ve_1nspect0r}