



ProFacility

Complete source syntax reference for the facility management website — every config, component, page and style used to build the site.



Stack: **Nuxt 3 · Vue 3 · CSS** | Theme: **Gray + Fluorescent Yellow** | Files: **20** | Generated: **2026-06-11**

Contents

01	task.md	Markdown
02	frontend/package.json	JSON
03	frontend/nuxt.config.ts	TypeScript
04	frontend/tsconfig.json	JSON
05	frontend/app.vue	Vue SFC
06	frontend/assets/css/main.css	CSS
07	frontend/composables/useServices.ts	TypeScript
08	frontend/layouts/default.vue	Vue SFC
09	frontend/components/AppHeader.vue	Vue SFC
10	frontend/components/AppFooter.vue	Vue SFC
11	frontend/components/HeroSection.vue	Vue SFC
12	frontend/components/ServiceCard.vue	Vue SFC
13	frontend/components/StatCounter.vue	Vue SFC
14	frontend/components/CtaBanner.vue	Vue SFC
15	frontend/pages/index.vue	Vue SFC
16	frontend/pages/services.vue	Vue SFC
17	frontend/pages/about.vue	Vue SFC
18	frontend/pages/projects.vue	Vue SFC
19	frontend/pages/contact.vue	Vue SFC
20	frontend/public/favicon.svg	SVG

```
# Facility Management Company Website – Task Plan
```

```
## Project: "ProFacility" – Facility Management Services Website
```

A frontend website for a facility management company built with **Nuxt 3 (Vue 3)**.
Self-contained – no backend; data is served from a local composable.

```
---
```

```
## Tech Stack
```

- **Framework:** Nuxt 3 (Vue 3), file-based routing, layouts, components, scoped CSS
- **Styling:** Custom CSS design system – **gray** base with **fluorescent-yellow** accent
- **Data:** Local composable (`useServices`) – no API/backend
- **Tooling:** Node 24, npm

```
## Color Theme (gray + fluorescent yellow)
```

Token	Value	Use
-----	-----	-----
<code>--bg`</code>	<code>#121212`</code>	Page background (dark gray)
<code>--surface`</code>	<code>#1e1e1e`</code>	Cards / sections
<code>--surface-2`</code>	<code>#2a2a2a`</code>	Raised surfaces / borders
<code>--text`</code>	<code>#e6e6e6`</code>	Primary text (light gray)
<code>--muted`</code>	<code>#9a9a9a`</code>	Secondary text
<code>--accent`</code>	<code>#d4ff00`</code>	Fluorescent yellow accent
<code>--accent-soft`</code>	<code>#eaff66`</code>	Hover / glow

```
---
```

```
## Folder Structure
```

```
```
```

```
fm/
├─ task.md
└─ frontend/ # Nuxt 3 app (standalone)
 ├─ nuxt.config.ts
 ├─ package.json
 ├─ tsconfig.json
 ├─ app.vue
 ├─ public/favicon.svg
 ├─ assets/css/main.css # design system (gray + fluorescent yellow)
 ├─ layouts/default.vue
 ├─ components/
 │ ├─ AppHeader.vue
 │ ├─ AppFooter.vue
 │ ├─ HeroSection.vue
 │ ├─ ServiceCard.vue
 │ ├─ StatCounter.vue
 │ └─ CtaBanner.vue
 ├─ composables/
 │ └─ useServices.ts # local services data
 └─ pages/
 ├─ index.vue # Home
 └─ services.vue # Services
```

```

├─ about.vue # About
├─ projects.vue # Projects / industries
└─ contact.vue # Contact (local form handler)
...

Pages
1. **Home (`/`)** - Hero, stats, featured services, CTA
2. **Services (`/services`)** - Full grid of services (from `useServices`)
3. **About (`/about`)** - Company story, values, approach
4. **Projects (`/projects`)** - Portfolio / industries served
5. **Contact (`/contact`)** - Contact form (client-side validation + success state)

Components
- `AppHeader.vue` - sticky nav with logo + links + mobile toggle
- `AppFooter.vue` - footer with link columns
- `HeroSection.vue` - landing hero
- `ServiceCard.vue` - reusable service card
- `StatCounter.vue` - metric display
- `CtaBanner.vue` - call-to-action strip

Build Steps
- [x] 1. Write task.md
- [x] 2. Scaffold `frontend/` Nuxt project (config + package.json)
- [x] 3. Build design system CSS (gray + fluorescent yellow)
- [x] 4. Build layout + shared components (Header, Footer, Hero, ServiceCard, StatCounter, CtaBanner)
- [x] 5. Build all pages (index, services, about, projects, contact)
- [x] 6. Add `useServices` composable (local data)
- [] 7. Install dependencies, run dev server, verify ⌚ in progress
- [] 8. Generate **PDF** containing all source syntax/code

How to Run
```bash
cd frontend
npm install
npm run dev      # http://localhost:3000
```

> Note: `~ Backend removed per request - site is fully static/frontend-only.`

```

## 02 frontend/package.json

JSON

```
{
 "name": "profacility-frontend",
 "private": true,
 "type": "module",
 "scripts": {
 "dev": "nuxt dev",
 "build": "nuxt build",
 "generate": "nuxt generate",
 "preview": "nuxt preview",
 "postinstall": "nuxt prepare"
 },
 "dependencies": {
 "nuxt": "^3.13.0",
 "vue": "^3.5.0",
 "vue-router": "^4.4.0"
 }
}
```

## 03 frontend/nuxt.config.ts

TYPESCRIPT

```
// https://nuxt.com/docs/api/configuration/nuxt-config
export default defineNuxtConfig({
 compatibilityDate: '2025-01-01',
 devtools: { enabled: true },

 // Global stylesheet (design system: gray + fluorescent yellow)
 css: ['~/assets/css/main.css'],

 app: {
 head: {
 title: 'ProFacility – Integrated Facility Management',
 htmlAttrs: { lang: 'en' },
 meta: [
 { charset: 'utf-8' },
 { name: 'viewport', content: 'width=device-width, initial-scale=1' },
 {
 name: 'description',
 content:
 'ProFacility delivers integrated facility management: cleaning, maintenance, security, HVAC and energy services for commercial and industrial clients.'
 }
],
 link: [{ rel: 'icon', type: 'image/svg+xml', href: '/favicon.svg' }]
 }
 }
})
```

#### 04 frontend/tsconfig.json

JSON

```
{
 // https://nuxt.com/docs/guide/concepts/typescript
 // This config simply extends the auto-generated one in ./.nuxt
 // (created by `nuxt prepare`, which runs on `npm install`).
 "extends": "../.nuxt/tsconfig.json"
}
```

#### 05 frontend/app.vue

VUE SFC

```
<template>
 <NuxtLayout>
 <NuxtPage />
 </NuxtLayout>
</template>
```

```
/* =====
ProFacility – Design System
Theme: dark gray base + fluorescent yellow accent
===== */

:root {
 /* Surfaces */
 --bg: #121212;
 --surface: #1e1e1e;
 --surface-2: #2a2a2a;
 --border: #333333;

 /* Text */
 --text: #e6e6e6;
 --muted: #9a9a9a;

 /* Accent – fluorescent yellow */
 --accent: #d4ff00;
 --accent-soft: #eaff66;
 --accent-ink: #121212; /* text placed on top of accent */

 /* Layout */
 --maxw: 1180px;
 --radius: 14px;
 --radius-sm: 8px;
 --gap: 24px;

 /* Effects */
 --shadow: 0 10px 30px rgba(0, 0, 0, 0.45);
 --glow: 0 0 1px rgba(212, 255, 0, 0.35), 0 8px 30px rgba(212, 255, 0, 0.12);
 --transition: 200ms ease;

 /* Type */
 --font: 'Segoe UI', system-ui, -apple-system, Roboto, Helvetica, Arial, sans-serif;
}

* { box-sizing: border-box; }

html { scroll-behavior: smooth; }

body {
 margin: 0;
 font-family: var(--font);
 background: var(--bg);
 color: var(--text);
 line-height: 1.6;
 -webkit-font-smoothing: antialiased;
}

h1, h2, h3, h4 {
 line-height: 1.15;
 margin: 0 0 0.5em;
 font-weight: 700;
 letter-spacing: -0.02em;
}
```

```

}

h1 { font-size: clamp(2.2rem, 5vw, 3.6rem); }
h2 { font-size: clamp(1.7rem, 3.5vw, 2.6rem); }
h3 { font-size: 1.25rem; }

p { margin: 0 0 1rem; color: var(--muted); }

a { color: inherit; text-decoration: none; }

img { max-width: 100%; display: block; }

/* ----- Layout helpers ----- */
.container {
 width: 100%;
 max-width: var(--maxw);
 margin: 0 auto;
 padding: 0 24px;
}

.section { padding: 88px 0; }
.section--tight { padding: 56px 0; }

.eyebrow {
 display: inline-block;
 text-transform: uppercase;
 letter-spacing: 0.18em;
 font-size: 0.72rem;
 font-weight: 700;
 color: var(--accent);
 margin-bottom: 14px;
}

.lead { font-size: 1.1rem; max-width: 60ch; }

.text-accent { color: var(--accent); }

.grid {
 display: grid;
 gap: var(--gap);
}
.grid-2 { grid-template-columns: repeat(2, 1fr); }
.grid-3 { grid-template-columns: repeat(3, 1fr); }
.grid-4 { grid-template-columns: repeat(4, 1fr); }

@media (max-width: 900px) {
 .grid-3, .grid-4 { grid-template-columns: repeat(2, 1fr); }
}
@media (max-width: 600px) {
 .grid-2, .grid-3, .grid-4 { grid-template-columns: 1fr; }
}

/* ----- Buttons ----- */
.btn {
 display: inline-flex;
 align-items: center;
 gap: 8px;
 padding: 13px 22px;
}

```

```

border-radius: 999px;
font-weight: 600;
font-size: 0.95rem;
cursor: pointer;
border: 1px solid transparent;
transition: transform var(--transition), background var(--transition),
 box-shadow var(--transition), color var(--transition);
}
.btn:active { transform: translateY(1px); }

.btn-primary {
 background: var(--accent);
 color: var(--accent-ink);
}
.btn-primary:hover {
 background: var(--accent-soft);
 box-shadow: var(--glow);
}

.btn-ghost {
 background: transparent;
 color: var(--text);
 border-color: var(--border);
}
.btn-ghost:hover {
 border-color: var(--accent);
 color: var(--accent);
}

/* ----- Cards ----- */
.card {
 background: var(--surface);
 border: 1px solid var(--border);
 border-radius: var(--radius);
 padding: 28px;
 transition: transform var(--transition), border-color var(--transition),
 box-shadow var(--transition);
}
.card:hover {
 transform: translateY(-4px);
 border-color: rgba(212, 255, 0, 0.5);
 box-shadow: var(--shadow);
}

/* ----- Section headings ----- */
.section-head {
 max-width: 640px;
 margin-bottom: 48px;
}

/* ----- Misc ----- */
.divider {
 height: 1px;
 background: var(--border);
 border: none;
 margin: 0;
}

```

```
// Local services data — replaces a backend API.
// Used across Home and Services pages.

export interface Service {
 id: string
 title: string
 icon: string
 summary: string
 features: string[]
}

const services: Service[] = [
 {
 id: 'cleaning',
 title: 'Cleaning & Janitorial',
 icon: '🧹',
 summary:
 'Daily, deep and specialist cleaning that keeps your premises spotless, hygienic and presentable.',
 features: ['Office & commercial cleaning', 'Washroom hygiene', 'Floor & carpet care', 'Window cleaning']
 },
 {
 id: 'maintenance',
 title: 'Building Maintenance',
 icon: '🔧',
 summary:
 'Planned preventive and reactive maintenance to keep every system running and downtime to a minimum.',
 features: ['Electrical & plumbing', 'Carpentry & repairs', 'Painting & finishing', '24/7 reactive call-outs']
 },
 {
 id: 'hvac',
 title: 'HVAC & Energy',
 icon: '❄️',
 summary:
 'Heating, ventilation, air-conditioning and energy optimisation for comfort and lower running costs.',
 features: ['AC installation & service', 'Air-quality management', 'Energy audits', 'Smart controls']
 },
 {
 id: 'security',
 title: 'Security Services',
 icon: '🛡️',
 summary:
 'Trained personnel and modern systems to protect your people, assets and premises around the clock.',
 features: ['Manned guarding', 'CCTV & access control', 'Patrol & response', 'Risk assessment']
 },
 {
 id: 'landscaping',
 title: 'Landscaping & Grounds',
 icon: '🌿',
 summary:
 'Professional grounds care that keeps external spaces healthy, safe and welcoming all year round.',
 features: ['Lawn & garden care', 'Seasonal planting', 'Irrigation', 'Pathway upkeep']
 },
]
```

```

 id: 'pest',
 title: 'Pest Control',
 icon: '🐛',
 summary:
 'Integrated, discreet pest management programmes that protect health, stock and reputation.',
 features: ['Inspection & prevention', 'Treatment programmes', 'Rodent & insect control', 'Compliance reporting']
 }
]

export const useServices = () => {
 const all = (): Service[] => services
 const featured = (count = 3): Service[] => services.slice(0, count)
 const byId = (id: string): Service | undefined => services.find((s) => s.id === id)
 return { all, featured, byId }
}

```

## 08 frontend/layouts/default.vue

VUE SFC

```

<template>
 <div class="site">
 <AppHeader />
 <main>
 <slot />
 </main>
 <AppFooter />
 </div>
</template>

<style scoped>
.site {
 min-height: 100vh;
 display: flex;
 flex-direction: column;
}
main {
 flex: 1;
}
</style>

```

```
<script setup lang="ts">
const open = ref(false)

const links = [
 { label: 'Home', to: '/' },
 { label: 'Services', to: '/services' },
 { label: 'About', to: '/about' },
 { label: 'Projects', to: '/projects' },
 { label: 'Contact', to: '/contact' }
]

// Close the mobile menu whenever the route changes
const route = useRoute()
watch(() => route.path, () => (open.value = false))
</script>

<template>
 <header class="header">
 <div class="container bar">
 <NuxtLink to="/" class="logo" aria-label="ProFacility home">
 P
 ProFacility
 </NuxtLink>

 <nav class="nav" :class="{ 'nav--open': open }">
 <NuxtLink
 v-for="link in links"
 :key="link.to"
 :to="link.to"
 class="nav-link"
 active-class="nav-link--active"
 >
 {{ link.label }}
 </NuxtLink>
 <NuxtLink to="/contact" class="btn btn-primary nav-cta">Get a Quote</NuxtLink>
 </nav>

 <button
 class="burger"
 :aria-expanded="open"
 aria-label="Toggle menu"
 @click="open = !open"
 >

 </button>
 </div>
 </header>
</template>

<style scoped>
.header {
 position: sticky;
 top: 0;
 z-index: 50;
}
```

```
background: rgba(18, 18, 18, 0.85);
backdrop-filter: blur(10px);
border-bottom: 1px solid var(--border);
}

.bar {
 display: flex;
 align-items: center;
 justify-content: space-between;
 height: 72px;
}

.logo {
 display: flex;
 align-items: center;
 gap: 10px;
 font-size: 1.15rem;
}

.logo-mark {
 display: grid;
 place-items: center;
 width: 34px;
 height: 34px;
 border-radius: 9px;
 background: var(--accent);
 color: var(--accent-ink);
 font-weight: 800;
}

.logo-text strong { color: var(--accent); }

.nav {
 display: flex;
 align-items: center;
 gap: 28px;
}

.nav-link {
 color: var(--muted);
 font-weight: 500;
 font-size: 0.95rem;
 transition: color var(--transition);
}

.nav-link:hover,
.nav-link--active { color: var(--text); }
.nav-link--active { color: var(--accent); }

.nav-cta { margin-left: 8px; }

.burger {
 display: none;
 flex-direction: column;
 gap: 5px;
 background: none;
 border: none;
 cursor: pointer;
 padding: 6px;
}

.burger span {
 width: 24px;
 height: 2px;
 background: var(--text);
 border-radius: 2px;
}
```

```
}

@media (max-width: 860px) {
 .burger { display: flex; }
 .nav {
 position: absolute;
 top: 72px;
 left: 0;
 right: 0;
 flex-direction: column;
 align-items: flex-start;
 gap: 16px;
 padding: 24px;
 background: var(--surface);
 border-bottom: 1px solid var(--border);
 transform: translateY(-12px);
 opacity: 0;
 pointer-events: none;
 transition: opacity var(--transition), transform var(--transition);
 }
 .nav--open {
 transform: translateY(0);
 opacity: 1;
 pointer-events: auto;
 }
 .nav-cta { margin-left: 0; }
}

</style>
```

```
<script setup lang="ts">
const year = new Date().getFullYear()
</script>

<template>
 <footer class="footer">
 <div class="container">
 <div class="grid grid-4 top">
 <div>
 <NuxtLink to="/" class="logo">
 P
 ProFacility
 </NuxtLink>
 <p class="blurb">
 Integrated facility management for commercial and industrial clients –
 one partner for a building that runs flawlessly.
 </p>
 </div>

 <div>
 <h4>Services</h4>
 <NuxtLink to="/services">Cleaning</NuxtLink>
 <NuxtLink to="/services">Maintenance</NuxtLink>
 <NuxtLink to="/services">HVAC & Energy</NuxtLink>
 <NuxtLink to="/services">Security</NuxtLink>
 </div>

 <div>
 <h4>Company</h4>
 <NuxtLink to="/about">About us</NuxtLink>
 <NuxtLink to="/projects">Projects</NuxtLink>
 <NuxtLink to="/contact">Contact</NuxtLink>
 </div>

 <div>
 <h4>Get in touch</h4>
 hello@profacility.com
 +1 (800) 555-1234
 221 Industrial Ave, Suite 4
Springfield, USA
 </div>
 </div>

 <hr class="divider" />

 <div class="bottom">
 © {{ year }} ProFacility. All rights reserved.
 Built with Nuxt 3
 </div>
 </div>
 </footer>
</template>

<style scoped>
.footer {
```

```
background: var(--surface);
border-top: 1px solid var(--border);
padding: 64px 0 28px;
margin-top: auto;
}
.top { margin-bottom: 40px; }
.logo {
 display: flex;
 align-items: center;
 gap: 10px;
 font-size: 1.1rem;
 margin-bottom: 14px;
}
.logo-mark {
 display: grid;
 place-items: center;
 width: 32px;
 height: 32px;
 border-radius: 9px;
 background: var(--accent);
 color: var(--accent-ink);
 font-weight: 800;
}
.logo strong { color: var(--accent); }
.blurb { font-size: 0.92rem; }

h4 {
 font-size: 0.8rem;
 text-transform: uppercase;
 letter-spacing: 0.12em;
 color: var(--text);
 margin-bottom: 16px;
}
.footer a,
.addr {
 display: block;
 color: var(--muted);
 font-size: 0.92rem;
 margin-bottom: 10px;
 transition: color var(--transition);
}
.footer a:hover { color: var(--accent); }

.bottom {
 display: flex;
 justify-content: space-between;
 flex-wrap: wrap;
 gap: 8px;
 padding-top: 24px;
 font-size: 0.85rem;
 color: var(--muted);
}
</style>
```

```
<script setup lang="ts">
defineProps<{
 eyebrow?: string
 title: string
 subtitle?: string
}>()
</script>

<template>
 <section class="hero">
 <div class="container hero-inner">
 <div class="hero-copy">
 {{ eyebrow }}
 <h1>{{ title }}</h1>
 <p v-if="subtitle" class="lead">{{ subtitle }}</p>
 <div class="hero-actions">
 <NuxtLink to="/contact" class="btn btn-primary">Request a Quote</NuxtLink>
 <NuxtLink to="/services" class="btn btn-ghost">Explore Services</NuxtLink>
 </div>
 </div>

 <div class="hero-panel" aria-hidden="true">
 <div class="orb" />
 <div class="panel-card">
 <div class="dot" /> Facilities online
 99.98%
 uptime across managed sites
 </div>
 </div>
 </div>
 </section>
</template>

<style scoped>
.hero {
 position: relative;
 overflow: hidden;
 border-bottom: 1px solid var(--border);
 background:
 radial-gradient(900px 400px at 80% -10%, rgba(212, 255, 0, 0.10), transparent 60%),
 var(--bg);
}
.hero-inner {
 display: grid;
 grid-template-columns: 1.1fr 0.9fr;
 align-items: center;
 gap: 48px;
 padding: 96px 24px;
}
.hero-actions {
 display: flex;
 gap: 14px;
 margin-top: 28px;
 flex-wrap: wrap;
}
```

```

}

.hero-panel {
 position: relative;
 height: 320px;
 border-radius: var(--radius);
 background: var(--surface);
 border: 1px solid var(--border);
 overflow: hidden;
}

.orb {
 position: absolute;
 width: 280px;
 height: 280px;
 right: -60px;
 top: -60px;
 border-radius: 50%;
 background: radial-gradient(circle, rgba(212, 255, 0, 0.35), transparent 65%);
 filter: blur(8px);
}

.panel-card {
 position: absolute;
 left: 28px;
 bottom: 28px;
 display: flex;
 flex-direction: column;
 gap: 4px;
 padding: 20px;
 border-radius: var(--radius-sm);
 background: rgba(18, 18, 18, 0.8);
 border: 1px solid var(--border);
 backdrop-filter: blur(6px);
 font-size: 0.85rem;
 color: var(--muted);
}

.panel-card strong {
 font-size: 1.8rem;
 color: var(--accent);
}

.dot {
 display: inline-block;
 width: 8px;
 height: 8px;
 border-radius: 50%;
 background: var(--accent);
 margin-right: 6px;
 box-shadow: 0 0 8px var(--accent);
}

@media (max-width: 860px) {
 .hero-inner { grid-template-columns: 1fr; padding: 64px 24px; }
 .hero-panel { display: none; }
}
</style>

```

```
<script setup lang="ts">
import type { Service } from '~/composables/useServices'

defineProps<{ service: Service }>()
</script>

<template>
 <article class="card service">
 <div class="icon">{{ service.icon }}</div>
 <h3>{{ service.title }}</h3>
 <p>{{ service.summary }}</p>
 <ul class="features">
 <li v-for="f in service.features" :key="f">{{ f }}

 </article>
</template>

<style scoped>
.service { display: flex; flex-direction: column; height: 100%; }
.icon {
 width: 52px;
 height: 52px;
 display: grid;
 place-items: center;
 font-size: 1.5rem;
 border-radius: 12px;
 background: var(--surface-2);
 border: 1px solid var(--border);
 margin-bottom: 18px;
}
.features {
 list-style: none;
 padding: 0;
 margin: 14px 0 0;
 display: grid;
 gap: 8px;
}
.features li {
 position: relative;
 padding-left: 20px;
 font-size: 0.9rem;
 color: var(--muted);
}
.features li::before {
 content: '';
 position: absolute;
 left: 0;
 top: 8px;
 width: 8px;
 height: 8px;
 border-radius: 2px;
 background: var(--accent);
}
```

```
}
</style>
```

### 13 frontend/components/StatCounter.vue

VUE SFC

```
<script setup lang="ts">
defineProps<{
 value: string
 label: string
</script>

<template>
 <div class="stat">
 {{ value }}
 {{ label }}
 </div>
</template>

<style scoped>
.stat {
 text-align: center;
 padding: 24px 16px;
}
.value {
 display: block;
 font-size: clamp(2rem, 4vw, 2.8rem);
 font-weight: 800;
 color: var(--accent);
 letter-spacing: -0.02em;
}
.label {
 display: block;
 margin-top: 6px;
 color: var(--muted);
 font-size: 0.9rem;
}
</style>
```

```
<script setup lang="ts">
withDefaults(
 defineProps<{
 title?: string
 text?: string
 }>(),
 {
 title: 'Ready to hand over the running of your building?',
 text: 'Get a tailored facility management proposal – usually within 48 hours.'
 }
)
</script>

<template>
 <section class="section">
 <div class="container">
 <div class="cta">
 <div class="cta-orb" aria-hidden="true" />
 <div class="cta-copy">
 <h2>{{ title }}</h2>
 <p>{{ text }}</p>
 </div>
 <NuxtLink to="/contact" class="btn btn-primary">Request a Quote</NuxtLink>
 </div>
 </div>
 </section>
</template>

<style scoped>
.cta {
 position: relative;
 overflow: hidden;
 display: flex;
 align-items: center;
 justify-content: space-between;
 gap: 28px;
 flex-wrap: wrap;
 padding: 44px;
 border-radius: var(--radius);
 background: var(--surface);
 border: 1px solid rgba(212, 255, 0, 0.4);
}
.cta-copy { max-width: 60ch; }
.cta-copy h2 { margin-bottom: 8px; }
.cta-copy p { margin: 0; }
.cta-orb {
 position: absolute;
 width: 360px;
 height: 360px;
 right: -120px;
 top: -160px;
 border-radius: 50%;
 background: radial-gradient(circle, rgba(212, 255, 0, 0.18), transparent 65%);
}
```

```
}
</style>
```

```

<script setup lang="ts">
const { featured } = useServices()
const services = featured(3)

const stats = [
 { value: '500+', label: 'Sites managed' },
 { value: '99.98%', label: 'Service uptime' },
 { value: '24/7', label: 'Response cover' },
 { value: '18 yrs', label: 'In operation' }
]

const steps = [
 { n: '01', title: 'Assess', text: 'We audit your site, systems and service needs to build a clear baseline.' },
 { n: '02', title: 'Plan', text: 'A tailored facility plan with schedules, SLAs and transparent pricing.' },
 { n: '03', title: 'Deliver', text: 'Trained teams mobilise, supported by real-time reporting and a single point of contact.' }
]

useHead({ title: 'ProFacility – Integrated Facility Management' })
</script>

<template>
 <div>
 <HeroSection
 eyebrow="Integrated Facility Management"
 title="One partner for a building that runs flawlessly."
 subtitle="ProFacility combines cleaning, maintenance, security, HVAC and energy services into a single, accountable contract – so you can focus on your business."
 />

 <!-- Stats -->
 <section class="section--tight">
 <div class="container">
 <div class="grid grid-4 stats">
 <StatCounter
 v-for="s in stats"
 :key="s.label"
 :value="s.value"
 :label="s.label"
 />
 </div>
 </div>
 </section>

 <hr class="divider" />

 <!-- Featured services -->
 <section class="section">
 <div class="container">
 <div class="section-head">
 What we do
 <h2>Everything your facility needs, under one roof.</h2>
 </div>
 </div>
 </section>
 </div>
</template>

```

```

 <p class="lead">
 Bundle the services you need today and scale up later – all coordinated
 by one dedicated account team.
 </p>
 </div>

 <div class="grid grid-3">
 <ServiceCard v-for="s in services" :key="s.id" :service="s" />
 </div>

 <div class="more">
 <NuxtLink to="/services" class="btn btn-ghost">View all services →</NuxtLink>
 </div>
</div>
</section>

<hr class="divider" />

<!-- How it works -->
<section class="section">
 <div class="container">
 <div class="section-head">
 How it works
 <h2>A simple path to a better-run building.</h2>
 </div>
 <div class="grid grid-3">
 <div v-for="step in steps" :key="step.n" class="card step">
 {{ step.n }}
 <h3>{{ step.title }}</h3>
 <p>{{ step.text }}</p>
 </div>
 </div>
 </div>
</section>

 <CtaBanner />
</div>
</template>

<style scoped>
.stats { align-items: stretch; }
.more { margin-top: 36px; }
.step-n {
 display: block;
 font-size: 1.4rem;
 font-weight: 800;
 color: var(--accent);
 margin-bottom: 10px;
}
</style>

```

```
<script setup lang="ts">
const { all } = useServices()
const services = all()

useHead({ title: 'Services – ProFacility' })
</script>

<template>
 <div>
 <section class="section page-head">
 <div class="container">
 Our Services
 <h1>Complete facility management, tailored to your site.</h1>
 <p class="lead">
 Pick a single service or a fully bundled contract. Every engagement is
 backed by measurable SLAs, trained teams and transparent reporting.
 </p>
 </div>
 </section>

 <hr class="divider" />

 <section class="section">
 <div class="container">
 <div class="grid grid-3">
 <ServiceCard v-for="s in services" :key="s.id" :service="s" />
 </div>
 </div>
 </section>

 <CtaBanner
 title="Not sure which services you need?"
 text="Tell us about your site and we'll recommend the right mix."
 />
 </div>
</template>

<style scoped>
.page-head { padding-bottom: 40px; }
</style>
```

```

<script setup lang="ts">
const values = [
 { icon: '✓', title: 'Accountability', text: 'One contract, one point of contact, and SLAs we report against openly.' },
 { icon: '⚡', title: 'Responsiveness', text: '24/7 cover with rapid mobilisation for planned and reactive work.' },
 { icon: '🌱', title: 'Sustainability', text: 'Energy-efficient operations and responsible sourcing across every site.' },
 { icon: '👥', title: 'People first', text: 'Trained, vetted and fairly-paid teams who take pride in the work.' }
]

useHead({ title: 'About – ProFacility' })
</script>

<template>
 <div>
 <section class="section page-head">
 <div class="container narrow">
 About ProFacility
 <h1>Keeping buildings running for nearly two decades.</h1>
 <p class="lead">
 Founded in 2008, ProFacility began as a small commercial cleaning crew and grew into a full integrated facility management provider. Today we look after more than 500 sites – offices, retail, healthcare, logistics and industrial plants – with the same hands-on care we started with.
 </p>
 </div>
 </section>

 <hr class="divider" />

 <section class="section">
 <div class="container">
 <div class="grid grid-2 split">
 <div>
 Our mission
 <h2>Make facilities effortless for the people who run them.</h2>
 <p>
 Managing a building means juggling dozens of suppliers, contracts and emergencies. We replace that complexity with a single accountable partner – coordinating every trade, schedule and report so our clients can focus on their core business.
 </p>
 <p>
 We invest in our teams and in technology that gives clients full visibility of what’s happening on their sites, when it happens.
 </p>
 </div>
 <div class="panel">
 <div class="metric">500+Sites under management</div>
 <div class="metric">1,200+Trained team members</div>
 <div class="metric">98%Client retention rate</div>
 </div>
 </div>
 </div>
 </section>
 </div>

```

```

 </div>
 </div>
</section>

<hr class="divider" />

<section class="section">
 <div class="container">
 <div class="section-head">
 What we stand for
 <h2>Our values</h2>
 </div>
 <div class="grid grid-4">
 <div v-for="v in values" :key="v.title" class="card value">
 {{ v.icon }}
 <h3>{{ v.title }}</h3>
 <p>{{ v.text }}</p>
 </div>
 </div>
 </div>
</section>

 <CtaBanner />
</div>
</template>

<style scoped>
.narrow { max-width: 760px; }
.page-head { padding-bottom: 40px; }
.split { align-items: center; gap: 48px; }
.panel {
 background: var(--surface);
 border: 1px solid var(--border);
 border-radius: var(--radius);
 padding: 12px;
}
.metric {
 display: flex;
 align-items: baseline;
 justify-content: space-between;
 gap: 16px;
 padding: 22px;
 border-bottom: 1px solid var(--border);
}
.metric:last-child { border-bottom: none; }
.metric strong { font-size: 2rem; color: var(--accent); }
.metric span { color: var(--muted); font-size: 0.92rem; }
.value-icon {
 display: grid;
 place-items: center;
 width: 44px;
 height: 44px;
 border-radius: 12px;
 background: var(--surface-2);
 border: 1px solid var(--border);
 color: var(--accent);
 font-size: 1.2rem;
 margin-bottom: 14px;
}

```

```
}
</style>
```

```

<script setup lang="ts">
const projects = [
 { tag: 'Commercial', title: 'Meridian Office Towers', text: 'Full IFM contract across three Grade-A towers
– cleaning, maintenance, security and HVAC.', metric: '42,000 m²' },
 { tag: 'Healthcare', title: 'Northgate Medical Centre', text: 'Specialist hygiene and compliance-led
cleaning with 24/7 reactive maintenance.', metric: '99.99% uptime' },
 { tag: 'Industrial', title: 'Harbour Logistics Hub', text: 'Grounds, security and plant maintenance for a
24-hour distribution facility.', metric: '24/7 cover' },
 { tag: 'Retail', title: 'Crescent Shopping Plaza', text: 'Daytime cleaning, waste management and
landscaping across a busy retail centre.', metric: '60+ units' },
 { tag: 'Education', title: 'Riverside Campus', text: 'Integrated services for a multi-building university
campus with seasonal scaling.', metric: '12 buildings' },
 { tag: 'Corporate', title: 'Apex Tech HQ', text: 'Energy optimisation and smart-building HVAC controls
cutting running costs.', metric: '-22% energy' }
]

const industries = ['Offices', 'Healthcare', 'Industrial', 'Retail', 'Education', 'Logistics',
'Hospitality', 'Government']

useHead({ title: 'Projects – ProFacility' })
</script>

<template>
 <div>
 <section class="section page-head">
 <div class="container">
 Our Work
 <h1>Trusted across industries and site types.</h1>
 <p class="lead">
 From single-building contracts to multi-site portfolios, here's a sample of
 the facilities we keep running every day.
 </p>
 </div>
 </section>

 <hr class="divider" />

 <section class="section">
 <div class="container">
 <div class="grid grid-3">
 <article v-for="p in projects" :key="p.title" class="card project">
 {{ p.tag }}
 <h3>{{ p.title }}</h3>
 <p>{{ p.text }}</p>
 {{ p.metric }}
 </article>
 </div>
 </div>
 </section>

 <hr class="divider" />

 <section class="section--tight">
 <div class="container">

```

```

 <div class="section-head">
 Industries we serve
 <h2>Sector expertise that travels.</h2>
 </div>
 <div class="chips">
 {{ i }}
 </div>
 </div>
</section>

 <CtaBanner />
</div>
</template>

```

```

<style scoped>
.page-head { padding-bottom: 40px; }
.project { display: flex; flex-direction: column; height: 100%; }
.tag {
 align-self: flex-start;
 font-size: 0.72rem;
 text-transform: uppercase;
 letter-spacing: 0.1em;
 font-weight: 700;
 color: var(--accent-ink);
 background: var(--accent);
 padding: 4px 10px;
 border-radius: 999px;
 margin-bottom: 14px;
}
.project .metric {
 margin-top: auto;
 padding-top: 14px;
 font-weight: 700;
 color: var(--accent);
}
.chips { display: flex; flex-wrap: wrap; gap: 12px; }
.chip {
 padding: 10px 18px;
 border-radius: 999px;
 background: var(--surface);
 border: 1px solid var(--border);
 font-size: 0.92rem;
 transition: border-color var(--transition), color var(--transition);
}
.chip:hover { border-color: var(--accent); color: var(--accent); }
</style>

```

```
<script setup lang="ts">
const { all } = useServices()
const serviceOptions = all()

interface Form {
 name: string
 email: string
 company: string
 service: string
 message: string
}

const form = reactive<Form>({
 name: '',
 email: '',
 company: '',
 service: '',
 message: ''
})

const errors = reactive<Record<string, string>>({})
const submitted = ref(false)
const sending = ref(false)

function validate(): boolean {
 Object.keys(errors).forEach((k) => delete errors[k])
 if (!form.name.trim()) errors.name = 'Please enter your name.'
 if (!/^^[^@\\s]+@[^@\\s]+\\.^[^@\\s]+$/\\.test(form.email)) errors.email = 'Enter a valid email address.'
 if (!form.message.trim()) errors.message = 'Tell us a little about your needs.'
 return Object.keys(errors).length === 0
}

async function submit() {
 if (!validate()) return
 sending.value = true
 // No backend – simulate an async submit, then show success state.
 await new Promise((r) => setTimeout(r, 600))
 sending.value = false
 submitted.value = true
}

function reset() {
 Object.assign(form, { name: '', email: '', company: '', service: '', message: '' })
 submitted.value = false
}

useHead({ title: 'Contact – ProFacility' })
</script>

<template>
 <div>
 <section class="section page-head">
 <div class="container">
 Contact
 </div>
 </section>
 </div>
</template>
```

```

<h1>Let's talk about your facility.</h1>
<p class="lead">
 Tell us about your site and what you need. We typically reply within one
 business day with a tailored proposal.
</p>
</div>
</section>

<hr class="divider" />

<section class="section">
 <div class="container">
 <div class="grid grid-2 layout">
 <!-- Contact info -->
 <aside class="info">
 <div class="info-item">
 <h4>Email</h4>
 hello@profacility.com
 </div>
 <div class="info-item">
 <h4>Phone</h4>
 +1 (800) 555-1234
 </div>
 <div class="info-item">
 <h4>Office</h4>
 <p>221 Industrial Ave, Suite 4
Springfield, USA</p>
 </div>
 <div class="info-item">
 <h4>Hours</h4>
 <p>Mon-Fri 8am-6pm
24/7 emergency line for clients</p>
 </div>
 </aside>

 <!-- Form -->
 <div class="card form-card">
 <form v-if="!submitted" novalidate @submit.prevent="submit">
 <div class="field">
 <label for="name">Name *</label>
 <input id="name" v-model="form.name" type="text" placeholder="Jane Doe" />
 <small v-if="errors.name" class="err">{{ errors.name }}</small>
 </div>

 <div class="row">
 <div class="field">
 <label for="email">Email *</label>
 <input id="email" v-model="form.email" type="email" placeholder="jane@company.com" />
 <small v-if="errors.email" class="err">{{ errors.email }}</small>
 </div>
 <div class="field">
 <label for="company">Company</label>
 <input id="company" v-model="form.company" type="text" placeholder="Company Ltd." />
 </div>
 </div>

 <div class="field">
 <label for="service">Service of interest</label>
 <select id="service" v-model="form.service">
 <option value="">Select a service...</option>

```

```
<option v-for="s in serviceOptions" :key="s.id" :value="s.title">{{ s.title }}</option>
<option value="Bundled / Full IFM">Bundled / Full IFM</option>
</select>
</div>

<div class="field">
 <label for="message">Message *</label>
 <textarea id="message" v-model="form.message" rows="5" placeholder="Tell us about your site
and needs..." />
 <small v-if="errors.message" class="err">{{ errors.message }}</small>
</div>

<button type="submit" class="btn btn-primary" :disabled="sending">
 {{ sending ? 'Sending...' : 'Send message' }}
</button>
</form>

<!-- Success state -->
<div v-else class="success">
 <div class="check"></div>
 <h3>Thanks, {{ form.name }}!</h3>
 <p>Your message has been received. Our team will be in touch within one business day.</p>
 <button class="btn btn-ghost" @click="reset">Send another message</button>
</div>
</div>
</div>
</div>
</section>
</div>
</template>

<style scoped>
.page-head { padding-bottom: 40px; }
.layout { gap: 48px; align-items: start; }

.info-item { margin-bottom: 28px; }
.info-item h4 {
 font-size: 0.78rem;
 text-transform: uppercase;
 letter-spacing: 0.12em;
 color: var(--accent);
 margin-bottom: 6px;
}
.info-item a, .info-item p { color: var(--text); margin: 0; }

.form-card { padding: 32px; }
.field { margin-bottom: 18px; display: flex; flex-direction: column; }
.row { display: grid; grid-template-columns: 1fr 1fr; gap: 16px; }
@media (max-width: 560px) { .row { grid-template-columns: 1fr; } }

label { font-size: 0.85rem; margin-bottom: 6px; color: var(--text); }
input, select, textarea {
 width: 100%;
 padding: 12px 14px;
 border-radius: var(--radius-sm);
 background: var(--bg);
 border: 1px solid var(--border);
 color: var(--text);
```

```

font-family: inherit;
font-size: 0.95rem;
transition: border-color var(--transition), box-shadow var(--transition);
}
input:focus, select:focus, textarea:focus {
 outline: none;
 border-color: var(--accent);
 box-shadow: 0 0 0 3px rgba(212, 255, 0, 0.15);
}
textarea { resize: vertical; }
.err { color: #ff6b6b; font-size: 0.8rem; margin-top: 5px; }

.success { text-align: center; padding: 28px 8px; }
.check {
 width: 64px;
 height: 64px;
 margin: 0 auto 18px;
 display: grid;
 place-items: center;
 border-radius: 50%;
 background: var(--accent);
 color: var(--accent-ink);
 font-size: 2rem;
 font-weight: 800;
}
.success p { margin-bottom: 22px; }
</style>

```

## 20 frontend/public/favicon.svg

SVG

```

<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 64 64">
 <rect width="64" height="64" rx="14" fill="#1e1e1e"/>
 <path d="M18 44V20h12a8 8 0 0 1 0 16h-6v8z" fill="#d4ff00"/>
 <rect x="24" y="26" width="6" height="4" rx="1" fill="#1e1e1e"/>
</svg>

```