




System Requirements

- Windows 10 or newer

Github Link: <https://github.com/jason-holmes42/moderation-bot>


To start a new chat replay provider

1. From the File menu, select 'Start New Provider'. You may also use the hotkey CTRL+N.
2. Choose a density of messages for the chat. High density results in a fast chat, while low density results in a slow chat.
3. In the Platform Identity field, enter a username. Note: Your username may not contain a space (' ') character.
4. Press OK.
5. A new provider window will open and the chat replay will begin.



To change interface language



1. From the Language/言語 menu, select the language you would like the interface to be in. This change will not persist after you close the program.



To interact with chat

The messages you send are treated as any other message in chat so that you may observe how the bot reacts.

1. After starting a new provider, enter your message into the text box at the bottom of the window.
2. Press 'Send' or press the Enter key.



To change the bot's behavior

You may interact with the bot by sending messages to chat in the provider window. The bot begins with the following commands pre-configured. Please note that commands are not case sensitive:

- **!uptime** - See how long it has been since the beginning of the stream.
- **!test** - A custom command with a specific response.
- **!filter <add/remove/update> <filterString> [<warning/timeout/ban>]** - Create, edit, and remove filter rules. e.g., **!filter add legends timeout**

You may add any sequence of characters as a filterString. You may also use regular expressions to create a powerful filter. When using **remove** you do not need to include **ban**, **timeout**, or **warning**.



- **!command <add/remove/update> <commandString> [<response>]** - Create, edit, and remove custom commands. e.g., **!command remove test**
- **!permissions <set/remove> <user> [<none/regular/moderator/admin>]** - Adjust a user's permissions level. e.g., **!permissions remove CommandTest**

A user's permissions level dictates what commands they may access. It also determines if the filter will take action against them or if their commands will be stopped due to being on cooldown. When using **remove** you do not need to include a permissions level.

Notes

Permissions: Some commands require the user to have adequate permissions to function. **!command** and **!filter** require the user have at least Moderator level permissions. **!permissions** requires that the user have a permissions level higher than both the target user and the target permissions level. From lowest permissions to highest, the different permissions levels are 'None', 'Regular', 'Moderator', and 'Admin'. If a user's permissions are not set, they are treated as None. Messages you enter into the chat box have Broadcaster level permissions. This is a special permissions level that may execute any command and is not configurable.

Cooldowns: When a command is used, it may not be used again for a certain period of time. Users with at least Moderator permissions are exempt from this cooldown. This cooldown period is determined by the type of command:

- Admin commands like **!command** and **!filter** have no cooldown.
- Core functionality commands like **!uptime** have a 5 second cooldown.
- Custom commands like **!test** or any that you add have a 15 second cooldown.

Any changes you make to the bot's behavior persist between replays or starting the program again. Here are a few commands that will allow you to observe different behaviors:

- **!permissions remove commandtest** - If you enter this and start a new chat replay, it will allow you to see what happens when a user attempts to use commands for which they do not have permission, or if they use a command that is on cooldown.
- **!command remove test** - If you enter this and start a new chat replay, it will allow you to observe how a user adds new commands.