Benchmark checklist

Genie deployment guide. Last verified 17 Oct 2026.

4.1 Build the benchmark suite

A benchmark is a question paired with the SQL that answers it correctly. Cover the 15 to 20 questions users are most likely to ask, with two to four phrasings each: roughly 30 to 80 benchmarks. An Agent supports up to 500. Use the auto-suggested benchmarks to seed the set. Cover these categories:

- Simple aggregations: “What is total revenue?”
- Time-based queries: “How did sales compare month over month?”
- Filtered queries: “Show me only enterprise customers.”
- Multi-table joins: “Which products did our top customers buy?”
- Top-N rankings: “Who are our top 10 accounts by revenue?”
- Complex business logic: “What is our customer churn rate?”

Benchmarks run as independent conversations without threaded context. In chat mode a result counts as good when the SQL matches exactly or the result set matches, allowing for different sorting and rounding to the same four significant digits.

4.2 Run and read results

Run the suite after every significant change to instructions or data, and track the score over time. The benchmark evaluation commands are in Beta and may change.

```
                                                NOT RUN AGAINST A WORKSPACE
# Start a benchmark run, then read it back (Beta commands)
databricks genie genie-create-eval-run 01ef000000000000000000000000000 -
-profile <profile>
databricks genie genie-get-eval-run 01ef000000000000000000000000000
<eval-run-id> --profile <profile>
databricks genie genie-list-eval-results 01ef000000000000000000000000000
<eval-run-id> --profile <profile>
```

THE 80% GATE

Field guidance is to hold an Agent at about 80% benchmark accuracy before promoting it. This number is not in the public documentation, so treat it as a starting

point and set the threshold per use case. Below the gate, an Agent is not ready regardless of how it feels in a demo.

4.3 Technical validation

The Agent owner and other editors use the Agent themselves for 1 to 2 weeks (field-recommended), adjusting context and re-running benchmarks as new questions arise. Check that:

- [ ] The Agent uses as few tables as possible, keys are set, and column names and descriptions are clear and in the language users prefer.
- [ ] Entity matching covers prompts that differ from stored values.
- [ ] Ten or more example SQL queries cover the most common questions, parameterised where possible.
- [ ] Measures, filters and dimensions that can be structural are SQL expressions, not prose.
- [ ] Benchmarks hold the accuracy target across the validation period.

4.4 Business validation

Onboard about five business power users, preferably those who defined the scope. Temporary workspace access with SQL entitlements and permission to run the Agent is enough; the full access setup comes in Step 05. Run this for 1 to 2 weeks (field-recommended). Major changes restart the timer.

EVIDENCE	EXIT WHEN
Technical validation	Benchmarks at the target for 1 to 2 weeks and editors have used the Agent for 1 to 2 weeks
Business validation	Power users tested for 1 to 2 weeks with no major changes needed, and critical feedback is resolved

Expect to keep reviewing feedback for the life of the Agent. Steps 05 and 06 can run in parallel with business validation.