


Best Practices for Curating and Managing Genie Spaces



Agenda

| What is Genie?

| Best Practices – Genie Curation

| **NEW!** Introducing Knowledge Store

| Best Practices – Managing a Space

| Live Demo

| What's Coming + Q&A




What is AI/BI Genie?



Databricks AI/BI


Intelligent analytics
for everyone

Powered by Databricks SQL



Dashboards

Fast and secure
visual insights for your
entire organization



Genie

Talk with your data
using natural
language

Governed and secured with Unity Catalog



AI/BI Genie

Talk with your data

Conversational analytics

Ask questions in natural language and get answers immediately

AI tailored to your business


Genie incorporates unique context for your data from the broader platform

Governed and secure


Fully governed data, with results secured by your Unity Catalog policies

Accessible anywhere

Embed in custom apps via APIs, pair with AI/BI Dashboards



Tailor Genie for **your data and business**



Leverage context from platform metadata


Pick concise topics; Genie learns from existing metadata from the Databricks platform

The screenshot shows the 'SQL queries & functions' interface in Genie. It lists several queries with their names and types. The queries are designed to answer specific business questions about sales data.

Name	Type
what were the biggest closed deals in X and who were th	Query
which sales reps converted open opportunities to closed	Query
which mid market accounts have generated the most sal	Query
who are my most active sales reps in 2024	Query
Which industries have the highest win rates?	Query
what is the conversation rate of all accounts	Query
dataroom_sample_views_foobar.shared_views.open_op	Function

Enrich understanding with space-level semantics

Authors can fine tune each Genie Space via example SQL, text instructions, etc



Iterate based on user feedback

End user feedback tracked in the Monitoring, evaluate your spaces with Benchmarks




Best practices for curating a space



Start with focused, documented data

Table metadata is the most effective context



The screenshot shows a data catalog interface for a table named 'accounts'. The interface has a header with a back arrow, a table icon, the name 'accounts', and a link icon. Below the header are two tabs: 'Overview' (selected) and 'Instructions'. The table metadata is displayed in a list of rows, each with a column name, a description, and example values. The 'id' column is highlighted as the primary key.

accounts	
name	Unique identifier for the account, allowing easy reference and distinction between ... Example values: Value dictionary
industry	Represents the industry sector the account belongs to, providing context for the a... Example values: Value dictionary
id	Primary key A unique identifier for the account, allowing easy reference and distinction between...
TYPE	Represents the type of account, providing information about the account's nature ... Example values: Value dictionary
region__c	Specifies the geographical region the account is located in, allowing for targeted m... Example values: Value dictionary

Focused Datasets

Focused and non-conflicting datasets is key to Genie's ability to generate accurate SQL

Leverages Unity Catalog Metadata

Table/column descriptions, Primary/Foreign Key relationships, column stats **NEW!**, example values **NEW!**

NEW! Value Dictionaries

Genie maps misphrased or alternative prompt values to the correct data values to return accurate results

Next, teach Genie SQL logic

Example SQL Queries

Example SQL is applied dynamically to guide Genie on relevant user prompts

Add a natural language question that reflects what a business user would ask

NEW! Data Intelligence Platform will now suggest popular queries to authors

Review Suggested Queries

Review each suggested query, then accept or reject it. For each accepted query, provide a question-style title that describes what the query answers. Accepted queries will be included in your room instructions.

^ Filtered usage data for MODEL_SERVING

✓ Accept ✗ Reject

Title

Enter a question that best describes what this query answers (e.g., 'What is the revenue for this year?')

What is the usage data for MODEL_SERVING with specific filters?

Code

```
SELECT
*
from
system.billing.usage
WHERE
billing_origin_product = "MODEL_SERVING"
```

... 4 more lines

Source

SQL Query

▼ Usage statistics for LAKEFLOW_CONNECT

✓ Accept ✗ Reject

▼ Usage data for MODEL_SERVING with warehouse ID

✓ Accept ✗ Reject

9

Finally, add General Instructions

ONLY add when example SQL or table metadata isn't possible

Do's

✓ Teach Genie when to ask clarifications

Help Genie understand when user prompts are missing necessary context

✓ Add formatting instructions

Teach Genie how to format numeric results, which language to respond in, or how many rows to include

✓ Concise and direct

Text should be phrased as explicit directions "When the user... make sure to...", "Always include..."

✓ Organize as a list

Use dashes/asterisks to make instructions easier for collaboration and for Genie to understand

Don'ts

✗ Don't overload text

Text isn't filtered by prompt; this uses context space and makes conflicting context more likely

✗ Avoid conflicting instructions

Like telling a new data analyst two ways to answer the same question—it'll confuse the LLM

✗ Don't enumerate column values

This wastes context space; value dictionaries and example values are more effective

✗ Don't add SQL logic as text

Prioritize Example SQL and SQL Primitives (COMING!) to teach Genie SQL logic



Introducing Knowledge Store

We heard curating Genie was challenging because...

Lack of Permissions – users often didn't have access to update table metadata or to join data into Materialized Views

Clarity of Instructions – users often added conflicting, overloaded text instructions that confused Genie

Introducing Knowledge Store

Edit Metadata Locally – users can now modify local versions of table metadata within their Genie space

New Instruction Types – a set of structured, fine-grained instruction formats for authors

NEW!

Knowledge Store: Local Data Prep

NEW! Hide Columns


Hide unnecessary/conflicting columns from Genie without needing to create new Materialized Views

NEW! Edit Table + Column Descriptions Locally

Local table/column descriptions enable quick iteration and work around permission limits


NEW! Add Column Synonyms

Column names are often cryptic – natural language references help Genie understand them




Leverage UC Metrics

Before: Everyone Has a Different Answer



Inconsistent definitions. No trust, no governance.

After: One Metric, One Answer, Everywhere



Defined once in Unity Catalog, trusted everywhere

COMING!

Suggested Instructions

The screenshot shows the Databricks Genie interface within the 'Prod Sales Opportunity Space'. A search bar at the top contains the query 'show me TGS in emea for FY2025'. Below the search bar, a text box explains the query: 'Manually edited This query retrieves the list of users from the EMEA region who are associated with the fiscal year 2025. The data is compiled by filtering the teams based on their region and matching it with the relevant fiscal period. big_rock_opportunity accounts'. A table with one row and two columns is displayed, showing '1.2 total_sales' and the value '3,244,761.4'. Below the table, a feedback prompt asks 'Is this correct? Your response makes Genie better over time.' with buttons for 'Yes', 'Fix it', and 'Request review'. At the bottom, there are three suggested queries: 'What are the sales opportunities in EMEA for FY2025?', 'How many accounts are there in EMEA for FY2025?', and 'What is the...'. A 'Deep Research' button is also visible.

databricks Search data, notebooks, recents, and more... demo

Prod Sales Opportunity Space

+ New chat History Configure Monitoring Share

show me TGS in emea for FY2025

Manually edited This query retrieves the list of users from the EMEA region who are associated with the fiscal year 2025. The data is compiled by filtering the teams based on their region and matching it with the relevant fiscal period. big_rock_opportunity accounts

1 row Add as instruction Show code

	1.2 total_sales
1	3,244,761.4

Is this correct? Your response makes Genie better over time. Yes Fix it Request review

What are the sales opportunities in EMEA for FY2025? How many accounts are there in EMEA for FY2025? What is the...

Ask your question... Deep Research

Always review the accuracy of responses.



Evaluate with Benchmarks

TO DO: Check

Add benchmarks questions and their gold standard SQL answers

Evaluations compare Genie results against gold standard SQL

Continuously evaluate your space as you make improvements

Sales Opportunities ☆ > Benchmarks

+ New chat ⌚ History ⚙️ Configure 📊 Monitoring 🗑️ Share

Evaluations >

May 12, 2025, 14:58:02

100% accurate (10/10)

which mid market accounts...

top 10 customers this year?

top 10 customers by sales in...

Give me top 10 customers by...

which mid market accounts...

Which accounts have we...

Who is my largest customer in...

who are my most active sales...

Who is my best rep in asia by...

Who are my best 5 salespeopl...

which mid market accounts have generated the most sales globally?

Assessment: Good

Question

which mid market accounts have generated the most sales globally?

Response

Model output SQL

```
SELECT
  a.name AS account_name,
  ROUND(SUM(o.amount), 2) AS total_sales
FROM
  acme_co_sales.big_rocks_schema.accounts a
  JOIN acme_co_sales.big_rocks_schema.big_o o
    ON a.id = o.accountid
WHERE
  o.stagename = '5. Closed Won'
  AND a.company_size_segment__c = 'MM'
GROUP BY
  a.name
ORDER BY
  total_sales DESC
LIMIT 5
```

	account_name	total_sales
1	Pixope	189,887.21
2	Meeveo	181,775.7
3	Kwilith	167,665.4
4	Mynte	160,457.99
5	Rhybox	153,010.17

Ground truth SQL

```
SELECT
  a.name AS account_name,
  ROUND(SUM(o.amount), 2) AS total_sales
FROM
  acme_co_sales.big_rocks_schema.accounts a
  JOIN acme_co_sales.big_rocks_schema.big_o o
    ON a.id = o.accountid
WHERE
  o.stagename = '5. Closed Won'
  AND a.company_size_segment__c = 'MM'
GROUP BY
  a.name
ORDER BY
  total_sales DESC
LIMIT 5
```

	account_name	total_sales
1	Pixope	189,887.21
2	Meeveo	181,775.7
3	Kwilith	167,665.4
4	Mynte	160,457.99
5	Rhybox	153,010.17



Best practices for managing a space



Genie Rollout Plan



Self-Validation

Identify 10–20 key business questions and teach Genie to answer them accurately

Test Genie on ad-hoc questions yourself as they come and adjust instructions as needed



Staged Rollout

Stage the rollout to a small group of trusted users first and slowly expand to more

Guide users on what to ask (pair w/ dashboards, starter questions, guides). Follow API best practices.




Ongoing Iteration

Track user prompts and feedback via the Monitoring tab and Genie Audit Logs

Add questions to benchmarks, improve Genie context, rerun benchmarks, repeat



Pair Genie with Dashboards



Guide Business Users

Dashboards provide business users with context on the available data and KPIs for ad-hoc analysis

Directly Ask Follow Ups

Users can select specific dashboard charts and ask follow up questions to Genie

NEW! Uncover "Why"

Top drivers give explain why an observed increase/decrease happened

Manage User Feedback

Sales Genie ☆ > **Monitoring** + New chat History Configure Monitoring Share ⋮

History of the activities within your space. Understand the errors, feedback, and results the space is returning.

Last 90 days 📅 Rating: Negative ⬇️ Request User Status [Reset filters](#)

Question	Rating	Request	Comment	User	Created	Last u...
✓ show me all opport... ⓘ	👎 Bad		just show me the top 10...	👤 Ha...	May 27...	May 27...
✓ unstack the bar chart ⓘ	👎 Bad			👤 mar...	Apr 23...	Apr 23...
✓ Biggest open oppor... ⓘ	👎 Bad			👤 Ach...	Apr 09...	Apr 09...
✓ Biggest open oppor... ⓘ	👎 Bad			👤 fare...	Apr 05...	Apr 05...
✗ Biggest open oppor... ⓘ	👎 Bad			👤 ste...	Apr 02...	Apr 02...
✓ Open pipeline for th... ⓘ	👎 Bad		Fix the error	👤 Sid...	Mar 17...	Mar 17...
✓ show me all my ope... ⓘ	👎 Bad		closed opportunities are also bei...	👤 Ha...	Mar 12...	May 27...
✓ show me all the dat... ⓘ	👎 Bad			👤 Ha...	Mar 12...	Mar 12...
✓ how many salespeo... ⓘ	👎 Bad			👤 Ha...	Mar 12...	Mar 12...
✓ What is the average... ⓘ	👎 Bad			👤 Ha...	Mar 03...	Mar 03...
✓ how many salespeo... ⓘ	👎 Bad			👤 Mir...	Mar 01...	Apr 25...

Monitoring Tab

Track usage and feedback to guide improvements. Thumbs up/down don't auto-update the space; authors review first.

Genie Audit Logs

Set up [Alerts](#) to trigger email notifications on specific actions (request review, thumbs down, etc)

Continuous Improvement

Add new questions to Benchmarks, improve Genie context, rerun Benchmarks, repeat



Conversation APIs Best Practices

- **Implement request queuing:** Avoid exceeding throughput limits with a queuing system, as the API doesn't manage request retries.
- **Poll for status updates every 5–10 seconds:** Continue polling until a conclusive message status (COMPLETED, FAILED, or CANCELLED). Limit polling to 10 minutes for most queries.
- **Use exponential backoff after 2 minutes:** If no response is received within 2 minutes, apply exponential backoff to improve reliability.
- **Start a new conversation for each session:** Avoid reusing conversation threads across sessions, as this can reduce accuracy due to unintended context reuse.



What's Coming Next?



Roadmap Investments

1

Answer Quality

- SQL Expression Primitives
- Suggested Instructions
- Value Dictionaries – GA
- Clarification question behavior
- Improved auto-viz quality
- Improved latency

2

Productionalization

- Conversations API – GA
- CRUD operation APIs
- Monitoring via System Table/API
- Genie Agent Wrapper
- Export/Import
- Draft/Publish mode

3


Consumer Usability

- Improved answer explanations
- Editable filter dropdowns
- Trust/confidence labels
- Visualizations via API
- Thumbs Up/Down via API
- Genie deep research

Best Practices for Curating and Managing Genie Spaces

Hanlin Sun Shah Amini

June 12, 2025



Agenda

What is Genie?

Best Practices – Genie Curation

NEW! Introducing Knowledge Store

Best Practices – Managing a Space

Live Demo

What's Coming + Q&A




What is AI/BI Genie?



Databricks AI/BI


Intelligent analytics
for everyone

Powered by Databricks SQL



Dashboards

Fast and secure
visual insights for your
entire organization



Genie

Talk with your data
using natural
language

Governed and secured with Unity Catalog



AI/BI Genie

Talk with your data

Conversational analytics

Ask questions in natural language and get answers immediately

AI tailored to your business


Genie incorporates unique context for your data from the broader platform

Governed and secure


Fully governed data, with results secured by your Unity Catalog policies

Accessible anywhere

Embed in custom apps via APIs, pair with AI/BI Dashboards



Tailor Genie for **your data and business**



Leverage context from platform metadata

Pick concise topics; Genie learns from existing metadata from the Databricks platform

The screenshot shows the 'SQL queries & functions' interface in Genie. It lists several queries with their names and types. The queries are designed to answer specific business questions about sales data.

Name	Type
what were the biggest closed deals in X and who were th	Query
which sales reps converted open opportunities to closed	Query
which mid market accounts have generated the most sal	Query
who are my most active sales reps in 2024	Query
Which industries have the highest win rates?	Query
what is the conversation rate of all accounts	Query
dataroom_sample_views_foobar.shared_views.open_op	Function

Enrich understanding with space-level semantics

Authors can fine tune each Genie Space via example SQL, text instructions, etc

The screenshot shows the 'Genie' interface with a user feedback section and a table of churned customers. The feedback section includes a user's question and Genie's response. The table shows the number of churned customers by territory.

Employee_Territory	churned_customers
1 Central	121
2 Northeast	118
3 Canada	105
4 Southwest	104

Iterate based on user feedback

End user feedback tracked in the Monitoring, evaluate your spaces with Benchmarks



“Executives can instantly find out how Game X is selling in China over the last three months compared to the year prior, and immediately get actionable insights without waiting for interdepartmental emails”

— Francis Hart, VP of Data and AI, SEGA



“Genie is changing how we empower teams at HP. With its intuitive natural language interface, we’re enabling users to instantly access critical data, no coding required, making data-driven insights faster and more efficiently.”

**— Bruce Hillsberg, VP, Data Engineering and Insights,
HP**




Best practices for curating a space



Start with focused, documented data

Table metadata is the most effective context



The screenshot shows a data catalog interface for a table named 'accounts'. The interface has a header with a back arrow, a table icon, the name 'accounts', and a link icon. Below the header are two tabs: 'Overview' (selected) and 'Instructions'. The main content area lists five columns, each with a data type icon (A^B_C), a name, a description, and an 'Example values' button. The 'id' column is highlighted as the 'Primary key' with a red box and a 'PK' label. Each column entry also has a vertical ellipsis menu icon to its right.

accounts	
Overview	Instructions
A^B_C	name
Unique identifier for the account, allowing easy reference and distinction between ...	
Example values Value dictionary	
A^B_C	industry
Represents the industry sector the account belongs to, providing context for the a...	
Example values Value dictionary	
A^B_C	id Om PK Primary key
A unique identifier for the account, allowing easy reference and distinction between...	
A^B_C	TYPE
Represents the type of account, providing information about the account's nature ...	
Example values Value dictionary	
A^B_C	region__c
Specifies the geographical region the account is located in, allowing for targeted m...	
Example values Value dictionary	

Focused Datasets

Focused and non-conflicting datasets is key to Genie's ability to generate accurate SQL

Leverages Unity Catalog Metadata

Table/column descriptions, Primary/Foreign Key relationships, column stats **NEW!**, example values **NEW!**

NEW! Value Dictionaries

Genie maps misphrased or alternative prompt values to the correct data values to return accurate results

Next, teach Genie SQL logic

Example SQL Queries

Example SQL is applied dynamically to guide Genie on relevant user prompts

Add a natural language question that reflects what a business user would ask

NEW! Data Intelligence Platform will now suggest popular queries to authors

Review Suggested Queries

Review each suggested query, then accept or reject it. For each accepted query, provide a question-style title that describes what the query answers. Accepted queries will be included in your room instructions.

^ Filtered usage data for MODEL_SERVING

✓ Accept ✗ Reject

Title

Enter a question that best describes what this query answers (e.g., 'What is the revenue for this year?')

What is the usage data for MODEL_SERVING with specific filters?

Code

```
SELECT
*
from
system.billing.usage
WHERE
billing_origin_product = "MODEL_SERVING"
```

... 4 more lines

Source

SQL Query

▼ Usage statistics for LAKEFLOW_CONNECT

✓ Accept ✗ Reject

▼ Usage data for MODEL_SERVING with warehouse ID

✓ Accept ✗ Reject



Finally, add General Instructions

ONLY add when example SQL or table metadata isn't possible

Do's

✓ Teach Genie when to ask clarifications

Help Genie understand when user prompts are missing necessary context

✓ Add formatting instructions

Teach Genie how to format numeric results, which language to respond in, or how many rows to include

✓ Concise and direct

Text should be phrased as explicit directions "When the user... make sure to...", "Always include..."

✓ Organize as a list

Use dashes/asterisks to make instructions easier for collaboration and for Genie to understand

Don'ts

✗ Don't overload text

Text isn't filtered by prompt; this uses context space and makes conflicting context more likely

✗ Avoid conflicting instructions

Like telling a new data analyst two ways to answer the same question—it'll confuse the LLM

✗ Don't enumerate column values

This wastes context space; value dictionaries and example values are more effective

✗ Don't add SQL logic as text

Prioritize Example SQL and SQL Primitives (COMING!) to teach Genie SQL logic



Introducing Knowledge Store

We heard curating Genie was challenging because...

Lack of Permissions – users often didn't have access to update table metadata or to join data into Materialized Views

Clarity of Instructions – users often added conflicting, overloaded text instructions that confused Genie

Introducing Knowledge Store

Edit Metadata Locally – users can now modify local versions of table metadata within their Genie space

New Instruction Types – a set of structured, fine-grained instruction formats for authors

NEW!

Knowledge Store: Local Data Prep

NEW! Hide Columns


Hide unnecessary/conflicting columns from Genie without needing to create new Materialized Views

NEW! Edit Table + Column Descriptions Locally

Local table/column descriptions enable quick iteration and work around permission limits

NEW! Add Column Synonyms

Column names are often cryptic – natural language references help Genie understand them



Knowledge Store: Table Relationships

Define join relationship

Left Table

accounts

ⓘ Alias: **accounts**

Right Table

opportunity

ⓘ Alias: **opportunity**

Join condition

accounts.id = opportunity.accountid

Join Type

INNER

Cancel

Save

Leverages PK/FK Definitions

Genie automatically uses Primary Key/Foreign Key relationships defined on Unity Catalog assets

COMING! Define JOINS Locally

If you can't add Primary/Foreign Keys, or the table relationships are complex, define them in Genie

COMING! Suggested JOIN Relationships

Based on your previous queries and notebooks, Genie will suggest JOIN relationships

COMING!

Knowledge Store: SQL Expressions

Intuitive Authoring

Structured inputs guide authors to add clearer, more complete context

Denser Context

SQL expressions capture business context more efficiently and use less context space

Enhances Genie's RAG

Structured inputs replaces general text, enabling more selective context per prompt

New calculated measure MEASURE X

Name
A logical name for referring to this measure.

Code
A SQL expression using aggregation functions to calculate a measure across multiple rows from this table.

Synonyms
Add common ways, separated by commas, of referring to this measure in natural, colloquial language.

Instructions
Add specific instructions to this column.

Cancel Save



COMING!

Suggested Instructions

The screenshot shows the Databricks Genie interface within the 'Prod Sales Opportunity Space'. At the top, there's a search bar and navigation links like 'New chat', 'History', 'Configure', 'Monitoring', and 'Share'. A chat history entry shows a user prompt: 'show me TGS in emea for FY2025'. Below this, a 'Manually edited' note explains the query's purpose: retrieving users from the EMEA region for FY2025, filtered by team region and fiscal period, using tables 'big_rock_opportunity' and 'accounts'. A table with one row is displayed, showing '1.2 total_sales' as 3,244,761.4. Below the table, a feedback prompt asks 'Is this correct? Your response makes Genie better over time.' with buttons for 'Yes', 'Fix it', and 'Request review'. At the bottom, there are suggested follow-up questions and a 'Deep Research' button.

databricks Search data, notebooks, recents, and more... demo

Prod Sales Opportunity Space

+ New chat History Configure Monitoring Share

show me TGS in emea for FY2025

Manually edited This query retrieves the list of users from the EMEA region who are associated with the fiscal year 2025. The data is compiled by filtering the teams based on their region and matching it with the relevant fiscal period. big_rock_opportunity accounts

1 row Add as instruction Show code

	1.2 total_sales
1	3,244,761.4

Is this correct? Your response makes Genie better over time. Yes Fix it Request review

What are the sales opportunities in EMEA for FY2025? How many accounts are there in EMEA for FY2025? What is the...

Ask your question... Deep Research

Always review the accuracy of responses.



Evaluate with Benchmarks

Add benchmark questions and their gold standard SQL answers

Evaluations compare Genie results against gold standard SQL

Continuously evaluate your space as you make improvements

Sales Opportunities ☆ > Benchmarks

+ New chat

History

Configure

Monitoring

Share

Evaluations >

May 12, 2025, 14:58:02

100% accurate (10/10)

which mid market accounts...

top 10 customers this year?

top 10 customers by sales in...

Give me top 10 customers by...

which mid market accounts...

Which accounts have we...

Who is my largest customer in...

who are my most active sales...

Who is my best rep in asia by...

Who are my best 5 salespeopl...

which mid market accounts have generated the most sales globally?

Assessment: Good

Question

which mid market accounts have generated the most sales globally?

Response

Model output SQL

```
SELECT
  a.name AS account_name,
  ROUND(SUM(o.amount), 2) AS total_sales
FROM
  acme_co_sales.big_rocks_schema.accounts a
  JOIN acme_co_sales.big_rocks_schema.big
    ON a.id = o.accountid
WHERE
  o.stagename = '5. Closed Won'
  AND a.company_size_segment__c = 'MM'
GROUP BY
  a.name
ORDER BY
  total_sales DESC
LIMIT 5
```

	account_name	total_sales
1	Pixope	189,887.21
2	Meeveo	181,775.7
3	Kwilith	167,665.4
4	Mynte	160,457.99
5	Rhybox	153,010.17

Ground truth SQL

```
SELECT
  a.name AS account_name,
  ROUND(SUM(o.amount), 2) AS total_sales
FROM
  acme_co_sales.big_rocks_schema.accounts a
  JOIN acme_co_sales.big_rocks_schema.big
    ON a.id = o.accountid
WHERE
  o.stagename = '5. Closed Won'
  AND a.company_size_segment__c = 'MM'
GROUP BY
  a.name
ORDER BY
  total_sales DESC
LIMIT 5
```

	account_name	total_sales
1	Pixope	189,887.21
2	Meeveo	181,775.7
3	Kwilith	167,665.4
4	Mynte	160,457.99
5	Rhybox	153,010.17



Best practices for managing a space



Genie Rollout Plan



Self-Validation

Identify 10–20 key business questions and teach Genie to answer them accurately

Test Genie on ad-hoc questions yourself as they come and adjust instructions as needed



Staged Rollout

Stage the rollout to a small group of trusted users first and slowly expand to more

Guide users on what to ask (pair w/ dashboards, starter questions, guides). Follow API best practices.




Ongoing Iteration

Track user prompts and feedback via the Monitoring tab and Genie Audit Logs

Add questions to benchmarks, improve Genie context, rerun benchmarks, repeat



Pair Genie with Dashboards



Guide Business Users

Dashboards provide business users with context on the available data and KPIs for ad-hoc analysis

Directly Ask Follow Ups

Users can select specific dashboard charts and ask follow up questions to Genie

NEW! Uncover "Why"

Top drivers give explain why an observed increase/decrease happened

Manage User Feedback

Sales Genie ☆ > **Monitoring** + New chat History Configure Monitoring Share ⋮

History of the activities within your space. Understand the errors, feedback, and results the space is returning.

Last 90 days 📅 Rating: Negative ⬇️ Request User Status [Reset filters](#)

Question	Rating	Request	Comment	User	Created	Last u...
✓ show me all opport... ⓘ	👎 Bad		just show me the top 10...	👤 Ha...	May 27...	May 27...
✓ unstack the bar chart ⓘ	👎 Bad			👤 mar...	Apr 23...	Apr 23...
✓ Biggest open oppor... ⓘ	👎 Bad			👤 Ach...	Apr 09...	Apr 09...
✓ Biggest open oppor... ⓘ	👎 Bad			👤 fare...	Apr 05...	Apr 05...
✗ Biggest open oppor... ⓘ	👎 Bad			👤 ste...	Apr 02...	Apr 02...
✓ Open pipeline for th... ⓘ	👎 Bad		Fix the error	👤 Sid...	Mar 17,...	Mar 17,...
✓ show me all my ope... ⓘ	👎 Bad		closed opportunities are also bei...	👤 Ha...	Mar 12...	May 27...
✓ show me all the dat... ⓘ	👎 Bad			👤 Ha...	Mar 12...	Mar 12...
✓ how many salespeo... ⓘ	👎 Bad			👤 Ha...	Mar 12...	Mar 12...
✓ What is the average... ⓘ	👎 Bad			👤 Ha...	Mar 03...	Mar 03...
✓ how many salespeo... ⓘ	👎 Bad			👤 Mir...	Mar 01...	Apr 25...

Monitoring Tab

Track usage and feedback to guide improvements. Thumbs up/down don't auto-update the space; authors review first.

Genie Audit Logs

Set up [Alerts](#) to trigger email notifications on specific actions (request review, thumbs down, etc)

Continuous Improvement

Add new questions to Benchmarks, improve Genie context, rerun Benchmarks, repeat





Conversation APIs Best Practices

- **Implement request queuing:** Avoid exceeding throughput limits with a queuing system, as the API doesn't manage request retries.
- **Poll for status updates every 5–10 seconds:** Continue polling until a conclusive message status (COMPLETED, FAILED, or CANCELLED). Limit polling to 10 minutes for most queries.
- **Use exponential backoff after 2 minutes:** If no response is received within 2 minutes, apply exponential backoff to improve reliability.
- **Start a new conversation for each session:** Avoid reusing conversation threads across sessions, as this can reduce accuracy due to unintended context reuse.



