



v0

AI/BI Genie

Data & AI Blueprint

Mar 2026



Agenda

AI/BI Genie

What is it ? How does it work ?

Configuration

How to setup and configure an effective Genie Space

Usage

How end-users should use AI/BI Genie

Monitoring

Is Genie still answering questions correctly ?



AI/BI Genie

Databricks CoE Support

Genie Build Workshop

1-day workshop focused on setting up a Genie space and make it available for the first Business Stakeholders

Technical and Business stakeholders enabled on how to build effectively and use successfully a Genie Space

Do It Yourself

Technical Stakeholders and Business Stakeholders activate the blueprint by following the steps in this document

Should involve the Databricks CoE for white-glove support, sanity checks, and track value



What is it ? How does it work ?

AI/BI Genie



Databricks AI/BI


Intelligent analytics
for real-world data

Dashboards

Fast and secure visual
insights for your entire
organization

Genie

Converse with your data
through natural
language



Powered by Databricks SQL

Governed and Secured with Unity Catalog



AI/BI Genie

Converse with your data

 [Genie Documentation](#)

Self-service Q&A


Go beyond dashboards and converse with your data in natural language.

AI with data intelligence

Accurate answers from AI with unique knowledge of your data that improves through user feedback.

Governed and secure


Fully governed interactions that adhere to your policies established in Unity Catalog.



AI/BI Genie

How does it work ?

- Compound AI system to interpret business questions, run SQL queries and generate answers
- Combine a curated Knowledge Store with semantics extracted from platform usage
- Contextual understanding from conversation history
- Agentic reasoning, detecting ambiguity and asking for clarifications, increasing users trust



AI/BI Genie

Limits

- You can add up to 25 Unity Catalog tables or views in a space
- You must use Pro or **Serverless** SQL warehouse
- Throughput (per workspace)
 - 20 questions per minute across all spaces from the UI
 - 5 questions per minute using Genie API free tier
- Up to 10,000 conversations, and each conversation can include up to 10,000 messages



Genie Set Up

Collaboration between Technical and Business Stakeholders

Technical Stakeholders

- **Space authors** (domain experts, data analysts, etc.) configure Genie spaces to help Genie translate business questions into analytical queries
- Setup Genie spaces, build knowledge stores and run benchmarks (*Genie Build Workshop*)
- They are the space Owners
- Responsible for monitoring and configuring the space and validating SQL

Business Stakeholders

- **Space consumers** ask questions and generate visualizations to understand operational data
- Represents the main user community of the space
- Review Genie response and provide feedbacks to *Authors* to improve space answers
- Responsible for defining questions for the benchmark and validating responses
- Use Genie UI, Databricks One, Genie API or Genie Managed MCP server



Genie Set Up

Process

 [Genie Set up](#)



Focused Topic + Data

- Bring in well-documented, clean Unity Catalog tables+metadata covering a specific topic



Knowledge Store

- Authors guide and teach Genie how to answer to common questions from Business Stakeholders
- Define instructions, column and table metadata, sample SQL statements
- Alter your Instructions, column metadata, example queries to answer them correctly



Benchmark

- Authors & business users add questions to benchmark
- Test questions in the phrasing that business users would use and evaluate answers
- Make needed improvements to the Knowledge Store



How to setup and configure an effective Genie Space

Configuration

**The following section is meant for
Technical Stakeholders**



Configuration

Prerequisites

1. Unity Catalog Metastore is attached to Workspace
2. Users asking questions need to have SELECT permission on Tables, Views, Functions
3. Users will need to have **Can Use** permission on the SQL Warehouse compute
4. **Partner-powered assistive features** must be enabled at the Account level
5. **Partner-powered assistive features** must be enabled at the Workspace level
 - a. Under Settings > Workspace Admin > Advanced

Partner-powered AI assistive features

Enables access to product features, such as the Databricks Assistant, that use model partner providers for this workspace. Model partners do not access or retain your data.

Default (enabled) ▾

5. [AWS Only] Recommended to enable [Unified Login](#) at the Account Level
6. [Private Preview] – [Share Genie spaces beyond the workspace](#)



Genie Set Up

Process

 [Genie Set up](#)



Focused Topic + Data

- Each Genie space should be topic-specific
- Bring in well-documented, clean Unity Catalog tables+metadata



Knowledge Store

- Authors can guide and teach Genie
- Define instructions, column and table metadata, sample SQL statements
- Alter your Instructions, column metadata, example queries to answer them correctly



Benchmark

- Authors + business users add questions to benchmark
- Test questions in the phrasing that business users would use
- Make needed improvements to Instructions and knowledge store



Focused Topic and Data

Add Data

 [Genie Set up](#)

Connect your data

Genie spaces empower you to uncover meaningful insights from your data. Just upload your datasets, provide instructions, and simply ask your data questions.

For you All

[All catalogs](#) > [genie_spaces_sample_views_test_2](#) > [shared_views](#)

☒

 accounts

☒

 opportunity

☒

 opportunityhistory☒☒☒

Selected: accounts × opportunity × opportunityhistory × period × teams ×

user ×

Cancel Create

- Create a Genie space that maps to a **single topic**
- A topic should be broad enough to encapsulate a meaningful dataset but narrow enough to provide focused insights
- **Start small:** add a focused set of ~5 tables/views (expand after benchmark baseline)
- **Stay focused:** Use (materialized) views to remove unnecessary or duplicative columns, pre-join tables, limit rows or standardize on a single currency (for multi-currency tables)
- **High quality data:** bring in annotated data, with column or table comments containing business-friendly language or example values, PK/FK



Knowledge Store

Metadata customization

Provide local table and column metadata customization without modifying the underlying Unity Catalog data and metadata

- Hide or show relevant columns
- Edit table or column description

 [Knowledge Store - Metadata](#)

<  **accounts** 

Description



This table contains information about accounts. It includes data on the industry, name, type, region, company size segment, service start date, and annual revenue of each account.

☐ Columns (8)

☐ ^A_C **industry**



No description

Format assistance

Entity matching

☒ ^A_C **id**



The unique identifier of the account

Format assistance



Knowledge Store

Prompt Matching

industry ✕

Description
Any edits only apply to this Genie Space, not in Unity Catalog. ↻ Reset

The industry of the account.

Synonyms
Add related keywords, separated by commas, to improve Genie's ability to match user prompts to this column.

^ Advanced

Format assistance 🔛
This helps Genie match the formatting of the column e.g. DDMMYY vs MMDDYY.

Beverages (Production/Distribution), Homebuilding, Food Distributors, Business Services, Aerospace

Entity matching 🔛
Entity matching allows Genie to match values that are most relevant to the user's question. Each Genie space can leverage entity matching for a maximum of 120 string columns. [Learn more](#) 

Cancel Save



Allows Genie to better match columns and values that are more relevant to users' questions.

Format Assistance: understand data types and formatting pattern (date-time format, state or country code, etc.)

Entity Matching: curated list of distinct values (up to 120 columns, 1,024 distinct values and 127 characters)

Enable it in: **Configure** > **Data**, on a single column or selecting multiple columns.

Prompt matching data can be refreshed clicking on the kebab menu  or by selecting multiple columns.



 Text Joins SQL Expressions SQL Queries

Knowledge Store

Join Relationships

 [Join Relationships](#)

Help Genie create accurate JOINS

Specify left table, right table, join condition and table relationship

Joins

Specify the relationships between different tables and how they can be joined together.

Filter ▾

Left table	Right table	Condition
 accounts	 opportunity	<code>`accounts`.`id` = `opportunity`.`account...</code>



Knowledge Store

SQL Expressions

Common SQL Expressions

Define business concepts as SQL expressions.

+ Add

Type	Name	Tables	Code
FILTER	Top Products	knowledge_base	knowledge_base.product_name IN ("Route...
MEASURE	Product Revenue	knowledge_base	COUNT(DISTINCT knowledge_base.id)
DIMENSION	Formatted URL	knowledge_base	"https://" knowledge_base.doc_uri

Synonyms

Add common ways, separated by commas, of referring to this filter in natural, colloquial language.

best products, focus products

Instructions

Add specific instructions to this filter.

Show the company top products

About Data Instructions

Text

Joins

SQL Expressions

SQL Queries



SQL Expressions

Sample **SQL Expression** teach Genie how to address specific common business terms in a structured way.

Synonyms and **instructions** tell Genie when to use them.

Prefer SQL queries to address hard-to-interpret or complex questions

Filters: boolean conditions often used in WHERE clause

Measures: calculate an aggregation over multiple rows

Dimensions: calculate a new value for each row from existing columns



Knowledge Store

SQL Queries

SQL queries & functions

Add example queries that Genie can learn from.

Name

+ Add

Example query

SQL function

What are the MODEL_SERVING usage records with warehouse IDs?

```
1 SELECT
2 *
3 from
4   system.billing.usage
5 WHERE
6   source_origin = "MODEL_SERVING"
7   AND usage_metadata.warehouse_id is not null
8 ORDER BY
9   usage_date desc
10 LIMIT 99
```

Parameters

Usage Guidance

Optional details on how/when this example is relevant

About Data Instructions

Text

Joins

SQL Expressions

SQL Queries



SQL Examples

Example **SQL Queries** show Genie how to generate the correct SQL to help addressing hard-to-interpret or complex questions. Queries can be parametrized, too.

Prefer SQL expressions for common business terms, instead.

Add user-defined table function registered in Unity Catalog to answer question that cannot be covered by a parametrized query.



Focused Topic and Data

General Instructions

- Provide a **limited, focused**, and **well-organised** set of general instructions applicable to all prompts
- **Define** your unique jargon, logic, concepts, KPIs, etc.
- Avoid vague or conflicting instructions
- Instruct Genie on asking clarification questions or customizing summaries

About Data Instructions



Text

Joins

SQL Expressions

SQL Queries



Provide Instructions

General Instructions

Add general instructions on how you want Genie to behave.

- ****Company-specific business information**:**
 - Fiscal year starts in February, for example fiscal year 26 or FY26 is February 1, 2026 through January 31, 2027
- ****Formatting**:**
 - Always respond in Spanish
 - If no other specification exists, round all decimals to two places
 - Omit commas in results for any column including "Id" or "id" or "_id"



Benchmark



What is it?

- It's a way to prove that Genie is answering questions correctly
- It's a way to protect and monitor against drift
- It's a way to do test driven development

How does it work?

- Genie asks each question and compare the answer with the "Ground Truth SQL"
- If the results are exactly the same, it is assessed as **Good**
- If the results are different, it is assessed as **Bad**
- The Ground Truth SQL is not used as an instruction



Benchmark

Create Benchmark


Both **Business Stakeholders** and **Technical Stakeholders** should participate.

Start with the first 5 tables/views and expand later.

Business Stakeholders should create benchmark questions, providing 2 to 4 phrasing for the same question.

The **Technical Stakeholders** can specify the Ground Truth SQL or use the generated one.

+ Add benchmark



The screenshot shows a web interface for managing benchmarks. At the top, there's a '+ Add benchmark' button. Below it, a 'Benchmarks' section contains two tabs: 'Evaluations' and 'Questions (41)'. The 'Questions' tab is active, displaying a table with two columns: 'Question' and 'SQL Answer'. The table lists six benchmark questions, each with a corresponding SQL answer field. To the right of each row are icons for deleting (trash) and editing (pencil) the question or answer. A sidebar on the left contains icons for chat, document, table, error, and settings.

Question	SQL Answer
What are all of the available SKUs, the current list price	
What are all of the photon SKUs and their list prices over	
What SKUs have ever had a price change?	
What are the total DBUs used by date and by SKUs for SQL f	
What is the DBU spend for each workspace by month for SQL?	
What are the total DBUs and total dollars (list price) use	




Benchmark

Run Benchmark

Click on “Run benchmarks” to have Genie cycle through the questions and attempt to answer them.

Each benchmark will an evaluation.

Assessment:



Assessment:



Good – You are done !

Bad – Time to iterate !

The screenshot displays the 'Evaluations' section of the Databricks Genie interface. On the left, a sidebar lists several questions, each with a status icon (green for 'Good', orange for 'Bad'). The main panel shows the details for a specific question: 'What is the monthly DBU usage and total Databricks cost for tag project = dbdemos and tag demo = auto_loader from January until now'. The question is marked as 'Good' with a green star icon. Below the question, the 'Response' section shows the SQL query generated by the model. The 'Ground truth' section indicates 'No benchmark SQL added'. The SQL query is as follows:

```
WITH tagged_usage AS (  
  SELECT  
    DATE_TRUNC('month', usage_date) AS usage_month  
    SUM(usage_quantity) AS total_dbus,  
    SUM(lp.pricing.default * usage_quantity) AS total_cost  
  FROM  
    system.billing.usage u  
    INNER JOIN system.billing.list_prices lp ON u.  
    AND u.sku_name = lp.sku_name  
    AND u.usage_start_time >= lp.price_start_time  
  AND (  
    project_tag = 'dbdemos' OR  
    project_tag = 'auto_loader'  
  )  
)
```



Benchmark

Assessment:

 Bad 

What to do

If a question is assessed as “Bad”, then address it in this order and re-run:

1. Add a Ground Truth SQL
2. Add Example Query
3. Expand Instructions
4. Alter Data Model
5. Add SQL Function



Benchmark

Assessment:

 Bad 

1. Add Ground Truth SQL

If a question does not have Ground Truth SQL against it, then it will always be assessed as **Bad**

You can add the Ground Truth SQL against the question as you build the benchmark, but it is quicker to:

1. Run the benchmark
2. Evaluate the model output
3. Copy-paste, and modify appropriately

If this question is commonly asked by users of an existing BI tool, then copy the generated SQL from the BI tool as a ground truth SQL



Benchmark

2. Add Example Query

Assessment:

👤 Bad ✎

Hanlin Sample Sales Room

This query retrieves the accounts and opportunities that were closed in January 2023 and had updates in the same month. It specifically looks for opportunities that were closed successfully (stagename = '5. Closed Won') and had updates that were not closed won (oh.stagename != '5. Closed Won'). The results are sorted by the closedate of the opportunities.

	account_name	opportunity_name	closedate
1	Jetpulse	Jetpulse - New Business	2023-01-04
2	Topdrive	Topdrive - New Business	2023-01-05
3	Pixonyx	Pixonyx - New Business	2023-01-05
4	Aimbo	Aimbo - New Business	2023-01-06
5	Twinte	Twinte - New Business	2023-01-06
6	Meevee	Meevee - New Business	2023-01-06
7	Feedbug	Feedbug - New Business	2023-01-07
8	Eabox	Eabox - New Business	2023-01-07
9	Brainlounge	Brainlounge - New Business	2023-01-07
10	Oyondu	Oyondu - New Business	2023-01-07
11	Gabvine	Gabvine - New Business	2023-01-08

95 rows

Save as instruction

Hide generated code

```
1 SELECT DISTINCT
2   a.name AS account_name,
3   o.name AS opportunity_name,
4   o.closedate
5 FROM
6   dataroom_sample_views_foobar.shared_views.opportunity o
7 JOIN dataroom_sample_views_foobar.shared_views.opportunityhistory oh ON o.id = oh.o_id
8 JOIN dataroom_sample_views_foobar.shared_views.accounts a ON o.accountid = a.id
9 WHERE
10  o.stagename = '5. Closed Won'
```

- Example SQL Queries directly teach the model how to answer specific questions. **Use parameterized queries** and let the model fill in the values
- If the example queries have **common logic**, use **instructions** instead
- Convert Instructions to example queries derived and calculated columns



Benchmark

Assessment:

Bad

3. Expand Instructions

- Add instructions if they will be helpful to a broad swath of questions.
- For **repetitive formula, complex calculations and using existing available functions in UC** add instruction to use those functions.
- Specify Join relationship if joins are inconsistent or Genie is unaware if join should be inner or outer

Examples:

*For quarters use the
`adventureworks.oneb.get_quarter(date)`*

*After ordering by a metric, be sure to order
by the name too*

Assistant instructions
Add general instructions and example queries on how you want the space assistant to behave.

General Instructions

- win/won opportunities refer to the stagename value "5. Closed Won"
- lost opportunities refer to the stagename value "X. Closed Lost"
- An open opportunity is defined as not being "5. Closed Won" or "X. Closed Lost"
- Sales are calculated only on the opportunities where the stagename is a win/won opportunity. Sales people performance is only evaluated on their won opportunities.
- When users ask for sales reps, they want the name of the sales rep not just the ID
- Expected value of an opportunity is calculated by multiplying the probability by the amount for an opportunity.
- When an user asks about past purchases, check the opportunityhistory for that customer and the number of won opportunity updates there are

Join relationships:

- opportunity.id is the primary key, opportunityhistory.opportunityid is the foreign key
- accounts.id is the primary key, opportunity.accountid is the foreign key. A customer's region info is in the accounts table.

Discard Save

If you think an instruction would only be relevant for a small number of questions, then you should create Example Query instead (previous section)



Benchmark

Assessment:

 Bad 

4. Alter Data Model

You may need to simplify your data model

- Create (materialized) views to reduce the number of columns
 - Too many columns with similar names (*Sales*, *AnnualSales*)
 - Can help if you're hitting the token limit
- Add categorical column values to description (enable or refresh Prompt Matching)
 - If Genie is not getting the query predicate correct
- Genie is not respecting multi-currency
 - Might be better to only expose a single currency value
- Validate if data model can answer the question outside Genie space. There could be a data issue or a missing field which needs correction



Benchmark

Assessment:

Bad 

5. Add SQL Function

- Create a Table Value Function within Unity Catalog to return a table of data
- It can obfuscate advanced logic (like forecasting)
- It can leverage data that crosses the boundaries of the topic
- It can be leveraged by multiple Genie Spaces
- It is governed by Unity Catalog (restrict / audit who can modify)
- Use Instructions and/or example queries to use functions

Add SQL Functions

Choose a SQL function to provide verified answers to a question.

Catalog

Choose a catalog ▼

Schema

Choose a schema ▼

Function

Choose a function ▼

Cancel Save



Improve Accuracy

Train your users



Yes

If answer helped you and seems accurate



Fix it

If answer was off the mark and include the reason.

- Submit and try again, to provide feedback and regenerate a response
- Submit, to report the issue



Request review

Flag the response for manual review, optionally adding a comment.




Launch Genie to Prod

Deployment

- Add desired end users to Group(s)
- Add a Group(s) to “Can Run” for providing access for end user
- Add a Group / Service Principal to “Can Manage”
- For non UI users or app Integration, implement and validate API responses
- It is recommended to have Genie in one Environment (Prod) as every Genie space in each environment needs benchmarking. View/tables/Functions used to create genie can follow DEV > UAT > PROD deployment approach





How end-users should use AI/BI Genie

Usage

Usage

Prerequisites (reminder) – to be validated with your Technical Stakeholders

1. Users is part of the Databricks Account
2. Users have SELECT permission on Tables, Views, Functions in the Genie Space
3. Users have **Can Run** permission on the Genie Space
4. Users have **Can Use** permission on the SQL Warehouse compute
5. Users will need to have **Can Use** permission on the SQL Warehouse compute
6. [AWS Only] Recommended to enable Unified Login at the Account Level



Benchmark

Collaborate with Technical Stakeholders to improve your Genie Space

What is it?

- It's a way to make sure that Genie is answering questions your questions correctly
- It's a way to protect and monitor against quality drop

What should you do ?

- Reach out the Technical Stakeholders to validate the room has been benchmarked
- Volunteer to contribute to Benchmarks
- Share your common questions to Technical stakeholders to enrich the Benchmark
- **Give feedbacks while using Genie**



Usage

Genie UI

Self-service chat interface to use,
test, provide feedback on your Genie
Space

Genie APIs

Integrate Genie in Databricks Apps or
beyond Databricks workspace


Authenticate with OAuth U2M or M2M



Genie UI

Login to Genie

1. [Space Authors] Click **Share** and then **Copy Link**
2. [Space Authors] Share the link with the end-users
3. [Space Users] Login and bookmark the link



Genie UI

Explain the Dataset



Explain the data set

Click the button or ask the question

Will summarize and describe all
tables in the Space



Genie

There are 10 tables available, each serving different purposes:

1. `system.billing.usage`: Contains account-wide billable usage data.
2. `system.access.audit`: Logs access and audit events.
3. `system.billing.list_prices`: Historical log of SKU pricing changes.
4. `system.compute.clusters`: History of compute configurations over time.
5. `system.compute.warehouse_events`: Captures events related to SQL warehouses.
6. `system.compute.node_types`: Information about available node types and their hardware specifications.
7. `system.lakeflow.job_run_timeline`: Tracks job run times and metadata.
8. `system.lakeflow.job_task_run_timeline`: Tracks job task run times and metadata.
9. `system.lakeflow.job_tasks`: History of job task configurations.
10. `system.lakeflow.jobs`: History of job configurations.

Connections:

- `usage` and `list_prices` are related through `sku_name`.
- `clusters` and `usage` can be linked via `cluster_id` in `usage_metadata`.
- `warehouse_events` and `usage` can be linked via `warehouse_id` in `usage_metadata`.
- `job_run_timeline`, `job_task_run_timeline`, `job_tasks`, and `jobs` are related through `job_id` and `run_id`.




Genie UI

Explore the Dataset



Allows you to explore the tables, views, columns and descriptions.



Genie UI

Multiple Chats



Click on "+ New Chat" to start a new chat conversation.

Each chat will use conversation history when answering new questions

Other users cannot see your chats

Hover and click on the pen icon to edit the name of the chat

Allows you to group your frequent topic together



Genie UI

Evaluate the Answer

- Look at the answer and gauge if it feels correct based on your domain knowledge.
- Did it include the columns and rows you expected?
- Indicate as such with the feedback buttons [next slide]

 **Jason Pohl**  

What are the most powerful legendary pokemon?

 **Genie**

This query retrieves the names and total base points of the top 10 legendary Pokémon, sorted by their total base points and then by name.

	 name	 base_total
1	Mewtwo	780
2	Rayquaza	780
3	Groudon	770
4	Kyogre	770
5	Arceus	720
6	Zygarde	708
7	Diancie	700
8	Kyurem	700
9	Latias	700
10	Latios	700

10 rows

   [Add as instruction](#)  [Show generated code](#)

Quick actions

 Auto visualize  Bar chart  Line chart  Pie chart



Always review the accuracy of responses.

Genie UI

End-user Feedback

Is this correct? Your response makes Genie better over time.

☒ Yes

☐ Fix it

☐ Request review

Is this correct? Your response makes Genie better over time.

☒ Yes

☒ Fix it

☐ Request review

Values look off

Missing expected columns

Genie made up a definition

Wrong visualization

(Optional) Explain what is wrong with the response

Submit

☒ Submit and try again

Is this correct? Your response makes Genie better over time.

☒ Yes

☐ Fix it

☒ Request review

Add a comment for the space admin (optional)

Cancel

Send for review

Note: This end user feedback does not automatically change the model's behavior. Instead, it surfaces the issue to the space author so they can determine how to update space context (if at all) in response.



Genie UI

Visualize the answer

Click on “Auto Visualize” to view the answer in a chart

J Jason Pohl

What are the most powerful legendary pokemon?

Genie

This query retrieves the names and total base points of the top 10 legendary Pokémon, sorted by their total base points and then by name.

	A ^B name	1 ² ₃ base_total
1	Mewtwo	780
2	Rayquaza	780
3	Groudon	770
4	Kyogre	770
5	Arceus	720
6	Zygarde	708
7	Diancie	700
8	Kyurem	700
9	Latias	700
10	Latios	700

10 rows

👍

🗨

?

Add as instruction

🔄

> Show generated code

Quick actions

🌟 Auto visualize

📊 Bar chart

📈 Line chart

🥞 Pie chart

Ask your question...

➤

Always review the accuracy of responses.



Genie UI

Visualize the answer

Be sure to give feedback on the visualizations too

Jason Pohl

What are the most powerful legendary pokemon?

Genie

This query retrieves the names and total base points of the top 10 legendary Pokémon, sorted by their total base points and then by name.

	name	base_total
1	Mewtwo	780
2	Rayquaza	780
3	Groudon	770
4	Kyogre	770
5	Arceus	720
6	Zygarde	708
7	Diancie	700
8	Kyurem	700
9	Latias	700
10	Latios	700

10 rows



Remove as instruction




> Show generated code

Jason Pohl

Visualize

Genie



Genie UI

Evaluate the code (advanced)

Click on “Show generated code” to view the SQL that Genie created

J Jason Pohl

What are the most powerful legendary pokemon?

Genie

This query retrieves the names and total base points of the top 10 legendary Pokémon, sorted by their total base points and then by name.

📄 ⬇️ ↻

	A ₀ name	1 ₂ 3 base_total
1	Mewtwo	780
2	Rayquaza	780
3	Groudon	770
4	Kyogre	770
5	Arceus	720
6	Zygarde	708
7	Diancie	700
8	Kyurem	700
9	Latias	700
10	Latios	700

10 rows

👍 🗑️ 🗨️ Add as instruction

Show generated code

Quick actions

🌟 Auto visualize

📊 Bar chart

📈 Line chart

🥞 Pie chart

Ask your question... ➤

Always review the accuracy of responses.

Genie UI

Edit and Rerun SQL (advanced)

SQL should reflect what you would have written on your own without Genie to get the right answer



Jason Pohl

What are the most powerful legendary pokemon?

Genie

This query retrieves the names and total base points of the top 10 legendary Pokémon, sorted by their total base points and then by name.

	A ₁ name	A ₂ base_total
1	Mewtwo	780
2	Rayquaza	780
3	Groudon	770
4	Kyogre	770
5	Arceus	720
6	Zygarde	708
7	Diancie	700
8	Kyurem	700
9	Latias	700
10	Latios	700

10 rows



Add as instruction



Hide generated code

```
1 SELECT
2   `name`,
3   `base_total`
4 FROM
5   `users`.`jason`.`pokemon`
6 WHERE
7   `is_legendary` = 1
8 ORDER BY
9   `base_total` DESC,
10  `name`
11 LIMIT
12  10
```

Run

Quick actions

Auto visualize

Bar chart

Line chart

Pie chart

Ask questions the right way



Best practices

- Keep questions **focused and clear**
 - *Ambiguous questions may lead to irrelevant answers.*
- Use specific business terms that match the column comments and descriptions within the Genie space.
 - *Ask Authors to include missing business terms via "request a review"*
- Avoid overly complex questions in one question
 - *Instead, break them down for more precise answers*
 - *Genie will remember the context of your chat*
- DO ask WHAT HAPPENED style questions
 - *What were my Sales in EMEA last quarter?*
- DON'T ask WHY style questions. Use Genie Research Agent for this
 - *Why are my sales down?*
- Update queries with fresh data
 - Re-run previous queries from chat history to answer recurring questions



Genie APIs

Conversation APIs (advanced)

- Genie Conversation APIs provide capability to Start conversation, Create new conversation message, Get conversation message, Get SQL query results, Re-execute SQL query
- API integration is similar to that of calling any API and response is returned in JSON format
- This works well when building Databricks Apps and calling APIs to use responses
- Authentication
 - [OAuth for Users](#), where users have access to a browser
 - OAuth for Service Principals, where browser-based authentication is not possible



Genie APIs

Best Practices (advanced)

- Implement **APIs retry logic** with exponential backoff
- Implement **comprehensive logging** of API requests and responses
- Poll for status updates every 1–5 seconds, up to 10 minutes for most queries, with exponential backoff (up to 1 minute)
- Start a new conversation for each session
- Be aware of the limits
 - 10,000 conversations – implement clean-up logic for old conversations
 - 10,000 messages per conversation
 - 5,000 result rows



Is Genie still answering questions correctly ?

Monitoring

Monitor you Space

Track accuracy

Regularly run Benchmarks

Review Monitoring page regularly
(space authors can view it)

Review it in real time with Space
Consumers

Filter the for “Requested” to iterate
on improvements

Sales and opportunities > Monitoring

[Send feedback](#) [+ New chat](#) [Monitoring](#) [Configure](#) [Share](#) [⋮](#)

History of the activities within your space. Understand the errors, feedback, and results the space is returning.

Last 30 days		Rating	Request	User	Status	
Question	Rating	Request	Comment	User	Created	Last upda...
✓ What's the total value of op...		Requested	Please...		Mar 19, 20...	Mar 19, 20...
✓ What periods are covered in...	Bad		Fix this...		Mar 19, 20...	Mar 19, 20...
✓ What is the total amount of ...	Good				Mar 19, 20...	Mar 19, 20...



Monitor Your Space

Improve from feedbacks



Are there questions that look high value?

- Follow Up with the user to understand the impact this answer had to them
- Broadcast these examples to the users on a regular basis to showcase the art of the possible



Which answers missed the mark?

- Check comments for why
- Add this question to the benchmark
- Refine space until correct
- If Genie still can't answer correctly, share details with Databricks



Monitoring Genie in Prod

Maintenance

- Establish a regular cadence with Technical Stakeholder, Business Stakeholder, and Databricks team to review the following:
 - Which questions got thumbs up
 - Evangelize these questions to the user base to show what is possible.
 - Which questions got thumbs down
 - Are there reasons given?
 - Technical Stakeholder should follow up to understand why and how the SQL should have been generated
 - Which users are seeing drop off (compared to prev period)?
 - Business Stakeholders should follow up with them to discover why
- Are there any other topics or groups that might benefit from a new Genie Space?



Monitoring

Tooling

 [Monitoring](#)

System Tables

Monitor AI/BI Genie usage from the [AI/BI Genie events](#) in the [system.access.audit](#) system table

[Set up alerts](#) when quality degrades (bad feedbacks, review requested, etc.)

GenieIQ

Databricks Apps analyzing Genie space usage and providing actionable feedbacks

App code [available in GitHub](#)



