🗐 jason-riddle / **upwork-task-gh-action-env-var-example** (Public)

<> Code   ◉ Issues   ⑁ Pull requests   ▶ Actions   ▦ Projects   ⦸ Security   〰 Insights   ⚙ Se

⚙ General

Access

👥 Collaborators

💬 Moderation options   ⌄

Code and automation

⑁ Branches

🏷 Tags

▶ Actions   ⌄

🎣 Webhooks

🗐 Environments

🖳 Codespaces

🗔 Pages

Security

⊘ Code security and analysis

🔑 Deploy keys

✳ Secrets and variables   ⌃

　　Actions

　　Codespaces

　　Dependabot

Integrations

🗨 GitHub Apps

✉ Email notifications

Actions secrets and variables

Secrets and variables allow you to manage reusable configuration data. Secrets are **encrypted** and are used for sensitive data. Learn more about encrypted secrets. Variables are shown as plain text and are used for **non-sensitive** data. Learn more about variables.

Anyone with collaborator access to this repository can use these secrets and variables for actions. They are not passed to workflows that are triggered by a pull request from a fork.

| Secrets | Variables |

New repository variable

Environment variables　　　　　　　　　　Manage environments

There are no variables for this repository's environments.

Repository variables

MY_VARIABLE
a_temp_value

Updated
4 minutes ago   ✏   🗑