

> Advanced

Deploy Web Service


1. Debug

```
Downloading werkzeug-3.1.8-py3-none-any.whl.metadata (4.0 kB)
Collecting sqlalchemy==2.0.16 (from Flask-SQLAlchemy==3.1.1->-r requirements.txt (line 2))
  Downloading sqlalchemy-2.0.51-cp314-cp314-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl.metadata (9.5 kB)
Collecting alembic>=1.9.0 (from Flask-Migrate==4.1.0->-r requirements.txt (line 3))
  Downloading alembic-1.18.5-py3-none-any.whl.metadata (7.2 kB)
Collecting packaging (from gunicorn==23.0.0->-r requirements.txt (line 6))
  Downloading packaging-26.2-py3-none-any.whl.metadata (3.5 kB)
INFO: pip is looking at multiple versions of psycopg[binary] to determine which version is compatible with other requirements. This could take a while.
ERROR: Could not find a version that satisfies the requirement psycopg-binary==3.2.9; implementation_name != "pypy" and extra == "binary" (from psycopg[binary]) (from versions: 3.2.10, 3.2.11, 3.2.12, 3.2.13, 3.3.0, 3.3.1, 3.3.2, 3.3.3, 3.3.4)

[notice] A new release of pip is available: 25.3 -> 26.1.2
[notice] To update, run: pip install --upgrade pip
ERROR: No matching distribution found for psycopg-binary==3.2.9; implementation_name != "pypy" and extra == "binary"

==> Build failed 🚫
==> Common ways to troubleshoot your deploy: https://render.com/docs/troubleshooting-deploys
```

1.1 問 chatgpt



1.2 chatgpt 回答

建議解法：更新 psycopg 版本

打開專案中的：

requirements.txt

找到：

psycopg[binary]==3.2.9


修改成：

psycopg[binary]==3.2.13

不要另外寫：

psycopg-binary==3.2.13

7.3 修改後



```
requirements.txt M X
requirements.txt
1 Flask==3.1.1
2 Flask-SQLAlchemy==3.1.1
3 Flask-Migrate==4.1.0
4 psycopg[binary]==3.2.13
5 python-dotenv==1.1.1
6 gunicorn==23.0.0
7
```

7.4 從新上傳

```
PS C:\Users\COSH\Desktop\新增資料夾 (3)> git add requirements.txt
```

```
PS C:\Users\COSH\Desktop\新增資料夾 (3)> git commit -m"修正python版本"
```

```
PS C:\Users\COSH\Desktop\新增資料夾 (3)> git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 10 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 308 bytes | 308.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/jason55-wq/test.git
   c9e4b80..ed3850c  main -> main
PS C:\Users\COSH\Desktop\新增資料夾 (3)>
```

7.5 再次 debug

```
JUL 20
02:44:53 PM [rzbrd] ==> Running 'gunicorn app:app'
02:45:07 PM [rzbrd] Traceback (most recent call last):
02:45:07 PM [rzbrd]   File "/opt/render/project/src/.venv/lib/python3.14/site-packages/gunicorn/util.py", line 413, in import_app
02:45:07 PM [rzbrd]     app = getattr(mod, name)
02:45:07 PM [rzbrd] AttributeError: module 'app' has no attribute 'app'
02:45:07 PM [rzbrd] During handling of the above exception, another exception occurred:
02:45:07 PM [rzbrd] Traceback (most recent call last):
02:45:07 PM [rzbrd]   File "/opt/render/project/src/.venv/bin/gunicorn", line 7, in <module>
02:45:07 PM [rzbrd]     sys.exit(run())
02:45:07 PM [rzbrd]     ~~~^^
02:45:07 PM [rzbrd]   File "/opt/render/project/src/.venv/lib/python3.14/site-packages/gunicorn/app/wsgiapp.py", line 66, in run
02:45:07 PM [rzbrd]     WSGIApplication("%(prog)s [OPTIONS] [APP_MODULE]", prog=prog).run()
02:45:07 PM [rzbrd]     ~~~~~^
02:45:07 PM [rzbrd]   File "/opt/render/project/src/.venv/lib/python3.14/site-packages/gunicorn/app/base.py", line 235, in run
02:45:07 PM [rzbrd]     super().run()
02:45:07 PM [rzbrd]     ~~~~~^
02:45:07 PM [rzbrd]   File "/opt/render/project/src/.venv/lib/python3.14/site-packages/gunicorn/app/base.py", line 71, in run
02:45:07 PM [rzbrd]     Arbiter(self).run()
02:45:07 PM [rzbrd]     ~~~~~^
02:45:07 PM [rzbrd]   File "/opt/render/project/src/.venv/lib/python3.14/site-packages/gunicorn/arbiter.py", line 57, in __init__
02:45:07 PM [rzbrd]     self.setup(app)
02:45:07 PM [rzbrd]     ~~~~~^
02:45:07 PM [rzbrd]   File "/opt/render/project/src/.venv/lib/python3.14/site-packages/gunicorn/arbiter.py", line 117, in setup
02:45:07 PM [rzbrd]     self.app.wsgi()
02:45:07 PM [rzbrd]     ~~~~~^
02:45:07 PM [rzbrd]   File "/opt/render/project/src/.venv/lib/python3.14/site-packages/gunicorn/app/base.py", line 66, in wsgi
02:45:07 PM [rzbrd]     self.callable = self.load()
```


Traceback (most recent call last):
File "/opt/render/project/src/.venv/lib/python3.14/site-packages/gunicorn/util.py", line 413, in import_app
app = getattr(mod, name)
AttributeError: module 'app' has no attribute 'app'
During handling of the above exception, another exception occurred:
Traceback (most recent call last):
File "/opt/render/project/src/.venv/bin/gunicorn", line 7, in <module>
sys.exit(run())
~~~~^  
File "/opt/render/project/src/.venv/lib/python3.14/site-packages/gunicorn/app/wsgiapp.py",



即時 ▾



請告訴我要處理這個debug要怎麼對codex下提示詞



```
C9e4b80..e05850c main -> main
● PS C:\Users\COSH\Desktop\新增資料夾 (3)> git add .
warning: in the working copy of 'wsgi.py', LF will be replaced by CRLF the next time Git touches it
❖ PS C:\Users\COSH\Desktop\新增資料夾 (3)> |
```

```
warning: in the working copy of 'wsgi.py', LF will be replaced by CRLF the next time Git touches it
● PS C:\Users\COSH\Desktop\新增資料夾 (3)> git commit -m"修正無法上傳render"
[main 866d859] 修正無法上傳render
 1 file changed, 4 insertions(+)
 create mode 100644 wsgi.py
○ PS C:\Users\COSH\Desktop\新增資料夾 (3)> git push |
```

## 2. 上傳後

