

# Neural Approaches to Conversational AI

**Jianfeng Gao**  
Microsoft AI & Research  
Redmond, WA, USA  
jfgao@microsoft.com

**Michel Galley**  
Microsoft AI & Research  
Redmond, WA, USA  
mgalley@acm.org

**Lihong Li**  
Google Inc.  
Kirkland, WA, USA  
lihong@google.com

## Abstract

This tutorial surveys neural approaches to conversational AI that were developed in the last few years. We group conversational systems into three categories: (1) question answering agents, (2) task-oriented dialogue agents, and (3) social bots. For each category, we present a review of state-of-the-art neural approaches, draw the connection between neural approaches and traditional symbolic approaches, and discuss the progress we have made and challenges we are facing, using specific systems and models as case studies.

## 1 Motivation and objectives

Developing an intelligent dialogue system that not only emulates human conversation, but also can answer questions of topics ranging from latest news of a movie star to Einstein’s theory of relativity, and fulfill complex tasks such as travel planning, has been one of the longest running goals in AI. The goal remains elusive until recently when we started observing promising results in both the research community and industry as the large amount of conversation data is available for training and the breakthroughs in deep learning (DL) and reinforcement learning (RL) are applied to conversational AI.

This tutorial presents a review of state of the art neural approaches to conversational AI that were developed in the last few years, draws the connection between neural approaches and traditional symbolic approaches, and discusses the progress we have made and challenges we are facing, using specific systems and models as case studies.

This tutorial is a valuable resource for students, researchers, and the software developers, provid-

ing a detailed presentation of the important ideas and insights needed to understand and create modern dialogue agents that are instrumental to making the world knowledge and services accessible to millions of users in the most natural way.

## 2 The tutorial

In this tutorial, we start with a brief introduction to the recent progress on DL and RL that is related to natural language processing (NLP), information retrieval (IR) and conversational AI. Then, we describe in detail the state-of-the-art neural approaches developed for three types of dialogue systems. The first is a question answering (QA) agent. Equipped with rich knowledge drawn from various data sources including Web documents and pre-compiled knowledge graphs (KG’s), the QA agent can provide concise direct answers to user queries. The second is a task-oriented dialogue system that can help users accomplish tasks ranging from meeting scheduling to vacation planning. The third is a social chat bot which can converse seamlessly and appropriately with humans, and often plays roles of a chat companion and a recommender. In the final part of the tutorial, we review attempts to developing open-domain conversational AI systems that combine the strengths of different types of dialogue systems.

### 2.1 A Unified View: Dialogue as Optimal Decision Making

The example dialogue presented in Table 1 can be formulated as a sequential decision making process. It has a natural hierarchy: a top-level process selects what agent to activate for a particular subtask (e.g., answer a question, schedule a meeting, give a recommendation or just have a chat etc.), and a low level process, perform by the selected agent, chooses primitive actions to complete the subtask.

---

<i>usr</i> :	Where are sales lagging behind our forecast?
<i>agt</i> :	The worst region is [country], where sales are 15% below projections.
<i>usr</i> :	Do you know why?
<i>agt</i> :	The forecast for [product] growth was overly optimistic.
<i>usr</i> :	How can we turn this around?
<i>agt</i> :	Here are the 10 customers in [country] with the most growth potential, per our CRM model.
<i>usr</i> :	Can you set up a meeting with the CTO of [company]?
<i>agt</i> :	Yes, I've set up a meeting with [person name] for next month when you are in [location].
<i>usr</i> :	Thanks.

---

Table 1: A human-agent dialogue during a process of making a business decision. (*usr*: user, *agt*: agent)

Such hierarchical decision making processes can be formulated in the mathematical framework of *options over Markov Decision Processes (MDPs)* (Sutton et al., 1999), where options generalize primitive actions to higher-level actions. This is an extension to the traditional MDP setting where an agent can only choose a primitive action at each time step, with options the agent can choose a multi-step action which for example could be a sequence of primitive actions for completing a subtask.

If we view each option as an action, both top-level and low-level processes can be naturally mapped to the reinforcement learning (RL) framework as follows. The dialogue agent navigates a MDP, interacting with its environment over a sequence of discrete steps. At step, the agent observes the current state, and chooses an action according to a policy. The agent then receives reward and observe a new state, continuing the cycle until the episode terminates. The goal of dialogue learning is to find optimal policies to maximize expected rewards. Table 2 summarizes all dialogue agents using a unified view of RL.

Although RL provides a unified machine learning (ML) framework for building dialogue agents, applying RL requires training a dialogue agent by interacting with real users, which can be very expensive for many domains. Thus, in practice we often use RL together with supervised learning especially in the cases where there is a large amount of human-human conversational data. In the rest of the tutorial, we will survey these ML approaches.

## 2.2 Question Answering and Machine Reading Comprehension

Recent years have witnessed an increasing demand for question answering (QA) dialogue agents that allow users to query large scale knowledge bases (KB) or document collections via nat-

ural language. The former is known as KB-QA agents and the latter text-QA agents. KB-QA agents are superior to traditional SQL-like systems in that users can query a KB interactively without composing complicated SQL-like queries. Text-QA agents are superior to traditional search engines, such as Bing and Google, in that they provide concise direct answers to user queries.

In this part, we start with a review of traditional symbolic approaches to KB-QA based on semantic parsing. We show that a symbolic system is hard to scale because the keyword-matching-based inference used by the system is inefficient for a big KB, and is not robust to paraphrasing. To address these issues, neural approaches are developed to represent queries and KB using continuous semantic vectors so that the inference can be performed at the semantic level in a compacted neural space. We use ReasoNet with shared memory (Shen et al., 2017) as an example to illustrate the implementation details. We also review different dialogue policies for multi-turn KB-QA agents.

We then discuss neural text-QA agents. The heart of such systems is a neural Machine Reading Comprehension (MRC) model that generates an answer to an input query based on a set of passages. After reviewing popular MRC datasets, we describe the technologies developed for state-of-the-art MRC models in two dimensions: (1) the methods of encoding query and passages as vectors in a neural space, and (2) the methods of performing inference in the neural space to generate the answer.

We end this section by outlining our effort of turning Microsoft Bing from a Web search engine into an open-domain QA engine.

## 2.3 Task-Oriented Dialogue Systems

In this part, we first introduce the architecture of a typical task-oriented dialogue system. It consists of (1) a natural language understanding (NLU)

dialogue	state	action	reward
QA	understanding of user query intent	clarification questions or answers	relevance of answer # of dialogue turns
task-oriented	understanding of user goal	dialogue-act and slot/value	task success rate # of dialogue turns
chatbot	conversation history and user intent	response	user engagement
top-level bot	understanding of user top-level intent	options	daily/monthly usage

Table 2: Reinforcement Learning for Dialogue.

module for identifying intents of user utterances; (2) a state tracker for tracking conversation state; (3) a dialogue policy which selects the next action based on the current state; and (4) a natural language generator (NLG) for converting the agent action to a natural language response. While traditionally these modules are often implemented and optimized individually using statistical models and/or hand-craft rules (Young et al., 2013; Tur and De Mori, 2011), there is a growing interest in applying deep learning and reinforcement learning to automate the optimization of a dialogue system.

We describe state-of-the-art approaches in two frontiers. The first is end-to-end (E2E) learning where these modules are implemented using differentiable models like neural networks, so that they can be jointly optimized from user feedback signals using backpropagation and RL. The second is the use of advanced RL techniques to optimize dialogue policies in more complex scenarios. Examples include improved efficiency of exploration for faster learning, and hierarchical problem solving for composite-task dialogues where the reward signal is particularly sparse. We review several recent proposals, including the ones based on Bayesian models, curiosity-driven strategy, hierarchical reinforcement learning, adversarial learning, and the Dyna framework (Sutton, 1990; Peng et al., 2018) to integrate planning and learning, etc.

We end this section by presenting a few example task-oriented systems from some of the leading players in the industry, including Microsoft’s Cortana, Amazon’s Alexa and Google’s Assistant.

## 2.4 Fully Data-Driven Conversation Models and Social Bots

Social bots (also known as chatbots) are of growing importance in facilitating smooth interaction between humans and their electronic devices. Recently, researchers have begun to explore fully data-driven generation of conversational responses within the framework of neural machine transla-

tion (NMT) in the form of encoder-decoder or seq2seq models (Sordoni et al., 2015; Vinyals and Le, 2015; Serban et al., 2016). Such end-to-end models have been particularly successful with social bot scenarios, as they require little interaction with the user’s environment (no need for API calls) and such models cope well with free-form and open domain texts.

However, neural responses are often too general to carry meaningful information, e.g., with the common response “I don’t know” which can serve as a reply to most user questions. A mutual information model is proposed by (Li et al., 2016a), and is later improved by using deep reinforcement learning (Li et al., 2016c). Furthermore, Li et al. (Li et al., 2016b) presented a persona-based model to address the issue of speaker consistency in neural response generation.

Although task-oriented dialogue systems and social bots are originally developed for different purposes, there is a trend of combining both as a step towards building an open-domain dialogue agent. For example, on the one hand, (Ghazvininejad et al., 2018) presented a fully data-driven and knowledge-grounded neural conversation model aimed at producing more contentful responses without slot filling. On the other hand, Zhao et al. (Zhao et al., 2017) proposed a task-oriented dialogue agent based on the encoder-decoder model with chatting capability. These works represent steps toward end-to-end dialogue systems that are useful in scenarios beyond chitchat.

We end this section by presenting a few examples of chatbots that have been made available to the public, including Microsoft’s XiaoIce, Replika and Alexa Prize systems.

## 3 Contributions and related tutorials

Conversational AI, which aims to develop intelligent agents for QA, social chat and task-completion, as presented in this tutorial, is a

rapidly growing field. Recently, there have been related tutorial and survey papers on deep learning and dialogue systems. (Yih et al., 2015, 2016; Gao, 2017) reviewed deep learning approaches to a wide range of NLP and IR tasks, including dialogue. (Chen et al., 2017b) is a recent tutorial on dialogue mainly focusing on task-oriented agents. (Serban et al., 2015) gave a good survey of public dialogue datasets that can be used to develop dialogue agents. (Chen et al., 2017a) reviewed popular deep neural network models for dialogue, focusing only on supervised learning approaches. This tutorial expands the scope of (Chen et al., 2017a) and (Serban et al., 2015) by going beyond data and supervised learning.

The contributions of this tutorial include:

1. We provide a comprehensive survey on neural approaches to conversational AI that were developed in the last few years, covering QA, task-oriented and social bots with a unified view of optimal decision making.
  2. We draw connections between modern neural approaches and traditional symbolic approaches, allowing us to better understand why and how the research has been evolved and shed light on how we move forward.
  3. We present state-of-the-art approaches to training dialogue agents using both supervised learning and reinforcement learning methods.
  4. We picture the landscape of conversational systems developed in research communities and released in industry, demonstrating via case studies the progress we have made and the challenges we are facing.
- Reinforcement learning
2. Part 2 (45 minutes): QA and MRC
    - The KB-QA task
    - Semantic parsing
    - Embedding-based KB-QA
    - Multi-turn KB-QA agents
    - Machine reading for Text-QA
    - Neural MRC models
    - QA in Bing
  3. Part 3 (50 minutes): Task-oriented dialogue
    - Overview and architecture
    - Review of traditional approaches
    - Natural language understanding and dialogue state tracking
    - Evaluation and user simulator
    - Neural approaches and E2E learning
    - RL for dialogue policy learning
    - Task-oriented bots in industry
  4. Part 4 (50 minutes): Fully data-driven conversation models and chatbots
    - E2E neural conversation models, e.g., seq2seq, HRED, etc.
    - Challenges and remedies
    - Grounded conversation models
    - Beyond supervised learning
    - Data and evaluation
    - Chatbots in public
    - Future work: toward more goal-oriented E2E conversational systems

## 4 Format and detailed schedule

The tutorial consists of four parts. The detailed schedule is as follows.

1. Part 1 (15 minutes): Introduction
  - Who should attend this tutorial?
  - Dialogue: what kinds of problem?
  - A unified view: dialogue as optimal decision making
  - Machine learning basics
  - Deep learning leads to paradigm shift in NLP

## 5 About the presenters

**Jianfeng Gao** is Partner Research Manager at Microsoft AI and Research, Redmond. He leads the development of AI systems for machine reading comprehension, question answering, chitchat bots, task-oriented dialogue, and business applications. From 2014 to 2017, he was Partner Research Manager and Principal Researcher at Deep Learning Technology Center at Microsoft Research, Redmond, where he was leading the research on deep learning for text and image processing. From 2006 to 2014, he was Researcher, Senior Researcher, and Principal Researcher at Natural Language Processing Group at Microsoft Research, Redmond, where he worked on the Bing search

engine, improving its core relevance engine and query spelling, understanding and reformulation engines, MS ads relevance and prediction, and statistical machine translation. From 2005 to 2006, he was a Research Lead in Natural Interactive Services Division at Microsoft, where he worked on Project X, an effort of developing natural user interface for Windows. From 2000 to 2005, he was Research Lead in Natural Language Computing Group at Microsoft Research Asia, where he and his colleagues developed the first Chinese speech recognition system released with Microsoft Office, the Chinese/Japanese Input Method Editors (IME) which were the leading products in the market, and the natural language platform for Microsoft Windows.

**Michel Galley** is a Senior Researcher at Microsoft Research. His research interests are in the areas of natural language processing and machine learning, with a particular focus on conversational AI, text generation, and machine translation. From 2007 to 2010, he was a Postdoctoral Scholar then Research Associate in the Computer Science department at Stanford University, working primarily on Machine Translation. In 2007, he obtained his Ph.D. from the Computer Science department at Columbia University, with research focusing on summarization, discourse, and dialogue. From 2003 to 2005, he did several internships at USC/ISI and Language Weaver on machine translation, which included work that won several NIST MT competitions. From 2000-2001, he did an 8-month internship and undergraduate thesis work in the Spoken Dialog Systems group at Bell Labs, working on generation for dialogue systems.

**Lihong Li** is a Research Scientist at Google Inc. He obtained a PhD degree in Computer Science from Rutgers University, specializing in reinforcement learning theory and algorithms. After that, he has held Researcher, Senior Researcher, and Principal Researcher positions in Yahoo! Research (2009-2012) and Microsoft Research (2012-2017), before joining Google. His main research interests are reinforcement learning (in both Markov decision processes and contextual bandits) and other related problems in AI (including active learning, online learning and large-scale machine learning). His work has found applications in recommendation, advertising, Web search and conversation systems, and has won best paper

awards at ICML, AISTATS and WSDM. In recent years, he served as area chairs or senior program committee members at AAAI, AISTATS, ICML, IJCAI and NIPS. More information can be found on his homepage: <http://lihongli.github.io>.

## References

- Hongshen Chen, Xiaorui Liu, Dawei Yin, and Jiliang Tang. 2017a. A survey on dialogue systems: Recent advances and new frontiers. *arXiv preprint arXiv:1711.01731*.
- Yun-Nung Chen, Asli Celikyilmaz, and Dilek Hakkani-Tür. 2017b. Deep learning for dialogue systems. *Proceedings of ACL 2017, Tutorial Abstracts*, pages 8–14.
- Jianfeng Gao. 2017. An introduction to deep learning for natural language processing. In *International Summer School on Deep Learning, Bilbao*.
- Marjan Ghazvininejad, Chris Brockett, Ming-Wei Chang, Bill Dolan, Jianfeng Gao, Wen-tau Yih, and Michel Galley. 2018. A knowledge-grounded neural conversation model. In *AAAI*.
- Jiwei Li, Michel Galley, Chris Brockett, Jianfeng Gao, and Bill Dolan. 2016a. A diversity-promoting objective function for neural conversation models. In *NAACL-HLT*.
- Jiwei Li, Michel Galley, Chris Brockett, Jianfeng Gao, and Bill Dolan. 2016b. A persona-based neural conversation model. In *ACL*.
- Jiwei Li, Will Monroe, Alan Ritter, Dan Jurafsky, Michel Galley, and Jianfeng Gao. 2016c. Deep reinforcement learning for dialogue generation. In *EMNLP*.
- Baolin Peng, Xiujun Li, Jianfeng Gao, Jingjing Liu, and Kam-Fai Wong. 2018. Integrating planning for task-completion dialogue policy learning. *arXiv preprint arXiv:1801.06176*.
- Iulian Vlad Serban, Ryan Lowe, Peter Henderson, Laurent Charlin, and Joelle Pineau. 2015. A survey of available corpora for building data-driven dialogue systems. *arXiv preprint arXiv:1512.05742*.
- Iulian Vlad Serban, Alessandro Sordani, Yoshua Bengio, Aaron C Courville, and Joelle Pineau. 2016. Building end-to-end dialogue systems using generative hierarchical neural network models. In *AAAI*, pages 3776–3784.
- Yelong Shen, Po-Sen Huang, Ming-Wei Chang, and Jianfeng Gao. 2017. Traversing knowledge graph in vector space without symbolic space guidance. *arXiv preprint arXiv:1611.04642*.

- Alessandro Sordoni, Michel Galley, Michael Auli, Chris Brockett, Yangfeng Ji, Margaret Mitchell, Jian-Yun Nie, Jianfeng Gao, and Bill Dolan. 2015. A neural network approach to context-sensitive generation of conversational responses. In *NAACL-HLT*.
- Richard S Sutton. 1990. Integrated architectures for learning, planning, and reacting based on approximating dynamic programming. In *Proceedings of the seventh international conference on machine learning*, pages 216–224.
- Richard S. Sutton, Doina Precup, and Satinder P. Singh. 1999. Between MDPs and semi-MDPs: A framework for temporal abstraction in reinforcement learning. *Artificial Intelligence*, 112(1–2):181–211. An earlier version appeared as Technical Report 98-74, Department of Computer Science, University of Massachusetts, Amherst, MA 01003. April, 1998.
- Gokhan Tur and Renato De Mori. 2011. *Spoken language understanding: Systems for extracting semantic information from speech*. John Wiley & Sons.
- Oriol Vinyals and Quoc Le. 2015. A neural conversational model. In *ICML Deep Learning Workshop*.
- Wen-tau Yih, Xiaodong He, and Jianfeng Gao. 2015. Deep learning and continuous representations for natural language processing. In *Proceedings of the 2015 Conference of the North American Chapter of the Association for Computational Linguistics: Tutorial*.
- Wen-tau Yih, Xiaodong He, and Jianfeng Gao. 2016. Deep learning and continuous representations for natural language processing. In *IJCAI: Tutorial*.
- Steve Young, Milica Gašić, Blaise Thomson, and Jason D Williams. 2013. Pomdp-based statistical spoken dialog systems: A review. *Proceedings of the IEEE*, 101(5):1160–1179.
- Tiancheng Zhao, Allen Lu, Kyusong Lee, and Maxine Eskenazi. 2017. Generative encoder-decoder models for task-oriented spoken dialog systems with chatting capability. *arXiv preprint arXiv:1706.08476*.