

## Tables (4)

Name	Type	Schema
<b>matches</b>		CREATE TABLE "matches" ( "match_id" INTEGER, "match_number" INTEGER NOT NULL, "round_number" TEXT NOT NULL, "match_date" TEXT, "venue" TEXT, "home_team_id" INTEGER, "away_team_id" INTEGER, "hscore" INTEGER, "hgoals" INTEGER, "hbehinds" INTEGER, "ascore" INTEGER, "agoals" INTEGER, "abehinds" INTEGER, "year" INTEGER, "complete" INTEGER NOT NULL DEFAULT 0, PRIMARY KEY("match_id"), FOREIGN KEY("away_team_id") REFERENCES "teams"("team_id"), FOREIGN KEY("home_team_id") REFERENCES "teams"("team_id") )
match_id	INTEGER	"match_id" INTEGER
match_number	INTEGER	"match_number" INTEGER NOT NULL
round_number	TEXT	"round_number" TEXT NOT NULL
match_date	TEXT	"match_date" TEXT
venue	TEXT	"venue" TEXT
home_team_id	INTEGER	"home_team_id" INTEGER
away_team_id	INTEGER	"away_team_id" INTEGER
hscore	INTEGER	"hscore" INTEGER
hgoals	INTEGER	"hgoals" INTEGER
hbehinds	INTEGER	"hbehinds" INTEGER
ascore	INTEGER	"ascore" INTEGER
agoals	INTEGER	"agoals" INTEGER
abehinds	INTEGER	"abehinds" INTEGER
year	INTEGER	"year" INTEGER
complete	INTEGER	"complete" INTEGER NOT NULL

Name	Type	Schema
		DEFAULT 0
<b>predictions</b>		CREATE TABLE predictions ( prediction_id INTEGER PRIMARY KEY, match_id INTEGER NOT NULL, predictor_id INTEGER NOT NULL, home_win_probability INTEGER NOT NULL, prediction_time TIMESTAMP DEFAULT CURRENT_TIMESTAMP, tipped_team TEXT DEFAULT 'home', FOREIGN KEY (match_id) REFERENCES matches (match_id), FOREIGN KEY (predictor_id) REFERENCES predictors (predictor_id), UNIQUE (match_id, predictor_id) )
prediction_id	INTEGER	"prediction_id" INTEGER
match_id	INTEGER	"match_id" INTEGER NOT NULL
predictor_id	INTEGER	"predictor_id" INTEGER NOT NULL
home_win_probability	INTEGER	"home_win_probability" INTEGER NOT NULL
prediction_time	TIMESTAMP	"prediction_time" TIMESTAMP DEFAULT CURRENT_TIMESTAMP
tipped_team	TEXT	"tipped_team" TEXT DEFAULT 'home'
<b>predictors</b>		CREATE TABLE "predictors" ( "predictor_id" INTEGER, "name" TEXT NOT NULL UNIQUE, "password" TEXT NOT NULL, "is_admin" INTEGER DEFAULT 0, "year_joined" INTEGER, PRIMARY KEY("predictor_id") )
predictor_id	INTEGER	"predictor_id" INTEGER
name	TEXT	"name" TEXT NOT NULL UNIQUE
password	TEXT	"password" TEXT NOT NULL
is_admin	INTEGER	"is_admin" INTEGER DEFAULT 0
year_joined	INTEGER	"year_joined" INTEGER
		CREATE TABLE "teams" (

Name	Type	Schema
<b>teams</b>		"team_id" INTEGER, "name" TEXT NOT NULL UNIQUE, "abbrev" TEXT, PRIMARY KEY("team_id") )
team_id	INTEGER	"team_id" INTEGER
name	TEXT	"name" TEXT NOT NULL UNIQUE
abbrev	TEXT	"abbrev" TEXT

## Indices (0)

Name	Type	Schema
------	------	--------

## Views (0)

Name	Type	Schema
------	------	--------

## Triggers (0)

Name	Type	Schema
------	------	--------