ΦΦ	<b>MONASH</b> University
----	--------------------------

Of	fice Use O	nly

Semester Two 2022 **Examination Period Faculty of Information Technology** FIT3003 **EXAM CODES:** TITLE OF PAPER: Business Intelligence and Data Warehousing - SAMPLE 2 2 hours 10 minutes or 130 minutes **EXAM DURATION:** THIS PAPER IS FOR STUDENTS STUDYING AT: (tick where applicable) ☐ Caulfield **☒** Clayton ☐ Parkville ☐ Peninsula ☐ Monash Extension ☐ Off Campus Learning ☒ Malaysia ☐ Sth Africa ☐ Other (specify) During an exam, you must not have in your possession any item/material that has not been authorised for your exam. This includes books, notes, paper, electronic device/s, mobile phone, smart watch/device, calculator, pencil case, or writing on any part of your body. Any authorised items are listed below. Items/materials on your desk, chair, in your clothing or otherwise on your person will be deemed to be in your possession. No examination materials are to be removed from the room. This includes retaining, copying, memorising or noting down content of exam material for personal use or to share with any other person by any means following your exam. Failure to comply with the above instructions, or attempting to cheat or cheating in an exam is a discipline offence under Part 7 of the Monash University (Council) Regulations, or a breach of instructions under Part 3 of the Monash University (Academic Board) Regulations. **AUTHORISED MATERIALS OPEN BOOK**  $\square$  YES X NO **CALCULATORS**  $\square$  YES **⋈** NO SPECIFICALLY PERMITTED ITEMS  $\square$  YES X NO if yes, items permitted are: Candidates must complete this section if required to write answers within this paper STUDENT ID: DESK NUMBER:

## **Question 1:**

The table below shows some sample records of a fact table named "Pet\_Fact". The fact table records the sales of pet products and the total transactions for a retail chain that has stores across Victoria, Australia.

TimePeriod	City	Product	Price_Range	Total_Sale	Total_Transactions
				s_KG	
Q1 2020	Geelong	Dog Dry Food	High	200	50
Q1 2020	Melbourne	Dog Dry Food	Medium	300	100
Q1 2020	Melbourne	Cat Dry Food	High	250	40
Q1 2020	Ballarat	Cat Wet Food	Medium	100	50
Q1 2020	Ballarat	Cat Dry Food	Low	120	80
Q1 2020	Geelong	Dog Dry Food	Medium	300	100
Q1 2020	Melbourne	Dog Wet Food	Low	200	100
Q2 2020	Melbourne	Dog Dry Food	Medium	400	250
Q2 2020	Ballarat	Cat Dry Food	Medium	500	300
Q2 2020	Melbourne	Cat Wet Food	High	300	60
Q2 2020	Ballarat	Dog Dry Food	Low	350	180
Q2 2020	Melbourne	Dog Dry Food	High	300	50
Q2 2020	Geelong	Dog Wet Food	High	150	30
Q2 2020	Geelong	Dog Dry Food	High	350	50

a) Given the sample fact table above, write a SQL statement that can produce the following result:

TIME_PERIOD	CITY	PRODUCT	AVERAGE_TOTAL_SALES_KG
Q1 2020	Geelong	Dog Dry Food	250
Q1 2020	Geelong	(null)	250
Q1 2020	Melbourne	Dog Dry Food	300
Q1 2020	Melbourne	Dog Wet Food	200
Q1 2020	Melbourne	(null)	250
Q1 2020	(null)	(null)	250
Q2 2020	Ballarat	Dog Dry Food	350
Q2 2020	Ballarat	(null)	350
Q2 2020	Geelong	Dog Dry Food	350
Q2 2020	Geelong	Dog Wet Food	150
Q2 2020	Geelong	(null)	250
Q2 2020	Melbourne	Dog Dry Food	350
Q2 2020	Melbourne	(null)	350
Q2 2020	(null)	(null)	310
(null)	(null)	(null)	283.33

b) Write a SQL statement that generates the following table, which shows the total transactions of every product in each city. The table also contains the sum of total transactions by products and by cities.

PRODUCT	CITY	TOTAL_TRANSACTIONS
All Products	All Cities	1440
All Products	Ballarat	610
All Products	Geelong	230
All Products	Melbourne	600
Cat Dry Food	All Cities	420
Cat Dry Food	Ballarat	380
Cat Dry Food	Melbourne	40

Cat Wet Food	All Cities	110
Cat Wet Food	Ballarat	50
Cat Wet Food	Melbourne	60
Dog Dry Food	All Cities	780
Dog Dry Food	Ballarat	180
Dog Dry Food	Geelong	200
Dog Dry Food	Melbourne	400
Dog Wet Food	All Cities	130
Dog Wet Food	Geelong	30
Dog Wet Food	Melbourne	100

c) The management would like to see a report that shows the top two products by sales in KG, in each city regardless of time period. Write a SQL statement that returns the following table:

CITY	PRODUCT	TOTAL_SALES	RANK
Ballarat	Cat Dry Food	620	1
Ballarat	Dog Dry Food	350	2
Geelong	Dog Dry Food	850	1
Geelong	Dog Wet Food	150	2
Melbourne	Dog Dry Food	1000	1
Melbourne	Cat Wet Food	300	2

d) Write a SQL statement that returns the following table, which shows the cumulative total transactions:


		TOTAL	CUMULATIVE
TIME_PERIOD	CITY	TRANSACTIONS	TRANSACTIONS
Q1 2020	Ballarat	130	130
Q1 2020	Geelong	150	280
Q1 2020	Melbourne	240	520
Q2 2020	Ballarat	480	1,000
Q2 2020	Geelong	80	1,080
Q2 2020	Melbourne	360	1,440

# Continue your answer here:

## **Ouestion 2:**

A data warehouse for this Truck Delivery case study has been created, and the snowflake schema is shown as follows:

Snowflake schema



The dimension and fact tables for this snowflake schema have been created, and the contents of these tables are shown as follows:

SQL> select \* from TruckDim1;

TRUCKID	VOLCAPACITY	WEIGHTCATE	COSTPERKM
_ 14	0.50		4 ^
Truck1	250	Medium	1.2
Truck2	300	Medium	1.5
Truck3	100	Small	.8
Truck4	550	Large	2.3
Truck5	650	Large	2.5

#### SQL> select \* from TripSeasonDim1;

SEASONID	SEASONPERIOD
Summer	Dec-Feb
Autumn	Mar-May
Winter	Jun-Aug
Spring	Sep-Nov

## SQL> select \* from TripDim1;

TRIPID	TRIPDATE	TOTALKM	WEIGHTFACTOR
Trip2	14/APR/13	570	.333333333
Trip1	14/APR/13	370	.2

### SQL> select \* from Bridge\_Table\_Dim1;

TRIPID	STOREID
Trip1	M1
Trip1	M2
Trip1	МЗ
Trip1	M4
Trip1	M8
Trip2	M1
Trip2	M2
Trip2	M4

#### SQL> select \* from StoreDim1;

STOREID	STORENAME	STOREADDRESS
M1	Myer City	Melbourne
M2	Myer Chaddy	Chadstone
МЗ	Myer HiPoint	High Point
M4	Myer West	Doncaster
M5	Myer North	Northland
M6	Myer South	Southland
M7	Myer East	Eastland
M8	Myer Knox	Knox

#### SQL> select \* from TruckFact1;

TRUCKID	SEASONID	TRIPID	TOTALSHIPMENTCOST
~~~~~~~~			
Truck1	Autumn	Trip1	444
Truck3	Autumn	Trip3	200
Truck2	Winter	Trip5	262.5
Truck2	Autumn	Trip2	855
Truck1	Winter	Trip4	540

### The structures of these tables are as follows:

#### SQL> desc TruckDim1;

Name	Nul	1?	Type
TRUCKID	NOT	NULL	VARCHAR2(10)
VOLCAPACITY			NUMBER(5,2)
WEIGHTCATEGORY			VARCHAR2(10)
COSTPERKM			NUMBER(5,2)

## SQL> desc TripSeasonDim1;

Name	Null?	Type
SEASONID		VARCHAR2(10)
SEASONPERIOD		VARCHAR2(20)

<pre>SQL&gt; desc TripDim1;</pre>		
Name	Null?	Type
TRIPID	NOT NULL	VARCHAR2(10)
TRIPDATE		DATE
TOTALKM		NUMBER (5)
WEIGHTFACTOR		NUMBER
SQL> desc Bridge Table Dim1;		
Name	Null?	Туре
TRIPID	NOT NULL	VARCHAR2(10)
STOREID	NOT NULL	VARCHAR2(10)
SOL> desc StoreDim1;		
Name	Null?	Type
OMODELD.		
STOREID STORENAME	NOT NULL	VARCHAR2 (10) VARCHAR2 (20)
STOREADDRESS		VARCHAR2 (20)
<pre>SQL&gt; desc TruckFact1;</pre>		
Name	Null?	Type
TRUCKID	NOT NULL	VARCHAR2(10)
SEASONID		VARCHAR2(10)
TRIPID	NOT NULL	VARCHAR2(10)
TOTALSHIPMENTCOST		NUMBER

## Questions:

- (a) Write the SQL statement to display the shipment cost for each trip. Write down the output of this query as well.
- (b) Write the SQL statement to display the shipment cost for each store. Write down the output of this query as well.

# **Ouestion 3:**

Let's consider the Clothing case study. The operational database consists of the following tables:

CUSTOMER1					
CUSTID	LNAME	<b>FNAME</b>	ADDRESS	PHONE	CITY
107	Smith	John	731 Plenty Road	9231455	Clayton
232	Wong	Franklin	638 Voss Street	9756945	Preston
133	Zelaya	Alicia	3321 Castle Ave	9867055	Balwyn
154	Wallace	Jennifer	291 Berry Street	9234536	Preston
179	Narayan	Ramesh	975 Fire Road	9456738	Carlton
181	Jane	Adam	229 Clayton Road	9543877	Clayton
183	Judy	Backhouse	122 Rose Street	9235345	Caulfield

ORDER1				
ORDERID	ORDERDATE	PAYMETHOD	ORDERSOURCE	CUSTID
1057	20/02/06	CARD	WEB SITE	107
1058	03/03/06	CARD	PHONE	232
1059	12/03/06	CHEQUE	WEB SITE	133
1060	20/03/06	CHEQUE	WEB SITE	133
1061	10/04/06	CARD	FAX	179
1062	01/04/06	CARD	FAX	179
1063	07/09/06	CARD	WEB SITE	154
1064	14/07/06	CARD	WEB SITE	154
1065	30/11/06	CARD	PHONE	179
1066	20/01/06	CHEQUE	WEB SITE	179


ORDER_INV1			
ORDERID	INVID	<b>ORDERPRICE</b>	<b>OUANTITY</b>
1057	11668	259.99	10
1058	11668	239.99	20
1059	11780	21.99	5
1060	11776	20.99	50
1061	11779	29.95	25
1061	11780	29.95	50
1062	11669	229.99	40
1063	11778	25.95	50
1064	11779	29.95	12
1065	11780	26.95	32
1066	11775	29.95	30

INVENTORY1				
INVID	OOH	<u>ITEMID</u>	ITEMSIZE	COLOUR
11668	16	786	M	Sienna
11669	12	786	L	Forest
11775	150	894	S	Khaki
11776	147	894	M	Khaki
11777	0	894	L	Khaki
11778	139	894	S	Olive
11779	137	894	M	Olive
11780	115	894	L	Olive

QOH = Quantity on Hand

ITEM1			
<b>ITEMID</b>	CURRENT PRICE	ITEMDESC	CATEGORY
894	29.95	Women's Hiking Shorts	Women's Clothing
897	200.95	Women's Fleece Pullovers	Women's Clothing
995	50.00	Children's Beachcomber Sandals	Children's Clothing
559	35.00	Men's Expedition Parka	Men's Clothing
786	259.99	3-Season Jacket	Men's Clothing

A star schema has been created:



The fact measures included in the above star schema are TotalOrderQuantity, which is taken from the Quantity attribute from table Inventory, and TotalOrderCost, which is the sum of order price x quantity.

The above star schema contains highly aggregated data, and therefore this star schema is at level-2 in the data warehouse architecture.


Questions: Draw level-1 and level-0 star schemas for the above clothing data warehouse case study.

#### **Ouestion 4:**

The Information Technology Services (ITS) department at Monash University needs a database to keep track of ITS staff members and the projects they are working on. The system must satisfy the following requirements:

- □ For each ITS employee, list the employee number, employee name, job title (position), and the number and name of the ITS group in which he or she works. In addition, for each project to which the employee is assigned, list the project number and name, the percent of the employee's time assignment to the project, and the total number of hours the employee has worked on the project so far.
- □ For each ITS project, list the project number and name (description), the name of the department that requested the project, the name of the contact person in that requesting department, the project type (maintenance, database, etc.), project status, start data, end date, total budgeted person-hours, total budgeted dollars, and the name of the ITS employee serving as project leader.

The E/R diagram for the above process is given as follows:



The system is now operating with the following tables:

EMPLOYEE (emp#, empname, position, ITSgroup#)

ITS-GROUP (**itsgroup#.** itsgroupname)

DEPARTMENT (**dept#**, deptname)

PROJECT (**proj#**, projname, contactperson, projtype, projstatus, start\_date, end\_date, budgperhours, budgtotals\$, emp#, dept#)

EMP-PROJ (emp#, proj#, %timeassignment, projemptotalhrs)

Monash University management would like to analyse the performance of the ITS department, and in order to assist this process, you are asked to develop a data warehouse for analysis purposes. The analysis is needed for identifying at least the following questions:

- What is the total number of projects that are long duration?
- What is the total budget for a certain project type?
- What is an average budget cost per hour of a certain department?

Based on the above requirements, the fact measures that the management is interested in are total budgets, average budget per hours, and total projects; and the dimensions are project type, department, and project duration. Assuming that the management classifies projects into short term (less than 10 days), medium term (between 10 and 30 days), and long term (more than 30 days).

#### **Questions:**


- a. Draw a star schema containing dimensions and fact, together with their attributes.
- b. Define the SQL statements for the implementation of the star schema.
- c. Write the SQL statements to answer the above three query requirements.

Continue your answer here:

Continue your answer here:

### **Ouestion 5:**

Given the following star schema for a bookshop:



Write the SQL commands to answer the following queries:

- a. Show total number (quantity) of books, including subtotals, by different transaction periods and customer locations
- b. Show top 10% book categories from the sales
- c. Show top 2 book price ranges which include the most number (quantity) of sold books

# **Ouestion 6:**

Explain the differences between  ${\tt RANK}$  () ,  ${\tt DENSE\_RANK}$  () , and  ${\tt ROW\_NUMBER}$  () in OLAP SQL.

Continue your answers here: