

COMMAND UNIT — ARCHIVE

(10 m × 7 m × 5 m) Source: your Unit Sizes doc

ARCHIVE

ID:

obs-command-archive

Role: Strategic Data Core / Global Intelligence Storage

Tier: Command

Status: Active

PHYSICAL & TECHNICAL

Length: 10 m

Width: 7 m

Height: 5 m

Mass: 18,000 kg

Power Source: Dual redundant command-grade reactors

Energy Capacity: 120,000 Wh

Fuel Capacity: N/A (reactor-based)

Endurance: Continuous

Payload Capacity: 0 (internal systems only)

Modules:

- Strategic data vault

- Encryption lattice

- Multi-node command mesh

- Redundant cooling towers

Navigation System: Stationary (anchored command node)

Structural Integrity: 4,000 HP

Armor Rating: 1.20

Heat Signature: Medium

Noise Signature: Low

Top Speed: N/A

Stability Rating: Maximum

● AUTONOMY & AI BEHAVIOR

Behavior Profile: Strategic data management / command relay

Aggression: 0.0

Caution: 1.0

Persistence: 1.0

Retreat Threshold: N/A

Target Priority: None (non-combat)

Formation Discipline: Maximum

Risk Tolerance: Very Low

Sensors

Visual Range: Short

Thermal Range: Short

Acoustic Range: Short

Radar Range: Medium

Signal Detection Range: Very High

Communication

Mesh Range: Global (command-tier)

Relay Capacity: 8

Command Link Type: Strategic Command Mesh

Network Priority: Maximum

● COMBAT & THREAT MODEL

Firepower Rating: None

Weapon Mounts: None

Tracking Strength: High (signals only)

Disruption Strength: High (data routing)

Countermeasure Rating: Very High

Threat Modeling

Threat Level: 5 (due to strategic importance)

Preferred Terrain: Secure command zones

Vulnerability Profile: EMP / sabotage

● SQUAD & COMMAND INTEGRATION

Squad Role: Strategic Data Core

Squad Size Contribution: 6

Formation Behavior: Central command anchor

Intent Interpretation Rules: Store, route, and secure global data

Retreat Behavior: None

Reinforcement Behavior: Supports all units

Command Hierarchy

Parent Command Unit: Command Core

Subordinate Units: Insight, Pulse

Relay Nodes: 8

Network Dependencies: Strategic Command Mesh

● **VR OPERATOR MODE**

Operator Seat Type: Command Data Console

Operator HUD: Strategic Data Overlay

Camera Feeds: Internal systems only

Thermal View: Yes

Tactical Overlay: Global data routes / mesh health

Operator Controls

Data routing

Encryption lattice management

Mesh node control

System diagnostics

Operator Abilities

Global Data Sync

Mesh Stabilization

Encryption Pulse

Command Relay

● **ECONOMY & LOGISTICS**

Build Cost: 2,000 Metal / 1,200 Electronics

Build Time: 240 sec

Factory Type: Command Foundry

Tech Requirements: Command Systems I

Maintenance Cost: High

Repair Time: 70 sec

Supply Consumption: Medium

Operational Cost: Medium

Deployment Requirements: Command zone

Transport Compatibility: Heavy command carriers

Launch Method: Anchor-install

BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

120× **Command Alloy Plates**

60× **Reinforced Command Rods**

10× **Hydraulic Actuators**

4× **Armor Panels**

1× **Data Vault Assembly**

Electronics

40× **Circuit Bundles**

30× **Signal Processors**

10× **Command Control Chips**

4× **Command AI Chips**

Power

1× **Command Reactor Core**

3× **Power Regulation Nodes**

Rare / Tradeable

1× **Encryption Lattice Module**

Optional Upgrades

Reinforced Vault

Quantum Encryption

Anti-Jamming Shielding