

SEA UNIT — TIDEBREAKER

ID:

obs-sea-tidebreaker

Role: Heavy Marine Assault / Wave-Stabilized Breaker Vessel

Tier: Heavy

Status: Active

● **PHYSICAL & TECHNICAL**

Length: 14.0 m

Width: 5.5 m

Height: 4.0 m

Mass: 12,000 kg

Power Source: Dual marine diesel-electric turbines

Energy Capacity: 40,000 Wh

Fuel Capacity: 500 L

Endurance: 16–30 hours

Payload Capacity: 800 kg or 6 personnel

Modules:

Reinforced breaker hull

Heavy stabilization fins

Forward impact prow

Marine assault suite

Navigation System: Marine GPS + Assault AI

Structural Integrity: 2,400 HP

Armor Rating: 0.75

Heat Signature: Medium

Noise Signature: High

Top Speed: 9 m/s

Acceleration: Low

Turning Radius: Heavy marine turn

Stability Rating: Maximum (storm-grade)

● **AUTONOMY & AI BEHAVIOR**

Behavior Profile: Heavy assault / wave breaking / path clearing

Aggression: 0.7

Caution: 0.6

Persistence: 1.0

Retreat Threshold: 0.4

Target Priority: Obstacles / hostile marine positions

Formation Discipline: High

Risk Tolerance: High

Sensors

Visual Range: 2400 m

Thermal Range: 900 m

Acoustic Range: Medium

Sonar Range: Medium

Radar Range: Medium

Signal Detection Range: Medium

Communication

Mesh Range: 8 km

Relay Capacity: 2

Command Link Type: Marine Assault Grid

Network Priority: High

COMBAT & THREAT MODEL

Firepower Rating: Medium

Weapon Mounts: 2 (medium)

Weapon Types: Marine autocannon / suppression turret

Accuracy: Medium

Suppression Value: Medium

Tracking Strength: Medium

Disruption Strength: Medium

Breach Capability: Very High (breaker prow)

Countermeasure Rating: Medium

Threat Modeling

Threat Level: 7

Preferred Terrain: Rough waters / storm zones / assault lanes

Vulnerability Profile: Ballistic / torpedoes / heavy waves

● SQUAD & COMMAND INTEGRATION

Squad Role: Heavy Marine Assault / Path Clearing

Squad Size Contribution: 4

Formation Behavior: Front-line assault spacing

Intent Interpretation Rules: Break waves, clear paths, push forward

Retreat Behavior: Late

Reinforcement Behavior: Supports assault & marine squads

Command Hierarchy

Parent Command Unit: Fusion / Command Core

Subordinate Units: Harbor, Current

Relay Nodes: 2

Network Dependencies: Marine Assault Grid

● VR OPERATOR MODE

Operator Seat Type: Heavy Assault Console

Operator HUD: Marine Assault Overlay

Camera Feeds: Optical + prow cam

Thermal View: Yes

Sonar View: Medium

Tactical Overlay: Wave contours / breach markers

Operator Controls

Movement Controls: Heavy marine drive

Weapon Controls: Turrets

Sensor Controls: Thermal / sonar / zoom

Ability Controls: Break Wave, Stabilize, Breach Mode

Operator Abilities

Wave Break

Hull Ram

Suppression Burst

Assault Relay

● ECONOMY & LOGISTICS

Build Cost: 1,400 Metal / 700 Electronics

Build Time: 200 sec

Factory Type: Marine Bay

Tech Requirements: Marine Systems III

Maintenance Cost: High

Repair Time: 55 sec

Supply Consumption: High

Operational Cost: High

Deployment Requirements: Heavy water launch pad

Transport Compatibility: Heavy marine racks

Launch Method: Water drop

BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

80× **Marine Alloy Plates**

40× **Reinforced Marine Rods**

12× **Hydraulic Actuators**

4× **Armor Panels**

1× **Breaker Hull Assembly**

Electronics

36× **Circuit Bundles**

22× **Signal Processors**

6× **Marine Control Chips**

3× **Assault AI Chips**

Power

1× **Dual Marine Turbine Core**

3× **Power Regulation Nodes**

Rare / Tradeable

1× **Breaker Prow Module**

Optional Upgrades

Reinforced Hull

Extended Fuel Tank

Anti-Jamming Shielding