



AIR UNIT #9 — LIFELINE

ID:

obs-air-lifeline

Role: Emergency Support / Medical Supply / Rapid Response

Tier: Advanced Support

Status: Active



PHYSICAL & TECHNICAL

Length: 3.2 m

Width: 2.4 m

Height: 1.2 m

Mass: 30 kg

Power Source: High-capacity battery

Energy Capacity: 2600 Wh

Energy Consumption: 60 Wh/min

Endurance: 30–45 min

Payload Capacity: 3.0 kg (medical payload bay)

Modules: Medical supply bay; stabilization rotors

Navigation System: GPS + Emergency Routing AI

Structural Integrity: 150 HP

Armor Rating: 0.22

Heat Signature: Medium

Noise Signature: Medium

Top Speed: 21 m/s

Acceleration: Medium

Turning Radius: Moderate

Climb Rate: Medium

Stability Rating: Very High (for safe medical delivery)



AUTONOMY & AI BEHAVIOR

Behavior Profile: Rescue Support / Medical Delivery

Aggression: 0.0

Caution: 0.9

Persistence: 0.8

Flanking Likelihood: 0.0

Retreat Threshold: 0.7

Target Priority: Injured units / emergency zones

Formation Discipline: Medium

Risk Tolerance: Low

Sensors

Visual Range: 1400 m

Thermal Range: 800 m

Acoustic Range: Low

Radar Range: None

LiDAR Range: Short-range

Signal Detection Range: Medium

Communication

Mesh Range: 6 km

Relay Capacity: 0

Command Link Type: Rescue Grid

Network Priority: High

COMBAT & THREAT MODEL

Firepower Rating: 0

Accuracy: N/A

Stabilization: Very High

Weapon Mounts: None

Weapon Types: None

Suppression Value: 0

Tracking Strength: Medium

Disruption Strength: Low

Breach Capability: None

Countermeasure Rating: Low

Threat Modeling

Threat Level: 3

Engagement Distance: N/A

Preferred Terrain: Rescue corridors

Preferred Targets: None

Vulnerability Profile: Ballistic / weather

SQUAD & COMMAND INTEGRATION

Squad Role: Emergency Support

Squad Size Contribution: 1

Formation Behavior: Rescue corridor spacing

Intent Interpretation Rules: Prioritize medical delivery over speed

Retreat Behavior: Medium

Breach Behavior: None

Flanking Behavior: None

Reinforcement Behavior: Supports rescue and logistics squads

Command Hierarchy

Parent Command Unit: Rescue / Command Core

Subordinate Units: None

Relay Nodes: None

Network Dependencies: Rescue Grid

VR OPERATOR MODE

Operator Seat Type: Drone View

Operator HUD: Medical Overlay

Camera Feeds: Optical

Thermal View: Yes

LiDAR View: Yes (short-range)

Sonar View: No

Tactical Overlay: Rescue markers / medical zones

Operator Controls

Movement Controls: Full drone flight

Sensor Controls: Thermal / LiDAR / zoom

Ability Controls: Medical Drop, Scan, Stabilize

Weapon Controls: None

Stabilization Controls: Auto-hover

Operator Abilities

Medical Payload Drop

Rescue Scan

Thermal Search

Stabilize

Relay Rescue Data



ECONOMY & LOGISTICS

Build Cost: 200 Metal / 220 Electronics

Build Time: 65 sec

Factory Type: Drone Bay

Tech Requirements: Rescue Systems I

Maintenance Cost: Medium

Repair Time: 16 sec

Supply Consumption: Medium

Operational Cost: Moderate

Deployment Requirements: Standard drone pad

Transport Compatibility: All aerial racks

Launch Method: Vertical takeoff



BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

16× **Medium Alloy Plates**

12× **Composite Frame Rods**

8× **Micro-Servo Actuators**

4× **Stabilizer Fins**

1× **Medical Payload Bay Housing**

Electronics

14× **Circuit Bundles**

10× **Signal Processors**

6× **Drone Control Chips**

2× **Rescue AI Chips**

Power

1× **High-Capacity Battery Pack**

3× **Power Regulation Nodes**

Rare / Tradeable

1× **Medical Delivery Core**

1× **Thermal Search Processor**

Optional Upgrades

Extended Battery Module

Silent Rotor Kit

High-Capacity Medical Bay

Anti-Jamming Shielding