

GROUND UNIT — FORGE

ID:

obs-ground-forge

Role: Field Construction / Mobile Fabrication

Tier: Engineering

Status: Active

● **PHYSICAL & TECHNICAL**

Length: 4.6 m

Width: 2.3 m

Height: 2.0 m

Mass: 1,450 kg

Power Source: Heavy industrial generator + auxiliary battery

Energy Capacity: 6800 Wh

Fuel Capacity: 80 L

Endurance: 5–8 hours

Payload Capacity: 500 kg (materials)

Modules: Fabrication arm + welding suite + structural scanner

Navigation System: GPS + Construction AI

Structural Integrity: 1,000 HP

Armor Rating: 0.55

Heat Signature: Medium

Noise Signature: High

Top Speed: 12 m/s

Acceleration: Low

Turning Radius: Moderate

Stability Rating: Very High

● **AUTONOMY & AI BEHAVIOR**

Behavior Profile: Construction / Repair / Deployment

Aggression: 0.0

Caution: 0.9

Persistence: 1.0

Flanking Likelihood: 0.0

Retreat Threshold: 0.7

Target Priority: Damaged structures / build sites

Formation Discipline: High

Risk Tolerance: Low

Sensors

Visual Range: 1500 m

Thermal Range: 600 m

Acoustic Range: Medium

Radar Range: None

LiDAR Range: Medium

Signal Detection Range: Short

Communication

Mesh Range: 4 km

Relay Capacity: 1

Command Link Type: Engineering Grid

Network Priority: High

● **COMBAT & THREAT MODEL**

Firepower Rating: 0

Weapon Mounts: None

Weapon Types: None

Suppression Value: 0

Tracking Strength: Low

Disruption Strength: Medium (construction tools)

Breach Capability: Medium (structural arm)

Countermeasure Rating: Low

Threat Modeling

Threat Level: 3

Engagement Distance: N/A

Preferred Terrain: Build zones / forward bases

Preferred Targets: None

Vulnerability Profile: Ballistic / explosives

● **SQUAD & COMMAND INTEGRATION**

Squad Role: Engineering / Construction

Squad Size Contribution: 3

Formation Behavior: Build-site spacing

Intent Interpretation Rules: Prioritize repairs and construction

Retreat Behavior: Early

Breach Behavior: Structural arm only

Flanking Behavior: None

Reinforcement Behavior: Supports all squads via repairs

Command Hierarchy

Parent Command Unit: Command Core / Fusion

Subordinate Units: Mule, Hauler

Relay Nodes: 1

Network Dependencies: Engineering Grid

● **VR OPERATOR MODE**

Operator Seat Type: Engineering Cockpit

Operator HUD: Construction Overlay

Camera Feeds: Optical + arm cam

Thermal View: Yes

LiDAR View: Yes

Tactical Overlay: Build zones / repair markers

Operator Controls

Movement Controls: Full vehicle drive

Tool Controls: Welding, cutting, fabrication arm

Sensor Controls: Thermal / LiDAR / zoom

Ability Controls: Deploy Structure, Repair, Scan Integrity

Operator Abilities

Structural Repair

Rapid Deployment

Material Fabrication

Build Zone Marking

● **ECONOMY & LOGISTICS**

Build Cost: 700 Metal / 400 Electronics

Build Time: 140 sec

Factory Type: Vehicle Bay

Tech Requirements: Engineering Systems I

Maintenance Cost: Medium

Repair Time: 35 sec

Supply Consumption: Medium

Operational Cost: Moderate

Deployment Requirements: Vehicle pad

Transport Compatibility: Heavy racks

Launch Method: Drive-out

BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

50× **Heavy Alloy Plates**

24× **Reinforced Frame Rods**

8× **Hydraulic Actuators**

4× **Armor Panels**

1× **Fabrication Arm Housing**

Electronics

24× **Circuit Bundles**

16× **Signal Processors**

5× **Vehicle Control Chips**

3× **Engineering AI Chips**

Power

1× **Industrial Generator Core**

3× **Power Regulation Nodes**

Rare / Tradeable

1× **Precision Welding Module**

Optional Upgrades

Reinforced Arm

Silent Generator Kit

Extended Fuel Tank

Anti-Jamming Shielding