

# ★ VECTOR CORE

(12 m × 9 m × 6 m)

## ⦿ COMMAND UNIT — VECTOR CORE

ID:

obs-command-vectorcore

Role: Tactical Vector Routing / Real-Time Unit Pathing

Tier: Command

Status: Active

### ● PHYSICAL & TECHNICAL

Length: 12 m

Width: 9 m

Height: 6 m

Mass: 24,000 kg

Power Source: Dual tactical-grade reactors

Energy Capacity: 140,000 Wh

Fuel Capacity: N/A (reactor-based)

Endurance: Continuous

Payload Capacity: Internal systems only

Modules:

- Vector routing chamber
- Pathing lattice
- Multi-node relay interface
- Redundant cooling towers
- Stabilization pylons

Navigation System: Stationary (anchored command node)

Structural Integrity: 4,200 HP

Armor Rating: 1.20

Heat Signature: Low

Noise Signature: Low

Top Speed: N/A

**Stability Rating:** Maximum

## ● AUTONOMY & AI BEHAVIOR

**Behavior Profile:** Tactical pathing / vector routing / movement optimization

**Aggression:** 0.0

**Caution:** 1.0

**Persistence:** 1.0

**Retreat Threshold:** N/A

**Target Priority:** None (non-combat)

**Formation Discipline:** Maximum

**Risk Tolerance:** Very Low

### **Sensors**

**Visual Range:** Short

**Thermal Range:** Short

**Acoustic Range:** Short

**Radar Range:** Medium

**Signal Detection Range:** Very High

### **Communication**

**Mesh Range:** Global

**Relay Capacity:** 10

**Command Link Type:** Strategic Command Mesh

**Network Priority:** Maximum

## ● COMBAT & THREAT MODEL

**Firepower Rating:** None

**Weapon Mounts:** None

**Tracking Strength:** Very High (movement intelligence)

**Disruption Strength:** High

**Countermeasure Rating:** Very High

### **Threat Modeling**

**Threat Level:** 6

**Preferred Terrain:** Secure command zones

**Vulnerability Profile:** EMP / sabotage

## ● SQUAD & COMMAND INTEGRATION

**Squad Role:** Tactical Movement Coordinator

**Squad Size Contribution:** 7

**Formation Behavior:** Central anchor

**Intent Interpretation Rules:** Optimize movement vectors for all units

**Retreat Behavior:** None

**Reinforcement Behavior:** Supports all units

**Command Hierarchy**

**Parent Command Unit:** Nexus / Fusion

**Subordinate Units:** None

**Relay Nodes:** 10

**Network Dependencies:** Strategic Command Mesh

## ● VR OPERATOR MODE

**Operator Seat Type:** Tactical Pathing Console

**Operator HUD:** Vector Routing Overlay

**Camera Feeds:** Internal systems only

**Thermal View:** Yes

**Tactical Overlay:** Movement vectors / pathing lanes / congestion maps

**Operator Controls**

Vector routing

Pathing lattice control

Tactical diagnostics

Movement optimization

**Operator Abilities**

Vector Sync

Pathing Pulse

Tactical Flow Optimization

Mesh Stabilization

## ● ECONOMY & LOGISTICS

**Build Cost:** 2,400 Metal / 1,500 Electronics

**Build Time:** 260 sec

**Factory Type:** Command Foundry

**Tech Requirements:** Command Systems II

**Maintenance Cost:** Medium

**Repair Time:** 75 sec

**Supply Consumption:** Medium

**Operational Cost:** Medium

**Deployment Requirements:** Command zone

**Transport Compatibility:** Heavy command carriers

**Launch Method:** Anchor-install

## **BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)**

### **Common Components**

140× **Command Alloy Plates**

70× **Reinforced Command Rods**

10× **Hydraulic Actuators**

4× **Armor Panels**

1× **Vector Routing Chamber Assembly**

### **Electronics**

48× **Circuit Bundles**

32× **Signal Processors**

10× **Command Control Chips**

4× **Command AI Chips**

### **Power**

1× **Tactical Reactor Core**

3× **Power Regulation Nodes**

### **Rare / Tradeable**

1× **Vector Lattice Module**

### **Optional Upgrades**

Quantum Encryption

Reinforced Hull

Anti-Jamming Shielding