



AIR UNIT #28 — HORIZON

ID:

obs-air-horizon

Role: High-Altitude Surveillance / Persistent Watch

Tier: Advanced Recon

Status: Active



PHYSICAL & TECHNICAL

Length: 3.4 m

Width: 2.6 m

Height: 1.2 m

Mass: 32 kg

Power Source: Long-endurance battery

Energy Capacity: 3600 Wh

Energy Consumption: 50 Wh/min

Endurance: 60–90 min

Payload Capacity: 2.0 kg

Modules: Long-range optical + atmospheric stability suite

Navigation System: GPS + High-Altitude Recon AI

Structural Integrity: 180 HP

Armor Rating: 0.30

Heat Signature: Low

Noise Signature: Low

Top Speed: 21 m/s

Acceleration: Medium

Turning Radius: Moderate

Climb Rate: Very High

Stability Rating: Extremely High



AUTONOMY & AI BEHAVIOR

Behavior Profile: Persistent Surveillance / High-Altitude Recon

Aggression: 0.0

Caution: 0.95

Persistence: 1.0

Flanking Likelihood: 0.0

Retreat Threshold: 0.95

Target Priority: Long-range visibility targets

Formation Discipline: Very High

Risk Tolerance: Very Low

Sensors

Visual Range: 3000 m

Thermal Range: 1200 m

Acoustic Range: Low

Radar Range: Medium

LiDAR Range: Medium

Signal Detection Range: High

Communication

Mesh Range: 10 km

Relay Capacity: 2

Command Link Type: Recon Grid

Network Priority: High

COMBAT & THREAT MODEL

Firepower Rating: 0

Accuracy: N/A

Stabilization: Extremely High

Weapon Mounts: None

Weapon Types: None

Suppression Value: 0

Tracking Strength: Very High

Disruption Strength: Low

Breach Capability: None

Countermeasure Rating: Medium

Threat Modeling

Threat Level: 3

Engagement Distance: N/A

Preferred Terrain: High-altitude recon lanes

Preferred Targets: None

Vulnerability Profile: Ballistic / weather

● **SQUAD & COMMAND INTEGRATION**

Squad Role: High-Altitude Recon

Squad Size Contribution: 1

Formation Behavior: High-altitude spacing

Intent Interpretation Rules: Maintain persistent visibility

Retreat Behavior: Very Early

Breach Behavior: None

Flanking Behavior: None

Reinforcement Behavior: Supports recon, command, and mesh squads

Command Hierarchy

Parent Command Unit: Insight / Overseer

Subordinate Units: Skywatch, Survey, Terrain, Thermal

Relay Nodes: 2

Network Dependencies: Recon Grid

● **VR OPERATOR MODE**

Operator Seat Type: High-Altitude Drone View

Operator HUD: Long-Range Recon Overlay

Camera Feeds: Optical

Thermal View: Yes

LiDAR View: Yes

Radar View: Yes

Tactical Overlay: Long-range markers / altitude bands

Operator Controls

Movement Controls: Full drone flight

Sensor Controls: Multi-sensor switching

Ability Controls: Scan, Mark Target, Stabilize

Weapon Controls: None

Stabilization Controls: High-altitude auto-hover

Operator Abilities

Long-Range Scan
High-Altitude Stabilize
Target Mark
Relay Recon Data

ECONOMY & LOGISTICS

Build Cost: 210 Metal / 220 Electronics
Build Time: 70 sec
Factory Type: Drone Bay
Tech Requirements: Recon Systems III
Maintenance Cost: Medium
Repair Time: 18 sec
Supply Consumption: Medium
Operational Cost: Moderate
Deployment Requirements: High-altitude drone pad
Transport Compatibility: All aerial racks
Launch Method: Vertical takeoff

BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

16× **Medium Alloy Plates**
12× **Composite Frame Rods**
6× **Micro-Servo Actuators**
3× **Stabilizer Fins**
1× **High-Altitude Sensor Housing**

Electronics

16× **Circuit Bundles**
12× **Signal Processors**
4× **Drone Control Chips**
4× **Recon AI Chips**

Power

1× **Long-Endurance Battery Pack**
3× **Power Regulation Nodes**

Rare / Tradeable

1× **Long-Range Optics Core**

1× **High-Altitude Stability Processor**

Optional Upgrades

Extended Altitude Module

Silent Rotor Kit

Ultra-Long-Range Lens

Anti-Jamming Shielding