



AIR UNIT #15 — OVERSEER

ID:

obs-air-overseer

Role: Command-Grade Recon / Multi-Sensor Coordination

Tier: Command

Status: Active



PHYSICAL & TECHNICAL

Length: 3.4 m

Width: 2.6 m

Height: 1.2 m

Mass: 32 kg

Power Source: High-capacity command battery

Energy Capacity: 3000 Wh

Energy Consumption: 70 Wh/min

Endurance: 35–50 min

Payload Capacity: 3.0 kg

Modules: Multi-sensor command suite

Navigation System: GPS + Command-AI Pathing

Structural Integrity: 180 HP

Armor Rating: 0.28

Heat Signature: Medium

Noise Signature: Medium

Top Speed: 22 m/s

Acceleration: Medium

Turning Radius: Moderate

Climb Rate: Medium

Stability Rating: Very High



AUTONOMY & AI BEHAVIOR

Behavior Profile: Command Recon / Coordination

Aggression: 0.2

Caution: 0.7

Persistence: 0.9

Flanking Likelihood: 0.2

Retreat Threshold: 0.6

Target Priority: High-value targets

Formation Discipline: Very High

Risk Tolerance: Medium

Sensors

Visual Range: 2200 m

Thermal Range: 1400 m

Acoustic Range: Medium

Radar Range: Short-range

LiDAR Range: Medium

Signal Detection Range: Very High

Communication

Mesh Range: 10 km

Relay Capacity: 4

Command Link Type: Command Grid

Network Priority: Very High

COMBAT & THREAT MODEL

Firepower Rating: Low (command-grade deterrent)

Accuracy: Medium

Stabilization: Very High

Weapon Mounts: 1 (non-lethal deterrent or marker beam)

Weapon Types: Marker beam / deterrent pulse

Suppression Value: Medium

Tracking Strength: Very High

Disruption Strength: Medium

Breach Capability: None

Countermeasure Rating: Medium

Threat Modeling

Threat Level: 5

Engagement Distance: 200–400 m

Preferred Terrain: High-visibility command airspace

Preferred Targets: High-value targets / command nodes

Vulnerability Profile: Ballistic / EMP / jamming

SQUAD & COMMAND INTEGRATION

Squad Role: Air Command Recon

Squad Size Contribution: 1

Formation Behavior: Command-grade spacing

Intent Interpretation Rules: Maintain oversight, coordinate recon units

Retreat Behavior: Medium

Breach Behavior: None

Flanking Behavior: Light

Reinforcement Behavior: Supports recon, mesh, and targeting squads

Command Hierarchy

Parent Command Unit: Command Core

Subordinate Units: Warden, Iris, Locator, Nightguard

Relay Nodes: 4

Network Dependencies: Command Grid

VR OPERATOR MODE

Operator Seat Type: Command Drone View

Operator HUD: Multi-Sensor Command Overlay

Camera Feeds: Optical

Thermal View: Yes

LiDAR View: Yes

Radar View: Yes

Tactical Overlay: Command markers / squad overlays

Operator Controls

Movement Controls: Full drone flight

Sensor Controls: Multi-sensor switching

Ability Controls: Mark Target, Command Ping, Scan

Weapon Controls: Marker beam / deterrent pulse

Stabilization Controls: Auto-hover

Operator Abilities

Command Ping

Multi-Sensor Scan

Target Mark

Squad Coordination

Relay Command Data



ECONOMY & LOGISTICS

Build Cost: 260 Metal / 240 Electronics

Build Time: 75 sec

Factory Type: Drone Bay

Tech Requirements: Command Systems I

Maintenance Cost: Medium

Repair Time: 20 sec

Supply Consumption: Medium

Operational Cost: Moderate

Deployment Requirements: Command drone pad

Transport Compatibility: All aerial racks

Launch Method: Vertical takeoff



BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

18× **Medium Alloy Plates**

12× **Composite Frame Rods**

8× **Micro-Servo Actuators**

4× **Stabilizer Fins**

1× **Command Sensor Housing**

Electronics

18× **Circuit Bundles**

12× **Signal Processors**

6× **Drone Control Chips**

4× **Command AI Chips**

Power

1× **High-Capacity Command Battery**

3× **Power Regulation Nodes**

Rare / Tradeable

1× **Command-Grade Multi-Sensor Core**

1× **Encrypted Command Processor**

Optional Upgrades

Extended Command Range Module

Anti-Jamming Shielding

Silent Rotor Kit

High-Density Sensor Grid