

★ SEA UNIT — SCOUT

(4.5 m × 2.2 m × 1.8 m)

🐳 SEA UNIT — SCOUT

ID:

obs-sea-scout

Role: Marine Recon / Fast Surface Scouting

Tier: Recon

Status: Active

● PHYSICAL & TECHNICAL

Length: 4.5 m

Width: 2.2 m

Height: 1.8 m

Mass: 1,600 kg

Power Source: Electric-hybrid marine drive

Energy Capacity: 7,000 Wh

Fuel Capacity: 90 L

Endurance: 4–8 hours

Payload Capacity: 80 kg

Modules: Recon optics + light sonar + silent propulsion

Navigation System: Marine GPS + Recon AI

Structural Integrity: 600 HP

Armor Rating: 0.25

Heat Signature: Very Low

Noise Signature: Very Low

Top Speed: 14 m/s

Acceleration: High

Turning Radius: Very tight

Stability Rating: High

● AUTONOMY & AI BEHAVIOR

Behavior Profile: Recon / Forward Scouting

Aggression: 0.1

Caution: 0.9

Persistence: 0.8

Retreat Threshold: 0.85

Target Priority: Movement / anomalies

Formation Discipline: Medium

Risk Tolerance: Low

Sensors

Visual Range: 2400 m

Thermal Range: 900 m

Acoustic Range: High

Sonar Range: Short

Radar Range: Short

Signal Detection Range: Medium

Communication

Mesh Range: 6 km

Relay Capacity: 0

Command Link Type: Marine Recon Grid

Network Priority: High

COMBAT & THREAT MODEL

Firepower Rating: Very Low

Weapon Mounts: 1 (light)

Weapon Types: Light turret / recon suppressor

Accuracy: Medium

Suppression Value: Low

Tracking Strength: Medium

Disruption Strength: Low

Countermeasure Rating: Low

Threat Modeling

Threat Level: 3

Engagement Distance: 200–400 m

Preferred Terrain: Surface waters / recon lanes

Vulnerability Profile: Ballistic / waves / collision

● SQUAD & COMMAND INTEGRATION

Squad Role: Marine Recon / Forward Eyes

Squad Size Contribution: 1

Formation Behavior: Forward spacing

Intent Interpretation Rules: Identify threats early

Retreat Behavior: Early

Reinforcement Behavior: Supports recon & marine squads

Command Hierarchy

Parent Command Unit: Insight / Pulse

Subordinate Units: None

Relay Nodes: None

Network Dependencies: Marine Recon Grid

● VR OPERATOR MODE

Operator Seat Type: Recon Cockpit

Operator HUD: Marine Recon Overlay

Camera Feeds: Optical

Thermal View: Yes

Sonar View: Basic

Tactical Overlay: Movement markers / terrain scan

Operator Controls

Movement Controls: Marine drive

Weapon Controls: Light turret

Sensor Controls: Thermal / sonar / zoom

Ability Controls: Mark Target, Scan, Stabilize

Operator Abilities

Recon Scan

Silent Approach

Threat Marking

Recon Relay

● ECONOMY & LOGISTICS

Build Cost: 300 Metal / 160 Electronics

Build Time: 70 sec

Factory Type: Marine Bay

Tech Requirements: Marine Systems I

Maintenance Cost: Low

Repair Time: 18 sec

Supply Consumption: Low

Operational Cost: Low

Deployment Requirements: Water launch pad

Transport Compatibility: Light marine racks

Launch Method: Water drop

BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

24× **Marine Alloy Plates**

12× **Reinforced Marine Rods**

4× **Hydraulic Actuators**

1× **Recon Sensor Housing**

Electronics

14× **Circuit Bundles**

10× **Signal Processors**

3× **Marine Control Chips**

2× **Recon AI Chips**

Power

1× **Hybrid Marine Engine Core**

2× **Power Regulation Nodes**

Rare / Tradeable

1× **Silent Propulsion Module**

Optional Upgrades

Extended Battery Pack

Silent Drive Kit

Anti-Jamming Shielding