

★ SONAR

(5.5 m × 2.5 m × 2.0 m)

SEA UNIT — SONAR

ID:

obs-sea-sonar

Role: Dedicated Marine Sonar Platform / Acoustic Mapping

Tier: Recon / Specialist

Status: Active

● PHYSICAL & TECHNICAL

Length: 5.5 m

Width: 2.5 m

Height: 2.0 m

Mass: 2,000 kg

Power Source: Marine diesel-electric hybrid

Energy Capacity: 11,000 Wh

Fuel Capacity: 120 L

Endurance: 6–14 hours

Payload Capacity: 120 kg

Modules: High-resolution sonar array + acoustic mapping suite

Navigation System: Marine GPS + Sonar AI

Structural Integrity: 700 HP

Armor Rating: 0.30

Heat Signature: Very Low

Noise Signature: Ultra-Low (acoustic stealth)

Top Speed: 8 m/s

Acceleration: Medium

Turning Radius: Tight

Stability Rating: High

● AUTONOMY & AI BEHAVIOR

Behavior Profile: Acoustic Recon / Deep Scan

Aggression: 0.0

Caution: 0.9

Persistence: 1.0

Retreat Threshold: 0.85

Target Priority: Subsurface anomalies / acoustic signatures

Formation Discipline: High

Risk Tolerance: Low

Sensors

Visual Range: 1600 m

Thermal Range: 700 m

Acoustic Range: Very High

Sonar Range: Long (primary system)

Radar Range: Short

Signal Detection Range: Medium

Communication

Mesh Range: 6 km

Relay Capacity: 1

Command Link Type: Marine Recon Grid

Network Priority: High

● **COMBAT & THREAT MODEL**

Firepower Rating: None

Weapon Mounts: None

Tracking Strength: High (acoustic)

Disruption Strength: Medium (sonar interference)

Countermeasure Rating: Medium

Threat Modeling

Threat Level: 3

Preferred Terrain: Surface + shallow subsurface

Vulnerability Profile: Ballistic / collision / heavy waves

● **SQUAD & COMMAND INTEGRATION**

Squad Role: Sonar Recon / Acoustic Mapping

Squad Size Contribution: 1

Formation Behavior: Sensor-optimized spacing

Intent Interpretation Rules: Scan and identify subsurface anomalies

Retreat Behavior: Early

Reinforcement Behavior: Supports recon & marine squads

Command Hierarchy

Parent Command Unit: Insight / Pulse

Subordinate Units: None

Relay Nodes: 1

Network Dependencies: Marine Recon Grid

● **VR OPERATOR MODE**

Operator Seat Type: Sonar Console

Operator HUD: Acoustic Mapping Overlay

Camera Feeds: Optical

Thermal View: Yes

Sonar View: Long-range, high-resolution

Tactical Overlay: Acoustic contours / anomaly markers

Operator Controls

Movement Controls: Marine drive

Sensor Controls: Sonar / acoustic filters / zoom

Ability Controls: Deep Scan, Mark Anomaly, Stabilize

Operator Abilities

Long-Range Sonar Sweep

Acoustic Mapping

Subsurface Hazard Detection

Recon Relay

● **ECONOMY & LOGISTICS**

Build Cost: 520 Metal / 300 Electronics

Build Time: 120 sec

Factory Type: Marine Bay

Tech Requirements: Marine Systems II

Maintenance Cost: Low

Repair Time: 30 sec

Supply Consumption: Low

Operational Cost: Low

Deployment Requirements: Water launch pad

Transport Compatibility: Marine racks

Launch Method: Water drop



BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

36× **Marine Alloy Plates**

18× **Reinforced Marine Rods**

5× **Hydraulic Actuators**

1× **Sonar Array Housing**

Electronics

22× **Circuit Bundles**

16× **Signal Processors**

4× **Marine Control Chips**

2× **Recon AI Chips**

Power

1× **Marine Hybrid Engine Core**

2× **Power Regulation Nodes**

Rare / Tradeable

1× **High-Resolution Sonar Core**

Optional Upgrades

Silent Propulsion

Extended Battery Pack

Anti-Jamming Shielding