



AIR UNIT: WARDEN

ID:

obs-air-warden

Role: Aerial Surveillance / Recon Intelligence

Tier: Operational

Status: Active



PHYSICAL & TECHNICAL

Length: 3.0 m

Width: 2.2 m

Height: 0.8 m

Mass: 18 kg

Power Source: High-density battery

Energy Capacity: 2200 Wh

Energy Consumption: 45 Wh/min

Endurance: 30–50 min

Payload Capacity: 2.5 kg

Modules: Camera array; stabilization frame

Navigation System: GPS + AI Stabilization

Structural Integrity: 120 HP

Armor Rating: 0.15

Heat Signature: Low

Noise Signature: Low

Top Speed: 22 m/s

Acceleration: Medium

Turning Radius: Tight

Climb Rate: High

Stability Rating: High



AUTONOMY & AI BEHAVIOR

Behavior Profile: Surveillance

Aggression: 0.1

Caution: 0.8

Persistence: 0.6

Flanking Likelihood: 0.0

Retreat Threshold: 0.7

Target Priority: Recon targets

Formation Discipline: High

Risk Tolerance: Low

Sensors

Visual Range: 1800 m

Thermal Range: 900 m

Acoustic Range: Low

Radar Range: None

LiDAR Range: None

Signal Detection Range: Medium

Communication

Mesh Range: 5 km

Relay Capacity: 0

Command Link Type: Standard

Network Priority: Medium

COMBAT & THREAT MODEL

Firepower Rating: 0

Accuracy: N/A

Stabilization: High (for imaging)

Weapon Mounts: None

Weapon Types: None

Suppression Value: 0

Tracking Strength: High

Disruption Strength: Low

Breach Capability: None

Countermeasure Rating: Low

Threat Modeling

Threat Level: 2

Engagement Distance: N/A

Preferred Terrain: Open air

Preferred Targets: High-value recon targets

Vulnerability Profile: Ballistic / weather / jamming

● **SQUAD & COMMAND INTEGRATION**

Squad Role: Recon

Squad Size Contribution: 1

Formation Behavior: High-discipline recon spacing

Intent Interpretation Rules: Maintain distance, avoid threats, prioritize visibility

Retreat Behavior: Early

Breach Behavior: None

Flanking Behavior: None

Reinforcement Behavior: Supports recon squads

Command Hierarchy

Parent Command Unit: Sentinel / Overseer

Subordinate Units: None

Relay Nodes: None

Network Dependencies: Standard Warden mesh

● **VR OPERATOR MODE**

Operator Seat Type: Drone View

Operator HUD: Recon overlay

Camera Feeds: Optical

Thermal View: Yes

LiDAR View: No

Sonar View: No

Tactical Overlay: Yes

Operator Controls

Movement Controls: Full drone flight

Sensor Controls: Zoom / thermal / tracking

Ability Controls: Scan, Mark Target, Stabilize

Weapon Controls: None

Stabilization Controls: Auto-hover, auto-level

Operator Abilities

Scan

Mark Target

Stabilize

Relay Recon Data

ECONOMY & LOGISTICS

Build Cost: 120 Metal / 80 Electronics

Build Time: 40 sec

Factory Type: Drone Bay

Tech Requirements: Basic Recon

Maintenance Cost: Low

Repair Time: 10 sec

Supply Consumption: Low

Operational Cost: Minimal

Deployment Requirements: Standard drone pad

Transport Compatibility: All aerial racks

Launch Method: Vertical takeoff

BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

These are the **components** players must gather, salvage, trade, or craft to build a Warden.

Common Components

12× Light Alloy Plates

8× Composite Frame Rods

6× Micro-Servo Actuators

4× Stabilizer Fins

1× Optical Camera Core

1× Thermal Micro-Sensor

Electronics

10× Circuit Bundles

6× Signal Processors

4× Drone Control Chips

1× AI Stabilization Module

Power

1× **High-Density Battery Pack**

2× **Power Regulation Nodes**

Rare / Tradeable

1× **Recon-Grade Lens Array**

1× **Encrypted Mesh Transceiver (Basic)**

Optional Upgrades

Thermal Lens Upgrade

Extended Battery Module

Silent Rotor Kit