

★ MULE

GROUND UNIT — MULE

ID:

obs-ground-mule

Role: Logistics / Field Transport

Tier: Support

Status: Active

● PHYSICAL & TECHNICAL

Length: 4.4 m

Width: 2.2 m

Height: 1.9 m

Mass: 1,300 kg

Power Source: Diesel-electric hybrid

Energy Capacity: 5000 Wh

Fuel Capacity: 70 L

Endurance: 6–12 hours

Payload Capacity: 800 kg

Modules: Cargo bed + modular rack system

Navigation System: GPS + Logistics AI

Structural Integrity: 850 HP

Armor Rating: 0.40

Heat Signature: Medium

Noise Signature: Medium

Top Speed: 16 m/s

Acceleration: Medium

Turning Radius: Tight

Stability Rating: High

● AUTONOMY & AI BEHAVIOR

Behavior Profile: Transport / Supply Delivery

Aggression: 0.0

Caution: 0.9

Persistence: 1.0

Flanking Likelihood: 0.0

Retreat Threshold: 0.8

Target Priority: Supply routes / friendly units

Formation Discipline: High

Risk Tolerance: Low

Sensors

Visual Range: 1400 m

Thermal Range: 600 m

Acoustic Range: Medium

Radar Range: None

LiDAR Range: Short

Signal Detection Range: Short

Communication

Mesh Range: 5 km

Relay Capacity: 1

Command Link Type: Logistics Grid

Network Priority: High

COMBAT & THREAT MODEL

Firepower Rating: None

Weapon Mounts: None

Weapon Types: None

Suppression Value: 0

Tracking Strength: None

Disruption Strength: Low

Breach Capability: None

Countermeasure Rating: Low

Threat Modeling

Threat Level: 2

Engagement Distance: N/A

Preferred Terrain: Supply routes / safe lanes

Preferred Targets: None

Vulnerability Profile: Ballistic / explosives

● SQUAD & COMMAND INTEGRATION

Squad Role: Logistics / Transport

Squad Size Contribution: 2

Formation Behavior: Rear-line spacing

Intent Interpretation Rules: Deliver supplies safely

Retreat Behavior: Early

Breach Behavior: None

Flanking Behavior: None

Reinforcement Behavior: Supports all squads

Command Hierarchy

Parent Command Unit: Command Core / Fusion

Subordinate Units: Hauler, Forge

Relay Nodes: 1

Network Dependencies: Logistics Grid

● VR OPERATOR MODE

Operator Seat Type: Transport Cockpit

Operator HUD: Logistics Overlay

Camera Feeds: Optical

Thermal View: Yes

LiDAR View: Yes

Tactical Overlay: Supply routes / drop markers

Operator Controls

Movement Controls: Full vehicle drive

Cargo Controls: Load / unload / secure

Sensor Controls: Thermal / LiDAR / zoom

Ability Controls: Mark Drop Zone, Stabilize, Route Lock

Operator Abilities

Supply Drop

Cargo Stabilization

Route Optimization

Logistics Relay

● ECONOMY & LOGISTICS

Build Cost: 500 Metal / 250 Electronics

Build Time: 100 sec

Factory Type: Vehicle Bay

Tech Requirements: Logistics Systems I

Maintenance Cost: Low

Repair Time: 25 sec

Supply Consumption: Low

Operational Cost: Low

Deployment Requirements: Vehicle pad

Transport Compatibility: Heavy racks

Launch Method: Drive-out

BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

36× Heavy Alloy Plates

18× Reinforced Frame Rods

6× Hydraulic Actuators

3× Armor Panels

1× Cargo Bed Assembly

Electronics

18× Circuit Bundles

12× Signal Processors

4× Vehicle Control Chips

2× Logistics AI Chips

Power

1× Hybrid Engine Core

2× Power Regulation Nodes

Rare / Tradeable

1× Cargo Stabilization Module

Optional Upgrades

Reinforced Cargo Bed

Silent Drive Kit

Extended Fuel Tank

Anti-Jamming Shielding