

★ PATROL

GROUND UNIT — PATROL

ID:

obs-ground-patrol

Role: Light Patrol / Perimeter Sweep

Tier: Security

Status: Active

● PHYSICAL & TECHNICAL

Length: 3.9 m

Width: 1.9 m

Height: 1.7 m

Mass: 900 kg

Power Source: Diesel-electric hybrid

Energy Capacity: 4200 Wh

Fuel Capacity: 55 L

Endurance: 6–10 hours

Payload Capacity: 120 kg

Modules: Patrol optics + light turret mount

Navigation System: GPS + Patrol AI

Structural Integrity: 700 HP

Armor Rating: 0.35

Heat Signature: Medium

Noise Signature: Medium

Top Speed: 20 m/s

Acceleration: Medium

Turning Radius: Tight

Stability Rating: High

● AUTONOMY & AI BEHAVIOR

Behavior Profile: Perimeter Sweep / Light Security

Aggression: 0.3

Caution: 0.8

Persistence: 0.7

Flanking Likelihood: 0.0

Retreat Threshold: 0.7

Target Priority: Movement near perimeter

Formation Discipline: Medium

Risk Tolerance: Medium

Sensors

Visual Range: 1600 m

Thermal Range: 700 m

Acoustic Range: Medium

Radar Range: Short

LiDAR Range: Short

Signal Detection Range: Short

Communication

Mesh Range: 4 km

Relay Capacity: 0

Command Link Type: Security Grid

Network Priority: Medium

COMBAT & THREAT MODEL

Firepower Rating: Low

Weapon Mounts: 1

Weapon Types: Light turret / suppression gun

Accuracy: Medium

Suppression Value: Low

Tracking Strength: Low

Disruption Strength: Low

Breach Capability: None

Countermeasure Rating: Low

Threat Modeling

Threat Level: 4

Engagement Distance: 200–500 m

Preferred Terrain: Perimeter roads / open ground

Preferred Targets: Light infantry

Vulnerability Profile: Ballistic / explosives

● SQUAD & COMMAND INTEGRATION

Squad Role: Light Patrol

Squad Size Contribution: 1

Formation Behavior: Perimeter sweep spacing

Intent Interpretation Rules: Maintain patrol route

Retreat Behavior: Early

Breach Behavior: None

Flanking Behavior: None

Reinforcement Behavior: Supports security squads

Command Hierarchy

Parent Command Unit: Command Core / Pulse

Subordinate Units: Scout

Relay Nodes: None

Network Dependencies: Security Grid

● VR OPERATOR MODE

Operator Seat Type: Light Vehicle Cockpit

Operator HUD: Patrol Overlay

Camera Feeds: Optical + turret cam

Thermal View: Yes

LiDAR View: Yes

Tactical Overlay: Patrol route + threat markers

Operator Controls

Movement Controls: Full vehicle drive

Weapon Controls: Light turret

Sensor Controls: Thermal / LiDAR / zoom

Ability Controls: Mark Threat, Stabilize, Patrol Mode

Operator Abilities

Light Suppression

Threat Marking

Patrol Route Lock

Relay Security Data

● ECONOMY & LOGISTICS

Build Cost: 350 Metal / 180 Electronics

Build Time: 80 sec

Factory Type: Vehicle Bay

Tech Requirements: Security Systems I

Maintenance Cost: Low

Repair Time: 20 sec

Supply Consumption: Low

Operational Cost: Low

Deployment Requirements: Vehicle pad

Transport Compatibility: Light racks

Launch Method: Drive-out



BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

28× Light Alloy Plates

14× Reinforced Frame Rods

4× Hydraulic Actuators

2× Armor Panels

1× Patrol Sensor Housing

Electronics

14× Circuit Bundles

10× Signal Processors

3× Vehicle Control Chips

2× Security AI Chips

Power

1× Hybrid Engine Core

2× Power Regulation Nodes

Rare / Tradeable

1× Light Turret Stabilizer

Optional Upgrades

Reinforced Armor

Silent Drive Kit

Extended Fuel Tank

Anti-Jamming Shielding