

AIR UNIT — TRAILBLAZER

ID:

obs-air-trailblazer

Role: Forward Recon / Pathfinding

Tier: Recon

Status: Active

● PHYSICAL & TECHNICAL

Length: 2.9 m

Width: 2.1 m

Height: 1.0 m

Mass: 24 kg

Power Source: Mid-endurance battery

Energy Capacity: 2600 Wh

Energy Consumption: 42 Wh/min

Endurance: 45–70 min

Payload Capacity: 1.4 kg

Modules: Pathfinding optics + terrain-scan suite

Navigation System: GPS + Route-Mapping AI

Structural Integrity: 140 HP

Armor Rating: 0.22

Heat Signature: Low

Noise Signature: Low

Top Speed: 23 m/s

Acceleration: Medium

Turning Radius: Tight

Climb Rate: High

Stability Rating: High

● AUTONOMY & AI BEHAVIOR

Behavior Profile: Forward Recon / Route Discovery

Aggression: 0.0

Caution: 0.85

Persistence: 0.9

Flanking Likelihood: 0.0

Retreat Threshold: 0.9

Target Priority: Terrain anomalies / movement

Formation Discipline: Medium

Risk Tolerance: Low

Sensors

Visual Range: 2400 m

Thermal Range: 900 m

Acoustic Range: Low

Radar Range: None

LiDAR Range: Medium

Signal Detection Range: Medium

Communication

Mesh Range: 7 km

Relay Capacity: 0

Command Link Type: Recon Grid

Network Priority: Medium

COMBAT & THREAT MODEL

Firepower Rating: 0

Accuracy: N/A

Stabilization: High

Weapon Mounts: None

Weapon Types: None

Suppression Value: 0

Tracking Strength: Medium

Disruption Strength: Low

Breach Capability: None

Countermeasure Rating: Low

Threat Modeling

Threat Level: 2

Engagement Distance: N/A

Preferred Terrain: Forward recon lanes

Preferred Targets: None

Vulnerability Profile: Ballistic / weather

● SQUAD & COMMAND INTEGRATION

Squad Role: Pathfinding Recon

Squad Size Contribution: 1

Formation Behavior: Forward spacing

Intent Interpretation Rules: Discover safe routes

Retreat Behavior: Early

Breach Behavior: None

Flanking Behavior: None

Reinforcement Behavior: Supports recon and command squads

Command Hierarchy

Parent Command Unit: Insight / Overseer

Subordinate Units: Survey, Terrain, Scout Eye

Relay Nodes: None

Network Dependencies: Recon Grid

● VR OPERATOR MODE

Operator Seat Type: Recon Drone View

Operator HUD: Pathfinding Overlay

Camera Feeds: Optical

Thermal View: Yes

LiDAR View: Yes

Tactical Overlay: Route markers / terrain contours

Operator Controls

Movement Controls: Full drone flight

Sensor Controls: Thermal / LiDAR / zoom

Ability Controls: Scan, Mark Route, Stabilize

Weapon Controls: None

Stabilization Controls: Auto-hover

Operator Abilities

Route Scan

Terrain Mapping

Mark Safe Path

Relay Recon Data

● ECONOMY & LOGISTICS

Build Cost: 150 Metal / 110 Electronics

Build Time: 50 sec

Factory Type: Drone Bay

Tech Requirements: Recon Systems II

Maintenance Cost: Low

Repair Time: 14 sec

Supply Consumption: Low

Operational Cost: Minimal

Deployment Requirements: Standard drone pad

Transport Compatibility: All aerial racks

Launch Method: Vertical takeoff

🔗 BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

14× Light Alloy Plates

10× Composite Frame Rods

4× Micro-Servo Actuators

2× Stabilizer Fins

1× Pathfinding Sensor Housing

Electronics

14× Circuit Bundles

10× Signal Processors

3× Drone Control Chips

2× Recon AI Chips

Power

1× Mid-Endurance Battery Pack

2× Power Regulation Nodes

Rare / Tradeable

1× Terrain-Scan Optics Core

Optional Upgrades

Extended Battery Pack

Silent Rotor Kit

High-Density Recon Grid