

★ DEPTHWATCH

(7.0 m × 3.0 m × 2.5 m)

SEA UNIT — DEPTHWATCH

ID:

obs-sea-depthwatch

Role: Deep-Water Monitoring / Subsurface Recon

Tier: Recon / Specialist

Status: Active

● PHYSICAL & TECHNICAL

Length: 7.0 m

Width: 3.0 m

Height: 2.5 m

Mass: 3,000 kg

Power Source: Marine diesel-electric hybrid

Energy Capacity: 14,000 Wh

Fuel Capacity: 180 L

Endurance: 8–16 hours

Payload Capacity: 200 kg

Modules: Deep sonar array + subsurface mapping suite + stability fins

Navigation System: Marine GPS + DeepScan AI

Structural Integrity: 1,000 HP

Armor Rating: 0.45

Heat Signature: Very Low

Noise Signature: Ultra-Low

Top Speed: 7 m/s

Acceleration: Low

Turning Radius: Moderate

Stability Rating: Maximum (deep-water optimized)

● AUTONOMY & AI BEHAVIOR

Behavior Profile: Deep-water scanning / anomaly detection

Aggression: 0.0

Caution: 0.95

Persistence: 1.0

Retreat Threshold: 0.9

Target Priority: Subsurface anomalies / deep acoustic signatures

Formation Discipline: High

Risk Tolerance: Low

Sensors

Visual Range: 1400 m

Thermal Range: 900 m

Acoustic Range: Very High

Sonar Range: Long (deep-water tuned)

Radar Range: Short

Signal Detection Range: Medium

Communication

Mesh Range: 6 km

Relay Capacity: 1

Command Link Type: Marine Recon Grid

Network Priority: High

● **COMBAT & THREAT MODEL**

Firepower Rating: None

Weapon Mounts: None

Tracking Strength: Very High (deep sonar)

Disruption Strength: Medium

Countermeasure Rating: Medium

Threat Modeling

Threat Level: 4

Preferred Terrain: Deep water / subsurface corridors

Vulnerability Profile: Ballistic / collision / extreme waves

● **SQUAD & COMMAND INTEGRATION**

Squad Role: Deep-water Recon / Acoustic Mapping

Squad Size Contribution: 2

Formation Behavior: Sensor-optimized spacing

Intent Interpretation Rules: Scan deep zones & identify anomalies

Retreat Behavior: Early

Reinforcement Behavior: Supports recon & marine squads

Command Hierarchy

Parent Command Unit: Insight / Pulse

Subordinate Units: None

Relay Nodes: 1

Network Dependencies: Marine Recon Grid

● **VR OPERATOR MODE**

Operator Seat Type: DeepScan Console

Operator HUD: Deep Acoustic Overlay

Camera Feeds: Optical

Thermal View: Yes

Sonar View: Long-range, deep-water

Tactical Overlay: Subsurface contours / anomaly markers

Operator Controls

Movement Controls: Marine drive

Sensor Controls: Deep sonar / acoustic filters / zoom

Ability Controls: Deep Scan, Mark Anomaly, Stabilize

Operator Abilities

Deep Sonar Sweep

Subsurface Mapping

Hazard Detection

Recon Relay

● **ECONOMY & LOGISTICS**

Build Cost: 620 Metal / 340 Electronics

Build Time: 130 sec

Factory Type: Marine Bay

Tech Requirements: Marine Systems II

Maintenance Cost: Medium

Repair Time: 32 sec

Supply Consumption: Medium

Operational Cost: Medium

Deployment Requirements: Water launch pad

Transport Compatibility: Marine racks

Launch Method: Water drop

 BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

40× **Marine Alloy Plates**

20× **Reinforced Marine Rods**

6× **Hydraulic Actuators**

1× **Deep Sonar Housing**

Electronics

24× **Circuit Bundles**

16× **Signal Processors**

4× **Marine Control Chips**

2× **Recon AI Chips**

Power

1× **Marine Hybrid Engine Core**

2× **Power Regulation Nodes**

Rare / Tradeable

1× **Deep Sonar Core**

Optional Upgrades

Silent Propulsion

Extended Battery Pack

Anti-Jamming Shielding