



GROUND UNIT — SENTINAL

ID:

obs-ground-sentinal

Role: Static Defense / Automated Turret Platform

Tier: Security

Status: Active

● PHYSICAL & TECHNICAL

Length: 2.1 m

Width: 2.1 m

Height: 1.4 m

Mass: 650 kg

Power Source: High-capacity battery + optional generator

Energy Capacity: 5200 Wh

Fuel Capacity: N/A

Endurance: 8–14 hours (battery) / unlimited (generator)

Payload Capacity: N/A

Modules: Auto-turret + stabilization base

Navigation System: Stationary (micro-adjust motors only)

Structural Integrity: 700 HP

Armor Rating: 0.45

Heat Signature: Low

Noise Signature: Low

Top Speed: N/A (stationary)

Stability Rating: Maximum

● AUTONOMY & AI BEHAVIOR

Behavior Profile: Static Defense / Automated Threat Response

Aggression: 0.6

Caution: 0.9

Persistence: 1.0

Flanking Likelihood: 0.0

Retreat Threshold: N/A

Target Priority: Hostile movement in line-of-sight

Formation Discipline: Very High

Risk Tolerance: Medium

Sensors

Visual Range: 2200 m

Thermal Range: 1000 m

Acoustic Range: Medium

Radar Range: Short

LiDAR Range: Medium

Signal Detection Range: Medium

Communication

Mesh Range: 5 km

Relay Capacity: 0

Command Link Type: Security Grid

Network Priority: High

● **COMBAT & THREAT MODEL**

Firepower Rating: Medium

Weapon Mounts: 1 (auto-turret)

Weapon Types: Medium machine gun / suppression cannon

Accuracy: High

Suppression Value: Medium

Tracking Strength: High

Disruption Strength: Medium

Breach Capability: None

Countermeasure Rating: Medium

Threat Modeling

Threat Level: 6

Engagement Distance: 300–900 m

Preferred Terrain: Defensive positions / choke points

Preferred Targets: Infantry / light vehicles

Vulnerability Profile: EMP / explosives

● **SQUAD & COMMAND INTEGRATION**

Squad Role: Static Defense

Squad Size Contribution: 1

Formation Behavior: Fixed emplacement

Intent Interpretation Rules: Hold position and fire

Retreat Behavior: None

Breach Behavior: None

Flanking Behavior: None

Reinforcement Behavior: Supports security squads

Command Hierarchy

Parent Command Unit: Command Core / Pulse

Subordinate Units: None

Relay Nodes: None

Network Dependencies: Security Grid

● **VR OPERATOR MODE**

Operator Seat Type: Remote Turret Console

Operator HUD: Defense Overlay

Camera Feeds: Optical + turret cam

Thermal View: Yes

LiDAR View: Yes

Tactical Overlay: Threat arcs / line-of-sight map

Operator Controls

Weapon Controls: Turret aim + fire

Sensor Controls: Thermal / LiDAR / zoom

Ability Controls: Mark Target, Stabilize, Lock Zone

Operator Abilities

Auto-Tracking

Suppression Burst

Zone Lock

Threat Marking

● **ECONOMY & LOGISTICS**

Build Cost: 380 Metal / 200 Electronics

Build Time: 85 sec

Factory Type: Vehicle Bay (Static Platform Output)

Tech Requirements: Security Systems II

Maintenance Cost: Low

Repair Time: 20 sec

Supply Consumption: Low

Operational Cost: Low

Deployment Requirements: Fixed emplacement pad

Transport Compatibility: Light racks

Launch Method: Place-and-activate

BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

26× **Light Alloy Plates**

12× **Reinforced Frame Rods**

4× **Hydraulic Actuators**

2× **Armor Panels**

1× **Turret Base Assembly**

Electronics

16× **Circuit Bundles**

12× **Signal Processors**

4× **Vehicle Control Chips**

2× **Security AI Chips**

Power

1× **High-Capacity Battery Core**

2× **Power Regulation Nodes**

Rare / Tradeable

1× **Auto-Turret Stabilizer**

Optional Upgrades

Reinforced Armor

Extended Battery Pack

Anti-Jamming Shielding

Thermal-Enhanced Optics