

★ HAULER

GROUND UNIT — HAULER

ID:

obs-ground-hauler

Role: Heavy Logistics / Bulk Transport

Tier: Support

Status: Active

● PHYSICAL & TECHNICAL

Length: 5.4 m

Width: 2.6 m

Height: 2.2 m

Mass: 2,000 kg

Power Source: Diesel-electric hybrid

Energy Capacity: 7200 Wh

Fuel Capacity: 120 L

Endurance: 8–14 hours

Payload Capacity: 1,500 kg

Modules: Heavy cargo bed + reinforced suspension

Navigation System: GPS + Logistics AI

Structural Integrity: 1,100 HP

Armor Rating: 0.50

Heat Signature: Medium

Noise Signature: Medium

Top Speed: 14 m/s

Acceleration: Low

Turning Radius: Moderate

Stability Rating: Very High

● AUTONOMY & AI BEHAVIOR

Behavior Profile: Bulk Transport / Supply Chain

Aggression: 0.0

Caution: 0.9

Persistence: 1.0

Flanking Likelihood: 0.0

Retreat Threshold: 0.85

Target Priority: Supply routes / logistics nodes

Formation Discipline: High

Risk Tolerance: Low

Sensors

Visual Range: 1400 m

Thermal Range: 600 m

Acoustic Range: Medium

Radar Range: None

LiDAR Range: Short

Signal Detection Range: Short

Communication

Mesh Range: 6 km

Relay Capacity: 1

Command Link Type: Logistics Grid

Network Priority: High

COMBAT & THREAT MODEL

Firepower Rating: None

Weapon Mounts: None

Weapon Types: None

Suppression Value: 0

Tracking Strength: None

Disruption Strength: Low

Breach Capability: None

Countermeasure Rating: Low

Threat Modeling

Threat Level: 2

Engagement Distance: N/A

Preferred Terrain: Supply lanes / safe corridors

Preferred Targets: None

Vulnerability Profile: Ballistic / explosives

● SQUAD & COMMAND INTEGRATION

Squad Role: Heavy Logistics

Squad Size Contribution: 3

Formation Behavior: Rear-line supply spacing

Intent Interpretation Rules: Deliver bulk supplies safely

Retreat Behavior: Early

Breach Behavior: None

Flanking Behavior: None

Reinforcement Behavior: Supports all squads

Command Hierarchy

Parent Command Unit: Command Core / Fusion

Subordinate Units: Mule, Forge

Relay Nodes: 1

Network Dependencies: Logistics Grid

● VR OPERATOR MODE

Operator Seat Type: Heavy Transport Cockpit

Operator HUD: Logistics Overlay

Camera Feeds: Optical

Thermal View: Yes

LiDAR View: Yes

Tactical Overlay: Supply routes / drop markers

Operator Controls

Movement Controls: Heavy vehicle drive

Cargo Controls: Load / unload / secure

Sensor Controls: Thermal / LiDAR / zoom

Ability Controls: Mark Drop Zone, Stabilize, Route Lock

Operator Abilities

Bulk Supply Drop

Cargo Stabilization

Route Optimization

Logistics Relay

● ECONOMY & LOGISTICS

Build Cost: 650 Metal / 300 Electronics

Build Time: 130 sec

Factory Type: Vehicle Bay

Tech Requirements: Logistics Systems II

Maintenance Cost: Medium

Repair Time: 30 sec

Supply Consumption: Medium

Operational Cost: Medium

Deployment Requirements: Heavy vehicle pad

Transport Compatibility: Heavy racks

Launch Method: Drive-out



BUILD REQUIREMENTS (PLAYER COLLECTION SYSTEM)

Common Components

48× Heavy Alloy Plates

24× Reinforced Frame Rods

8× Hydraulic Actuators

3× Armor Panels

1× Heavy Cargo Bed Assembly

Electronics

20× Circuit Bundles

14× Signal Processors

4× Vehicle Control Chips

2× Logistics AI Chips

Power

1× Hybrid Engine Core

3× Power Regulation Nodes

Rare / Tradeable

1× Cargo Stabilization Module

Optional Upgrades

Reinforced Cargo Bed

Extended Fuel Tank

Anti-Jamming Shielding