The Filesystem: Takeaways 🖻

by Dataquest Labs, Inc. - All rights reserved © 2020

Syntax

- Listing the contents of a directory.
 Listing the non-hidden contents of the current directory without any options: Is
 Listing the non-hidden contents of path /home/dq: Is /home/dq
 Listing the non-hidden contents of the current directory in long format: Is I
 Listing all contents of the current directory: Is a
 Listing all contents of the current directory except for the directories . and ...: Is AI
 Changing directories:
 Change to directory /home: cd /home
 - Change to the parent directory of the current directory: cd ..
 - Change to the parent directory of the parent directory of the current directory: cd ../..
 - Change to your home directory: cd
 - Change your home directory: cd ~
 - Change to the home directory of user dq: cd ~dq
 - Change to the previous directory: cd -

Concepts

- Files are organized in a **hierarchical directory structure**. It is an organizational system for files and directories, in which files and directories are contained in other directories.
- A **path** is a sequence of slashes and files and directory names that define the location of a file or directory.
 - An **absolute path** is any path that starts with a slash. It tells us how to go from the root directory to the location of the the file specified by the path.
 - All others paths are **relative paths**. They tell us how to go from the current directory to the location of the the file specified by the path.
- The **root directory** is defined by the path //. It is the only directory that isn't contained in any other directory.
- The home directory of user <username> is /home/<username> .

Resources

• The <u>Filesystem Hierarchy Standard</u> as defined by the <u>Linux Foundation</u> <u>here</u>.



Takeaways by Dataquest Labs, Inc. - All rights reserved © 2020