

# MORE FORM ELEMENTS

## IN THIS LESSON

<fieldset>

<legend>

<textarea>

<select> & <option>

<label>

## <fieldset> AND <legend>

```
<!-- Fieldset and Legend -->
<fieldset>
  <legend>Your Information</legend>
  <input type="text" name="firstName" placeholder="Your First Name" required />
  <input type="text" name="lastName" placeholder="Your Last Name" required />
</fieldset>
```

Your Information

**<fieldset>** is used to group sets of form controls together

**<legend>** is used to set a caption at the top of a **<fieldset>**

## <textarea>

```
<!-- Textarea -->  
<textarea name="feedback" rows="5" cols="60" placeholder="Your feedback here">  
</textarea>
```




Multi-line text input form control

Control number of visible lines with **rows** attribute, width (number of characters per line) with **cols** attribute

Always set **name** attribute; can set **placeholder** but not **value** attribute; if you want default text, place between tags

## <select> AND <option>

```
<select name="flavor">
  <option value="mint">Mint</option>
  <option value="cherry">Cherry</option>
  <option value="lime">Lime</option>
</select>
```



Used together to create a dropdown list

**<select>** element contains a set of **<option>**s, requires **name** attribute

Each **<option>** surrounds a droptown text option;  
each valid option requires a **value** attribute

## <label>

Surround a form control's caption text in a **<label>** element

```
<!-- Label Example -->
<label for="firstName">First Name</label>
<input type="text" id="firstName" name="firstName" />
```

Associate the label and form control by giving the label a **for** attribute and the form control an **id** attribute, then set their values to match

Then if the label is clicked or touched, the associated form control will become focused - easier to hit, more accessible

# <label>

