PI SKILL · WEB-SLIDES

Agent-authored web decks can look keynote-grade and stay fully sourced.

A React + Motion slide scaffold, a design system, and an automated review loop for the pi coding agent.



REACT 19 MOTION PLAYWRIGHT REVIEW


AGENDA

We cover the stack choice, the build loop, and the guardrails that keep decks honest.



Stack

Why React + Motion over Slidev, reveal.js and Spectacle.



Architecture

How the agent, the deck and the browser fit together.



Workflow

Outline, approval, build, review, export.



Governance

Automated gates for sources, contrast and leftovers.

READABILITY FLOOR

Body text needs at least 4.5:1 contrast, so every theme is checked before it ships.

4.5:1 [1]

Minimum contrast ratio for normal-size text (WCAG 2.2 AA, SC 1.4.3).

3:1 [1]

Minimum for large text: at least 18pt, or 14pt bold (about 24px / 18.5px).

SOURCES [1] W3C, Understanding WCAG 2.2 SC 1.4.3 Contrast (Minimum)

STACK CHOICE


A React + Motion scaffold gives agents the most design freedom with the least lock-in.

	Slidev	reveal.js	Spectacle	React + Motion (this skill)
AUTHORING	Markdown + Vue components	HTML or Markdown sections	React JSX or Markdown	Typed React components
MOTION	v-click, v-motion, slide transitions [1]	Auto-Animate, fragments [3]	Slide transitions, react-spring Appear [5]	Full Motion API, layout animations
EXPORT	PDF, PNG, PPTX via Playwright [2]	Print to PDF, Chrome only [3]	Print-to-PDF mode, best in Chrome [5]	Scripted PDF + PNG via Playwright
REACT FIT	Vue, not React	Framework-agnostic	React-based [4]	Native React, any npm library

SOURCES [1] Slidev docs, Animation [2] Slidev docs, Exporting [3] reveal.js docs, PDF Export & Auto-Animate [4] Spectacle docs, Introduction
[5] Spectacle docs, API Reference

ARCHITECTURE

The skill is a thin loop around a React deck, a headless browser and a review gate.



SOURCES [1] pi-mono, coding-agent docs/skills.md [2] Playwright docs, Screenshots

WORKFLOW

Every deck moves through five gates, and a human approves the outline before any pixels.

01
Outline
Research, sources, one takeaway sentence per slide.

02
Approve
Presenter signs off on story, slide types and theme.

03
Build
Agent writes TSX slides from the catalog.

04
Review
Screenshots, lint report, visual self-critique, fix.

05
Export
PDF and PNG handout; live site for presenting.

AUTHORING MODEL

Slides are typed React components, so agents reuse layouts instead of hand-placing boxes.

src/slides/03-big-number.tsx

```tsx
export default defineSlide({
  id: "contrast-floor",
  notes: "WCAG 2.2 AA thresholds.",
  Component: () => (
    <SlideFrame kind="big-number" sources={[S.wcag]}
      title="Body text needs at least 4.5:1 contrast.">
      <Stat value={4.5} decimals={1} suffix=":1"
        cite="wcag" label="Minimum for normal text" />
    </SlideFrame>
  ),
});
```

RESULTS

The scaffold builds, reviews and exports this 12-slide deck end to end on a headless box.

0 [1]

Blocking lint errors in the final review run.



[1]

SOURCES [1] Measured with npm run review + export:pdf on the build box, 4 Nov 2026

MOTION WITH RESTRAINT

Motion should guide attention, and the scaffold turns it down for viewers who ask.

> “Animations can have serious usability implications, even inducing motion sickness in some people.”

Motion documentation · Accessibility guide [1]

SOURCES [1] Motion docs, React accessibility

GOVERNANCE

Four automated gates and one human gate stop unsourced or unreadable slides from shipping.

Sources

Every Stat, chart and quote must cite a source listed on its slide.

Contrast

Text is measured in the browser against WCAG AA thresholds.

Leftovers

Template leftovers, emoji icons and off-stage overflow fail the run.

Approval

A human approves the outline and the final screenshots.

LESSONS

Design the review loop first, then add the sparkle.

- Agents fix what they can see: screenshot every slide, every time.
- A small component catalog beats free-form layout for consistency.
- Keep every color in tokens so a brand swap is one file.
- One idea per slide, one motion per idea; static exports must still read well.

NEXT STEP

Start with an approved outline, and the scaffold handles the polish.

References

1. W3C, Understanding WCAG 2.2 SC 1.4.3 Contrast (Minimum) (www.w3.org/WAI/WCAG22/Understanding/contrast-minimum.html)
2. Slidev docs, Exporting (sli.dev/guide/exporting)
3. Slidev docs, Animation (sli.dev/guide/animations)
4. reveal.js docs, PDF Export & Auto-Animate (revealjs.com/pdf-export/)
5. Spectacle docs, Introduction (nearform.com/open-source/spectacle/docs/)
6. Spectacle docs, API Reference (nearform.com/open-source/spectacle/docs/api-reference/)
7. Motion docs, React accessibility (motion.dev/docs/react-accessibility)
8. Playwright docs, Screenshots (playwright.dev/docs/screenshots)
9. pi-mono, coding-agent docs/skills.md (github.com/badlogic/pi-mono/blob/main/packages/coding-agent/docs/skills.md)
10. Measured with npm run review + export:pdf on the build box, 4 Nov 2026