



AmpBender

Virtual Guitar Amplifier by Heath Audio

Version 1.0.3

Table of Contents

1. [Introduction](#)
2. [Installation](#)
3. [Quick Start](#)
4. [Features Overview](#)
5. [Controls Reference](#)
6. [Signal Routing & Patchbay](#)
7. [AutoGain Feature](#)
8. [Preset Management](#)
9. [Troubleshooting](#)
10. [Uninstallation](#)
11. [Support & Contact](#)

1. Introduction

Welcome to **AmpBender**, a virtual guitar amplifier plugin that delivers authentic tube amp tones through advanced Wave Digital Filter (WDF) circuit modeling. AmpBender faithfully recreates the characteristics of classic British amplifiers with modern workflow enhancements.

Key Features

- WDF-based circuit modeling for authentic tube amp response
- Modular patchbay for custom signal routing
- Cabinet IR convolution with included speaker impulse responses
- Real-time spectrum analyzer
- AutoGain for consistent output levels
- Circuit modifications panel (VARIAC, Bias adjustments)
- Oversampling options for high-quality processing

Available Formats

Format	macOS	Windows	Compatible DAWs
VST3	Yes	Yes	Ableton, FL Studio, Cubase, Reaper, Studio One, etc.
AU (Audio Unit)	Yes	N/A	Logic Pro, GarageBand, Studio One
AAX	Coming Soon		Pro Tools
Standalone	Yes	Yes	N/A (runs independently)

2. Installation

macOS Installation

Important: AmpBender is currently unsigned. You may need to allow it in System Preferences > Security & Privacy.

Using the Installer (.pkg)

1. Download the `AmpBender-v1.0.3-macOS.pkg` installer
2. Double-click to run the installer
3. If blocked, go to **System Preferences > Security & Privacy** and click "Open Anyway"
4. Follow the installation wizard
5. Restart your DAW to scan for new plugins

Manual Installation

Copy the plugin files to these locations:

```
VST3: ~/Library/Audio/Plug-Ins/VST3/AmpBender.vst3  
AU:   ~/Library/Audio/Plug-Ins/Components/AmpBender.component
```

Then remove the quarantine attribute:

```
xattr -rd com.apple.quarantine ~/Library/Audio/Plug-Ins/VST3/AmpBender.vst3  
xattr -rd com.apple.quarantine ~/Library/Audio/Plug-Ins/Components/AmpBender.co
```

Windows Installation

Using the Installer (.exe)

1. Download the `AmpBender-v1.0.3-Windows.exe` installer
2. Right-click and select "Run as Administrator"
3. If Windows Defender SmartScreen blocks it, click "More info" then "Run anyway"
4. Choose installation options (VST3, Standalone)
5. Complete the installation and restart your DAW

Manual Installation

Copy the VST3 bundle to:

```
C:\Program Files\Common Files\VST3\AmpBender.vst3
```

3. Quick Start

1. Insert AmpBender on a guitar track in your DAW
2. Select a preset from the preset browser (top-left)
3. Adjust the **Preamp Gain** to taste
4. Enable **AutoGain** to maintain consistent output levels
5. Fine-tune with EQ knobs (Bass, Mid, Treble, Presence)
6. Use **Master Volume** for final level adjustment

Tip: Start with the "Clean Crunch" preset for a versatile tone that works with most playing styles.

4. Features Overview

Amp Panels

AmpBender has three main panels that can be expanded or collapsed:

- **Left Panel:** Input controls, gain stages, and EQ
- **Center Panel:** Circuit modifications (Variac, Bias, Tubes)
- **Right Panel:** Patchbay, output controls, and cabinet section

Input/Output Meters

Real-time level meters with color-coded indicators:

- **Green:** Safe zone (below -12 dB)
- **Yellow:** Caution zone (-12 dB to -6 dB)

- **Red:** Danger zone (-6 dB to 0 dB and above)

Spectrum Analyzer

31-band real-time frequency analyzer showing the output signal. Toggle on/off to save CPU when not needed.

5. Controls Reference

Input Section

Control	Range	Description
Input Trim	-24 to +24 dB	Adjust input level before amp stages
Preamp Gain	0-11!	Drive the preamp tubes for distortion
Bass	0-10	Low frequency EQ
Mid	0-10	Midrange frequency EQ
Treble	0-10	High frequency EQ
Presence	0-10	High frequency enhancement
Master Volume	0-11!	Power amp drive and final output level

Circuit Mods (Center Panel)

Control	Description
Variac	Simulates voltage sag (90-120V). Lower values create compression and warmth

Bias	Adjust tube bias (cold to hot). Affects headroom and saturation character
Tube Selection	Choose from different preamp tube voicings

Output Section

Control	Description
Output Trim	Final output level adjustment (-24 to +24 dB)
AutoGain	Automatically compensates for gain changes (see Section 7)
Oversampling	1x, 2x, or 4x for improved quality at high gain
Cabinet IR	Select included cabinet impulse response or load custom IR

6. Signal Routing & Patchbay

The modular patchbay allows you to customize the signal flow between circuit stages. Each node represents a point in the amp circuit:

Available Nodes

- **Input:** Guitar signal entry point
- **Preamp 1-3:** Gain stages
- **Tone Stack:** EQ section
- **Phase Inverter:** Push-pull driver
- **Power Amp:** Output tubes
- **Cabinet:** Speaker simulation
- **Output:** Final output

Making Connections

1. Click on an output jack to start a cable
2. Click on an input jack to complete the connection
3. Cable colors indicate signal type (audio, control)
4. Right-click a cable to remove it

Note: Unusual routing can create feedback loops. Use the Output Trim to manage levels.

7. AutoGain Feature

AutoGain automatically adjusts the output level to match your input level, making preset comparisons easier and preventing unexpected volume jumps.

How It Works

1. Enable AutoGain by clicking the toggle
2. Play your guitar for 2-3 seconds
3. AutoGain calibrates and locks the compensation gain
4. The gain stays locked until you change a parameter or input level significantly

Recalibration Triggers

AutoGain will recalibrate when:

- Preamp Gain changes by more than 5%
- Input level changes by more than 4 dB
- You toggle AutoGain off then on

Recording Tip: AutoGain automatically locks when your DAW is recording, preventing any gain fluctuation during takes.

8. Preset Management

Loading Presets

1. Click the preset name in the toolbar
2. Browse factory presets by category
3. Click to load a preset
4. Use arrow buttons for quick prev/next navigation

Saving Presets

1. Adjust controls to your desired sound
2. Click the Save button (or use your DAW's preset system)
3. Name your preset and choose a category

User Presets Location

```
macOS: ~/Library/Application Support/Heath Audio/AmpBender/Presets/  
Windows: %APPDATA%\Heath Audio\AmpBender\Presets\
```

9. Troubleshooting

Plugin doesn't appear in DAW

- **macOS:** Remove quarantine with `xattr -rd com.apple.quarantine`
- **Windows:** Ensure VST3 is in the correct folder
- Rescan plugins in your DAW

High CPU usage

- Reduce Oversampling to 1x or 2x

- Disable the Spectrum Analyzer when not needed
- Collapse the Circuit Mods panel

No sound

- Check input/output routing in your DAW
- Ensure Input Trim and Output Trim are not at minimum
- Check the patchbay connections

GarageBand issues

AmpBender is sandbox-safe for GarageBand. If it doesn't load:

- Restart GarageBand
- Re-install the AU component
- Check System Preferences > Security & Privacy

10. Uninstallation

macOS

Run the included **Uninstall AmpBender** application from your Applications folder, or manually delete:

```
# Plugin files
rm -rf ~/Library/Audio/Plug-Ins/VST3/AmpBender.vst3
rm -rf ~/Library/Audio/Plug-Ins/Components/AmpBender.component

# User data (optional - removes presets)
rm -rf ~/Library/Application\ Support/Heath\ Audio/AmpBender/

# Cache files
```

```
rm -rf ~/Library/Caches/AmpBender/  
rm -rf ~/Library/Caches/com.Heath\ Audio.AmpBender/
```

Windows

Use **Add or Remove Programs** in Windows Settings to uninstall AmpBender, or manually delete:

```
:: Plugin files  
del /s /q "C:\Program Files\Common Files\VST3\AmpBender.vst3"  
  
:: User data (optional - removes presets)  
rmdir /s /q "%APPDATA%\Heath Audio\AmpBender"
```

11. Support & Contact

Getting Help

We use GitHub Issues to track bug reports, feature requests, and support questions. This provides a transparent and organized way to manage feedback.

How to Report an Issue

1. Visit the [AmpBender GitHub Issues](#) page
2. Click "New Issue"
3. Choose a template: **Bug Report** or **Feature Request**
4. Fill in the requested information
5. Submit and we'll respond as soon as possible

What to Include in Bug Reports

- Your operating system and version (e.g., macOS 14.2, Windows 11)
- Your DAW and version (e.g., Studio One 6.5)
- Plugin format (VST3, AU, or Standalone)
- Steps to reproduce the issue

- What you expected to happen vs. what actually happened

Contact Information

- **Email:** jasonlnheath@gmail.com
- **Website:** jasonlnheath.github.io/AmpBender-Beta
- **GitHub:** github.com/jasonlnheath/AmpBender

Version: 1.0.3

Release Date: December 2025

System Requirements:

- macOS 10.13+ (Intel or Apple Silicon)
- Windows 10+ (64-bit)
- 4 GB RAM minimum
- VST3 or AU compatible DAW (AAX coming soon)

© 2025 Heath Audio. All rights reserved.

AmpBender is a trademark of Heath Audio.